

Linux (Ubuntu)

After install you will find it's much like any windowing OS, although without the polish (for instance pinta, my MSpaint replacement, does not have a print function, openOffice and Libreoffice are not as good as MS Office). Desktop icons are a bit of a pain to make.

But its fast, free, customizable (different types of linux, different window managers (or none for servers) , setup for client use or server use, can be run from just the command line (low demand on your video card then) so you can ssh in to a remote machine and run the OS through a low bandwidth connection (just a few chars back and forth over the wire verses streaming all the graphics of a window manager over the wire).

To install software you need extra privileges, so most of the following needs to be preceded by sudo. You can get/install programs directly(like eclipse) but usually you'll go through package managers, the software may be a little older than the latest available, but its easier to install)

The following is from <http://www.control-escape.com/linux/lx-swininstall.html>

Debian, Ubuntu: APT

There is a broad array of tools for working with DEB packages, but the one you will commonly use is `apt-get`, arguably the easiest of Linux package management tools. `apt-get` is so easy because it not only keeps track of what packages are installed, but also what other packages are available. It will even download them from the Internet for you (if properly configured).

```
sudo apt-get install ${packagename}
```

To remove software is just as easy.

```
sudo apt-get remove ${packagename}
```

Although the repositories that contain installable packages might live on the Internet or on a disc somewhere, APT keeps a local database with a list of all available packages and where to find them. This database needs to be explicitly updated. The following command will update the APT database:

```
sudo apt-get update
```

A common idiom is to update your package database, and then upgrade all the packages that have patches or security updates to install. The following command will do this all at once.

```
sudo apt-get update; apt-get upgrade
```

For a more indepth `apt-get` tutorial and other resources, see ***Managing Software with APT and dpkg***.

Open terminal (can do everything from here)

Ctrl-alt-T

Environmental vars

`echo $PATH` #where the os looks for executables and other stuff if you do not specify a path

some commands

`cd (dirname)` #change directory

`cd ~` #go to home dir /home/keith for me

`ls -la` #directory listing with permissions, owners, hidden files

`find -name filename`

`df` #disk usage

`ps -e` #all running processes

`kill processnumber` #from `ps -e`, choose process number and kill with this command

`alias` #way to simplify complex commands (demo alias and `cd327`)

especially useful stuff

`locate`

`which`

`whatis`

`whereis`

`./executableprogram` #run program from current dir

See linux tutorials on course home page for help. My advice, just start using it, over time you will learn all this stuff.


Git

See course [website](#) for simple guide to git

Git keeps a local copy and remote copy, manages most of merges for you, very fast. You will use version control at your job, probably git, learn it now. This section follows an in class demo

Workflow (pull from my repo at github.com to your github.com account)

First fork the repo, then clone



Use above link to get a local copy

On your local machine,

`git clone https://github.com/kperkins411/delme.git` #make a local copy of remote repo

Workflow (create your own local repo, push to your github.com)

`git init` #now have a local repo with .git file

`touch .gitignore` #put all the files/dirs. You want to ignore in here

`git remote -v` #connected to a remote? not yet

#go and create a remote repo, I created one at github called delme with url

#<https://github.com/CNUClasses/delme.git>

#now tie local repo to remote

`git remote add origin https://github.com/CNUClasses/delme.git`

Workflow (change local repo, push to your github.com repo)

#create a local file

touch file

git status #see gits view of things

git add file #or use interactive (great if you have many files that you cannot filter with .gitignore)

git add -i

#probably use update (2) and add untracked the most(4)

#just choose the files you want to add from list, then hit return on empty line to quit

#presto you have a staged change to commit, but its not in yet

git status

git commit -m "informative message" #makes local repo changes

git log --oneline #what have I commuted

git push origin master #pushes those changes to remote

In depth tutorial at bitbucket (along with free private repos)

<https://www.atlassian.com/git/tutorials/learn-git-with-bitbucket-cloud>