
CPSC 475/575 - Mobile Computing


Topics


- Communications between Android Studio and Device and Emulator
- Compilation
- Layouts

Communications - Adb.exe

 How does Android Studio communicate with emulator or device?







Layouts

Layouts

Location

- 2 today
 - Linear (3_layoutExample project)
 - -Framelayout "
- See the online doc on Constraint Layout


LinearLayout

(see 3_layoutExample project)



LinearLayout

gravity layout_gravity



gravity – align text inside widget


```
<Button
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:gravity="left"
    android:text="Left" />
```

layout-gravity – align widget in parent

```
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_gravity="right"
    android:text="right" />
```

LinearLayout

android:layout_weight (There is no android:weight!)




FrameLayout



- Placed on screen
- On Top of each other
- In order declared

```
KFrameLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:id="@+id/FL"
    android:layout width="match parent" android:layout height="match parent"
    android:background="@drawable/ic launcher">
    <TextView
                                                           Use dp not px
        android: layout width="match parent"
        android:layout height="96dp"
        android:text="New Text"
        android:id="@+id/textView"
        android:layout gravity="center horizontal|bottom"
        android:background="#44ee0bff" />
    <Button
        android:layout width="wrap content"
        android:layout height="wrap content"
        android:text="click me"
        android:onClick="doButton"
        android id="0+id/button"
        android:layout gravity="right|bottom'
</FrameLayout>
```


FrameLayout



```
public class FrameLayoutActivity extends Activity {
    private boolean isGreen = false;
   private int Id;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity framelayout);
       Resources resources = this.getApplicationContext().getResources();
       Id = resources.getIdentifier("ic launcher", "drawable", getPackageName());
   public void doButton(View view) {
       FrameLayout ml = (FrameLayout) findViewById(R.id.FL);
       if (isGreen)
           ml.setBackgroundResource(Id);
       else
            ml.setBackgroundColor(0xFF00FF00);
       isGreen = !isGreen:
```


TableLayout

- rows and columns
- rows normally TableRows
- TableRows contain
 other elements such
 as buttons, text, etc.




Other Layouts - GridView

- Two Dimensional Scrollable Grid
- Items inserted into layout via a ListAdapter



Other Layouts - TabLayout

- Uses a TabHost and TabWidget
- Swap between views in same activity or switch between different activities



Other Views - Layouts

- Gallery
 - horizontal scrolling display of images from a list
- SurfaceView
 - provide access to a "drawing" surface.
 Intended to draw pixels, not display other views / widgets