
Alan Dsouza

Assigned component: Nonprescription Medication Ordering

This component represents customer ordering of medications that do not require prescription review. Customer accounts are connected to orders, and individual order items store requested quantities. The pharmacist may be responsible for fulfilling an order.

Class	**Responsibility**	**Related use cases**
User	Common account information and authentication operations	UC22
Customer	Customer profile, prescriptions and purchasing	UC01, UC06, UC13, UC14, UC15, UC21
Pharmacist	Prescription review and fulfillment	UC11, UC12, UC24
Order	Purchase information, payment eligibility and status	UC03, UC13, UC14, UC15
OrderItem	Requested medication, quantity and price in an order	UC03, UC15
Medication	Medication identity, pricing and prescription requirement	UC04, UC05, UC08, UC16, UC17

Individual UML Class Diagram


Customer
- address: String
- phoneNumber: String
+ submitPrescription(filePath: String): Prescription
+ viewOrder(orderId: int): Order
+ viewPrescriptionStatus(id: int): String
Pharmacist
- employeeId: int
+ reviewPrescription(id: int): Prescription
+ approvePrescription(id: int): void
+ rejectPrescription(id: int, reason: String): void
+ fulfillOrder(id: int): void
1
places
0..*
0..1
fulfills
0..*
User
userId: int
name: String
email: String
passwordHash: String
+ login(email: String, password: String): boolean
+ logout(): void
Order
- orderId: int
- orderDate: Date
- status: String
- totalAmount: double
- paymentMethod: String
+ getStatus(): String
+ cancelOrder(): void
+ validateStock(): boolean
+ canProceedToPayment(): boolean
+ confirmOrder(): void
1
contains
0..*
OrderItem
- orderItemId: int
- quantity: int
- unitPrice: double
+ getSubtotal(): double
0..*
references
1
Medication
- medicationId: int
- name: String
- price: double
- prescriptionRequired: boolean
+ getPrice(): double
+ requiresPrescription(): boolean