Lineages report for SHEF

This report gives summaries of UK specific lineages sequenced by SHEF for week 2020-06-05. There are time lags due to batching, curation and analysis, the most recently sampled sequence is 2020-05-22. The analysis (eg time since last sample) is therefore undertaken from this date. 1233 sequences in the UK from the sequencing centre SHEF have been included in this analysis.

A few notes: the size of a lineage may be due to a low amount of transmission of this lineage, but it is likely also that it just hasn't been sampled as frequently, especially for newer lineages. It's also important to realise that these lineages are *estimates* of how we think the virus is spreading in the UK after being introduced from abroad, as the low evolutionary rate of the virus makes it difficult to separate lineages with certainty.

The minimum number of introductions is 341 and the maximum is 450

Sequences which were replicates or too error-prone were removed from this analysis.

312 are lineages which only contained five sequences or fewer, and so have been left out of visualisation in the interests of clarity

Furthermore, those sequences which haven't been sampled in the last month are not shown.

Of the 12 that remain: 9 are pending extinction, ie last seen three weeks ago. 2 lineages have gone quiet, ie haven't been seen this week. 1 lineage has been continuously circulating.

The following table contains information about the ten largest lineages lineages and the number of sequences the dataset. Information about other lineages is found in the appendix, along with the raw data for all of the other figures.

Each entry is the count of sequences from each lineage in each country, with the percentage of the total sequences from that lineage that this count represents.

"Activity score" is calculated by taking the average gap between sampling for each lineage, and dividing it by the number of days since the lineage was last sampled. Therefore the higher the number, the more active the lineage is. If the score is above 1, then it has been sampled *more* recently than expected given its average gap size. We might interpret this as an increase in activity. If the score is below 1, it has been sampled *less* recently than expect given its average gap size, so we might interpret this as a decrease in activity.

The global lineages are correct as of the data release on 2020-05-19

It is written to "summary_files" as "lineage_summary.tsv" for further use, and the full list of lineages is available in the same directory as "all lineages.csv"

Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK5	335	Mar-13,	335	B.1.1.1	4	0.0494
	(100.0%)	May-18				
UK194	64	Mar-19,	64	B.1.1	28	0.0204
	(100.0%)	Apr-24				
UK343	64	Mar-28,	64	B.1	7	0.1088
	(100.0%)	May-15				
UK144	25	Mar-05,	25	B.2.1	45	0.0306
	(100.0%)	Apr-07				
UK235	24	Mar-21,	24	B.1.1	18	0.1063
	(100.0%)	May-04				
UK2916	23	Mar-03,	23	B.1	29	0.0799
	(100.0%)	Apr-23				
UK279	22	Mar-26,	22	B.1.1	27	0.0529
	(100.0%)	Apr-25				
UK4	22	Mar-07,	22	В	31	0.0691
	(100.0%)	Apr-21				
UK94	19	Mar-21,	19	B.2.1	42	0.0265
	(100.0%)	Apr-10				
UK419	19	Mar-30,	19	B.1.1	20	0.0917
	(100.0%)	May-02				

These data is represented in the figure one. Note that the number of sequences is likely to be due more to differing sampling efforts in different regions, rather than genuine differences in numbers of cases.

The raw data for this bar chart are in the table above.




Figure 1: Number of sequences sampled in a lineage by country

Different sequencing centres have different delays in turn around from receipt of samples to submission of sequence data. This will affect all of the figures shown after this if lineages have geographical variation, as some regions have less up to date data.

The lag for this sequencing centre is 14 days

The relative growth and decline of the ten most sampled lineages in terms of number of counties they are present in is shown in figure three.




Figure 2: Lineages by number of adm2 regions present by epiweek

These lineages are shown on the timeline. Each line represents the length of the cluster, from oldest to most recent sampling date. The dots are sized by the number of sequences taken on that date, and again are colour coded by country. The raw data has been written to a summary file.




Figure 3: Timeline of lineages, sized by number of sequences from each country.

The date of first sequence in the cluster is shown in figure five for every cluster with date information.




Figure 4: Lineage starts per week, split by singletons and non-singletons

For comparison, here is a plot of the day that every sequence was taken, coloured by country. Note that sequences without dates were not included.




Figure 5: Sequences taken on each day by country

The map shows the number of sequences sampled in each admin2 region in the UK. The colour scale is the same for all four countries, but with different underlying base colours.

There are 5 sequences without enough geographical information to map

from this centre.




Figure 6: Map showing the number of sequences sampled by adm2 region

Other results modules for UK lineage analysis can be added in here if required.

Appendix

Below are the raw data tables for each of the figures in the report.

 $\textbf{Table S1} \ \ \text{Description of all lineages that have been circulating in the last month, and have more than 5 sequences.}$

UK5 335 Mar-13, 335 B.1.1.1 4 0.049 (100.0%) May-18 UK194 64 Mar-19, 64 B.1.1 28 0.020 (100.0%) Apr-24 UK343 64 Mar-28, 64 B.1 7 0.1088 (100.0%) May-15 UK144 25 Mar-05, 25 B.2.1 45 0.330 (100.0%) May-15 UK235 24 Mar-21, 24 B.1.1 18 0.1063 (100.0%) Apr-27 (100.0%) Apr-23 UK279 22 Mar-03, 23 B.1 29 0.0798 (100.0%) Apr-25 UK4 22 Mar-07, 22 B 31 0.0691 UK94 19 Mar-21, 19 B.2.1 42 0.0361 (100.0%) Apr-10 UK194 19 Mar-21, 19 B.1.1 20 0.0916 UK194 19 Mar-330, 19 B.1.1 20 0.0916 (100.0%) May-04 UK24 19 Mar-19, 19 B.1.1 18 0.142 (100.0%) May-02 UK24 19 Mar-19, 19 B.1.1 18 0.142 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 50 0.02 UK384 16 Mar-15, 16 B.2.1 19 0.1508 (100.0%) May-02 UK384 16 Mar-25, 16 B.2.1 19 0.1508 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 19 0.1508 (100.0%) May-02 UK384 16 Mar-21, 16 B.2.1 19 0.1508 (100.0%) May-02 UK31 16 Mar-25, 16 B.2.1 19 0.1508 (100.0%) May-02 UK51 16 Mar-21, 16 B.2.1 19 0.1508 (100.0%) May-02 UK51 16 Mar-22, 15 B.1 21 0.1361 (100.0%) May-03 UK66 15 Mar-22, 15 B.1 21 0.1361 (100.0%) May-01 UK90 9 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) May-01 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) May-02 UK506 12 Mar-29, 12 B.1 30 0.1333 (100.0%) May-02 UK507 19 Mar-29, 12 B.1 30 0.1333 (100.0%) May-02 UK508 4 6 Mar-29, 9 B.10 30 0.1292 UK51 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK508 4 6 Mar-29, 9 B.3 (100.0%) Apr-22 UK508 6 6 Mar-29, 6 B.1. 36 0.1	Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
(100.0%) May-18 May-19 64 B.1.1 28 0.020;							
UK194 64 Mar-19,	UKO			333	B.1.1.1	4	0.0494
(100.0%) Apr-24 UK343 64 Mar-28, 64 B.1 7 0.1088 (100.0%) May-15 UK144 25 Mar-05, (100.0%) Apr-07 UK235 24 Mar-21, 24 B.1.1 18 0.1063 (100.0%) Apr-07 (100.0%) Apr-08 (100.0%) Apr-23 UK279 22 Mar-06, (100.0%) Apr-25 UK4 22 Mar-07, 22 B 31 0.0691 (100.0%) Apr-21 UK94 19 Mar-21, 19 B.2.1 42 0.0265 (100.0%) Apr-10 UK419 19 Mar-30, 19 B.1.1 20 0.0915 (100.0%) May-02 UK23 17 Mar-23, 17 B.9 20 0.125 (100.0%) May-02 UK384 16 Mar-25, 16 B.2.1 19 0.1505 (100.0%) May-02 UK31 16 Mar-21, 16 B.2.1 19 0.1505 (100.0%) May-01 UK601 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) May-01 UK31 15 Mar-20, 15 B.15 42 0.0355 (100.0%) May-01 UK301 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-10 UK302 9 Mar-21, 9 B.1 30 0.1335 (100.0%) Apr-20 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-20 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-20 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-20 UK501 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-20 UK502 9 Mar-21, 9 B.1 30 0.1335 (100.0%) Apr-20 UK504 6 Mar-22, 9 B.10 30 0.1286 (100.0%) Apr-20 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-10 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-10 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-10 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-10 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-20 UK12 8 Mar-26, 6 B.1 30 0.1366 (100.0%) Apr-10 UK173 6 Mar-22, 6 B.1 6 B.1	UK194			64	B.1.1	28	0.0204
UK343 64 Mar-28,							
UK144 25	UK343	64		64	B.1	7	0.1088
(100.0%) Apr-07 UK235 24 Mar-21, 24 B.1.1 18 0.1065 (100.0%) May-04 UK2916 23 Mar-03, 23 B.1 29 0.0795 (100.0%) Apr-23 UK279 22 Mar-26, 22 B.1.1 27 0.0525 (100.0%) Apr-25 UK4 22 Mar-07, 22 B 31 0.0691 (100.0%) Apr-10 UK94 19 Mar-21, 19 B.2.1 42 0.0265 (100.0%) Apr-10 UK419 19 Mar-30, 19 B.1.1 20 0.0917 (100.0%) May-02 UK24 19 Mar-19, 19 B.1.1 18 0.142 (100.0%) May-04 UK23 17 Mar-23, 17 B.9 20 0.125 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 50 0.025 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 50 0.025 (100.0%) May-03 UK6 15 Mar-22, 16 B.2.1 19 0.1505 (100.0%) May-03 UK6 15 Mar-22, 15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) May-01 UK311 15 Mar-20, 15 B.15 42 0.0357 (100.0%) May-01 UK505 12 Mar-29, 12 B.1 21 0.1425 (100.0%) May-01 UK506 14 Apr-03, 14 B.1, B 23 0.085 (100.0%) Apr-10 UK802 9 Mar-21, 9 B.1 30 0.1335 (100.0%) Apr-22 UK329 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-20 UK12 8 Mar-26, 8 B.1,p11 30 0.1286 (100.0%) Apr-20 UK12 8 Mar-26, 6 B.1 32 0.176 (100.0%) Apr-20 UK173 6 Mar-22, 6 B.1 30 0.0305 UK173 6 Mar-22, 6 B.1 30 0.0305 UK173 6 Mar-22, 6 B.1 0.0305 0.0305 UK173 6 Mar-22, 6 B.1 0.0305 0.0305 UK173 6 Mar-22, 6 B.1 0.0305 0.0305 UK173 6 Mar-22, 6 B.1		,					
UK235	UK144		,	25	B.2.1	45	0.0306
UK2916 23 Mar-03, 23 B.1 29 0.0798	TITZOOF	,		2.4	D 1 1	10	0.1000
UK2916 23 Mar-03,	UK235		,	24	B.1.1	18	0.1063
(100.0%) Apr-23 VIX279 22 Mar-26, 22 B.1.1 27 0.0528 VIX4 22 Mar-07, 22 B 31 0.0691 VIX4 19 Mar-21, 19 B.2.1 42 0.0268 VIX4 19 Mar-21, 19 B.2.1 42 0.0268 VIX419 19 Mar-30, 19 B.1.1 20 0.0917 VIX419 19 Mar-19, 19 B.1.1 18 0.142 VIX42 19 Mar-19, 19 B.1.1 18 0.142 VIX43 17 Mar-23, 17 B.9 20 0.128 VIX44 16 Mar-15, 16 B.2.1 50 0.024 VIX45 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) May-02 VIX44 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) May-03 VIX45 16 Mar-21, 16 B.2.1 19 0.1508 VIX45	HK2916	,		23	R 1	20	0.0799
UK279	0112310			20	D.1	20	0.0155
(100.0%) Apr-25 Apr-25 Apr-27	UK279			22	B.1.1	27	0.0529
UK94 19		(100.0%)					
UK94 19 Mar-21, (100.0%) Apr-10 19 B.2.1 42 0.0265 UK419 19 Mar-30, (100.0%) May-02 19 B.1.1 20 0.0917 UK24 19 Mar-19, (100.0%) May-04 19 B.1.1 18 0.142 UK23 17 Mar-23, (100.0%) May-02 17 B.9 20 0.125 UK384 16 Mar-15, (16 B.2.1 50 0.024 UK51 16 Mar-25, (16 B.1.36 11 0.2848 (100.0%) May-11 0.000 0.000 0.000 0.000 0.000 UK95 16 Mar-21, (16 B.2.1 19 0.1508 UK6 15 Mar-22, (15 B.1 21 0.1361 UK131 15 Mar-22, (100.0%) Apr-10 0.000 Apr-10 0.000 0.000 0.000 UK501 14 Apr-03, (14 B.1, B 23 0.087 UK802 9 Mar-29, (12 B.1 21 0.1429 UK72 9 Mar-21, (9 9 B.1 30 0.133 UK72 9 Mar-24, (9 9 B.3 43 0.046 UK432 9 <td< td=""><td>UK4</td><td></td><td></td><td>22</td><td>В</td><td>31</td><td>0.0691</td></td<>	UK4			22	В	31	0.0691
(100.0%) Apr-10 UK419 19 Mar-30, 19 B.1.1 20 0.0917 (100.0%) May-02 UK24 19 Mar-19, 19 B.1.1 18 0.142 (100.0%) May-04 UK23 17 Mar-23, 17 B.9 20 0.125 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 50 0.022 (100.0%) Apr-02 UK51 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) Apr-02 UK51 16 Mar-21, 16 B.2.1 19 0.1508 (100.0%) May-01 UK6 15 Mar-21, 16 B.2.1 19 0.1508 (100.0%) May-03 UK51 15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-03, 14 B.1, B 23 0.087 (100.0%) Apr-29 UK5505 12 Mar-29, 12 B.1 21 0.1428 (100.0%) Apr-22 UK72 9 Mar-21,		,					
UK419 19 Mar-30, (100.0%) May-02 19 B.1.1 20 0.0917 (100.0%) May-02 UK24 19 Mar-19, (100.0%) May-04 19 B.1.1 18 0.142 (100.0%) May-04 UK23 17 Mar-23, (100.0%) May-02 16 B.2.1 50 0.024 (100.0%) May-12 UK384 16 Mar-15, (100.0%) Apr-02 16 B.1.36 11 0.2848 (100.0%) May-11 UK95 16 Mar-21, (16 B.2.1 19 0.1509 (100.0%) May-03 UK6 15 Mar-22, (15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, (15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, (14 B.1, B 23 0.085 (100.0%) Apr-10 UK5050 12 Mar-29, (12 B.1 21 0.1428 (100.0%) Apr-29 UK802 9 Mar-21, (9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, (9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, (9 B.3 43 0.0468 (100.0%) Apr-22 UK432 9 Mar-26, (8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29	UK94			19	B.2.1	42	0.0265
UK24 19 May-02 UK24 19 May-19, 19 B.1.1 18 0.142 (100.0%) May-04 UK23 17 May-23, 17 B.9 20 0.125 (100.0%) May-02 UK384 16 Mar-15, 16 B.2.1 50 0.024 UK51 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) May-11 UK95 16 Mar-21, 16 B.2.1 19 0.1509 UK6 15 Mar-21, 16 B.2.1 19 0.1509 UK6 15 Mar-22, 15 B.1 21 0.1361 UK131 15 Mar-20, 15 B.15 42 0.0357 UK501 14 Apr-03, 14 B.1, B 23 0.087 UK5505 12 Mar-29, 12 B.1 21 0.1429 UK72 9 Mar-21, 9 B.1 30 0.133 UK72 9 Mar-24,	I IIZ 410	,		10	D 1 1	20	0.0017
UK24 19 Mar-19, (100.0%) May-04 UK23 17 Mar-23, (100.0%) May-02 UK384 16 Mar-15, (16 B.2.1 50 0.024 UK51 16 Mar-25, (100.0%) Apr-02 UK51 16 Mar-25, (100.0%) May-11 UK95 16 Mar-21, (16 B.2.1 19 0.1508 (100.0%) May-03 UK6 15 Mar-22, (15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, (15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, (14 B.1, B 23 0.087 (100.0%) Apr-12 UK5055 12 Mar-29, (100.0%) May-01 UK72 9 Mar-21, (9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-24, (9 B.3 43 0.0468 UK12 8 Mar-26, (8 B.1.p11 30 0.1286 UK72 6 Mar-29, (6 B.1.1 36 0.1 UK72 6 Mar-29, (100.0%) Apr-20 Apr-20 6	UK419			19	D.1.1	20	0.0917
UK23	UK24	,		19	B.1.1	18	0.142
UK23 17 Mar-23, (100.0%) May-02 UK384 16 Mar-15, (100.0%) Apr-02 UK51 16 Mar-25, (100.0%) 16 B.1.36 11 0.2848 (100.0%) May-11 UK95 16 Mar-21, (16 B.2.1 19 0.1508 (100.0%) May-03 UK6 15 Mar-22, (15 B.1 21 0.1361 UK6 15 Mar-22, (15 B.15 42 0.0357 (100.0%) May-01 UK131 15 Mar-20, (15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, (14 B.1, B 23 0.087 UK501 14 Apr-03, (14 B.1, B 23 0.087 (100.0%) Apr-29 12 B.1 21 0.1428 (100.0%) May-01 UK802 9 Mar-21, (9 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 B.1 30 0.1286 UK72 9 Mar-24, (9 9 B.3 43 0.0463 (100.0%) Apr-20 0 0 0 0 0 UK72 <t< td=""><td>01121</td><td></td><td></td><td>10</td><td>D.1.1</td><td>10</td><td>0.112</td></t<>	01121			10	D.1.1	10	0.112
UK384 16 Mar-15, (100.0%) Apr-02 UK51 16 Mar-25, (100.0%) 16 B.1.36 11 0.2848 (100.0%) May-11 0.1508 11 0.2848 (100.0%) May-11 15 16 B.2.1 19 0.1508 (100.0%) May-03 0.1508 0.1508 0.1508 0.1508 UK6 15 Mar-22, (15 B.1 21 0.1361 (100.0%) May-01 0.000 0.000 0.000 0.000 0.000 UK501 14 Apr-03, (14 B.1, B 23 0.085 0.000	UK23			17	B.9	20	0.125
(100.0%) Apr-02 UK51 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) May-11 16 B.2.1 19 0.1508 UK95 16 Mar-21, 16 B.2.1 19 0.1508 UK6 15 Mar-22, 15 B.1 21 0.1361 UK6 15 Mar-22, 15 B.15 42 0.0357 (100.0%) May-01 UK501 14 Apr-03, 14 B.1, B 23 0.087 UK505 12 Mar-29, 12 B.1 21 0.1428 (100.0%) Apr-29 UK72 9 B.1 30 0.1333 (100.0%) Apr-22 9 B.10 30 0.1292 UK432 9 Mar-24, 9 B.3 43 0.0468 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 UK5084 6 Mar-29, 6 B.1 36 0.1			May-02				
UK51 16 Mar-25, 16 B.1.36 11 0.2848 (100.0%) May-11 UK95 16 Mar-21, 16 B.2.1 19 0.1509 (100.0%) May-03 UK6 15 Mar-22, 15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, 14 B.1, B 23 0.087 (100.0%) Apr-29 UK5505 12 Mar-29, 12 B.1 21 0.1429 (100.0%) May-01 UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1 36 0.1 (100.0%) Apr-20 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK73 6 Mar-22, 6 B	UK384			16	B.2.1	50	0.024
(100.0%) May-11 UK95 16 Mar-21, 16 B.2.1 19 0.1508 UK6 15 Mar-22, 15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, 14 B.1, B 23 0.087 (100.0%) Apr-29 UK505 12 Mar-29, 12 B.1 21 0.1428 (100.0%) May-01 WAy-01 WAy-01 WAy-01 WAy-01 WAy-01 WAy-01 WAy-01 WAy-02 WAy-01 WAy-02 WAy-01 WAy-02	TTT784		-	4.0	D 1 00	4.4	0.00.40
UK95 16 Mar-21, 16 B.2.1 19 0.1508 (100.0%) May-03	UK51			16	B.1.36	11	0.2848
UK6 15 Mar-22, 15 B.1 21 0.1361 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, 14 B.1, B 23 0.087 (100.0%) May-01 UK5505 12 Mar-29, 12 B.1 21 0.1429 (100.0%) May-01 UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-09 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-09 UK5084 6 Mar-29, 6 B.1 36 0.1 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-00 UK72 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	HK05			16	R 9 1	10	0.1500
UK6 15 Mar-22, 15 B.1 21 0.1361 (100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 UK501 14 Apr-03, 14 B.1, B 23 0.087 (100.0%) May-01 UK5505 12 Mar-29, 12 B.1 21 0.1429 (100.0%) May-01 UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-20, 6 B.1	01133			10	D.2.1	19	0.1503
(100.0%) May-01 UK131 15 Mar-20, 15 B.15 42 0.0357 (100.0%) Apr-10 0.087 0.087 UK501 14 Apr-03, 14 B.1, B 23 0.087 UK5505 12 Mar-29, 12 B.1 21 0.1428 (100.0%) May-01 0.133 0.1333 0.1333 0.1333 0.1333 0.1333 0.1292 UK72 9 Mar-21, 9 B.10 30 0.1292 UK72 9 Mar-22, 9 B.10 30 0.1292 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	UK6	,	*	15	B.1	21	0.1361
(100.0%) Apr-10 UK501 14 Apr-03, (100.0%) 14 B.1, B 23 0.087 UK5505 12 Mar-29, (100.0%) 12 B.1 21 0.1429 UK802 9 Mar-21, (100.0%) 9 B.1 30 0.1333 (100.0%) Apr-22 9 B.10 30 0.1292 UK72 9 Mar-22, (100.0%) 9 B.3 43 0.0465 (100.0%) Apr-22 9 B.3 43 0.0465 UK12 8 Mar-24, (100.0%) 9 B.1.p11 30 0.1286 (100.0%) Apr-09 0 0.1286 0.1286 0.1286 0.1286 UK5084 6 Mar-29, (100.0%) 6 B.1 36 0.1 UK722 6 Mar-23, (100.0%) 6 B.1.1 32 0.175 (100.0%) Apr-20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td< td=""><td></td><td>(100.0%)</td><td></td><td></td><td></td><td></td><td></td></td<>		(100.0%)					
UK501 14 Apr-03, 14 B.1, B 23 0.087 (100.0%) Apr-29 UK5505 12 Mar-29, 12 B.1 21 0.1429 (100.0%) May-01 UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	UK131		Mar-20,	15	B.15	42	0.0357
(100.0%) Apr-29 UK5505 12 Mar-29, (100.0%) 12 B.1 21 0.1429 (100.0%) May-01 0.1429 0.1429 0.1429 0.1429 UK802 9 Mar-21, (100.0%) 9 B.1 30 0.1333 (100.0%) Apr-22 9 B.10 30 0.1292 UK432 9 Mar-24, (100.0%) 9 9 B.3 43 0.0465 UK12 8 Mar-26, (100.0%) 8 B.1.p11 30 0.1286 UK5084 6 Mar-29, (6 B.1 36 0.1 UK722 6 Mar-23, (6 B.1.1 32 0.175 (100.0%) Apr-20 0.1000 Apr-20 0.175 0.175 UK173 6 Mar-22, (6 B 53 0.0302		` ′	-				
UK5505 12 Mar-29, 12 B.1 21 0.1429 (100.0%) May-01 UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	UK501			14	B.1, B	23	0.087
UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	THVEEOE	,	-	19	D 1	91	0.1490
UK802 9 Mar-21, 9 B.1 30 0.1333 (100.0%) Apr-22 UK72 9 Mar-22, 9 B.10 30 0.1292 (100.0%) Apr-22 UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	OK9909			12	D.1	21	0.1429
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UK802	` ′	•	9	B.1	30	0.1333
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 0 0 -	-					0.2000
UK432 9 Mar-24, 9 B.3 43 0.0465 (100.0%) Apr-09 UK12 8 Mar-26, 8 B.1.p11 30 0.1286 (100.0%) Apr-22 UK5084 6 Mar-29, 6 B.1 36 0.1 (100.0%) Apr-16 UK722 6 Mar-23, 6 B.1.1 32 0.175 (100.0%) Apr-20 UK173 6 Mar-22, 6 B	UK72	,		9	B.10	30	0.1292
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		(100.0%)	-				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UK432	-		9	B.3	43	0.0465
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	111710	` ′	-	0	D 1 11	20	0.1000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UK12	-		8	B.1.p11	30	0.1286
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	UK5084	` ′	-	6	B.1	36	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	J110001	-		3	2.1	00	0.1
(100.0%) Apr-20 UK173 6 Mar-22, 6 B 53 0.0302	UK722	` ′		6	B.1.1	32	0.175
		(100.0%)	Apr-20				
(100.0%) Mar-30	UK173			6	В	53	0.0302
		(100.0%)	Mar-30				

Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK5903	6 (100.0%)	Mar-25, Apr-18	6	B.2	34	0.1412
UK36	6 (100.0%)	Mar-24, Apr-02	6	B.1	50	0.036

 $\textbf{Table S2} \ \text{Raw data for figure two showing lags between the most recent sequence and current date for each sequencing centre}$

	Centre	Lag in days
0	SHEF	14

Table S3 Raw data for figure three showing the number of admin2 regions a lineage is present in over time

Week commencing	UK5	UK343	UK235	UK279	UK419	UK24	UK23	UK95	UK51	UK6
2020-03-08	1	0	0	0	0	0	0	0	0	0
2020-03-15	1	0	1	0	0	1	0	1	0	0
2020-03-22	2	1	1	1	0	1	1	1	1	1
2020-03-29	1	1	1	1	1	0	1	1	1	1
2020-04-05	1	1	1	1	1	1	1	1	1	1
2020-04-12	2	1	1	1	1	1	1	1	1	1
2020-04-19	1	1	1	1	0	1	1	1	1	1
2020-04-26	1	1	0	0	1	1	1	0	0	1
2020-05-03	1	0	1	0	0	1	0	1	1	0
2020-05-10	1	1	0	0	0	0	0	0	1	0
2020-05-17	1	0	0	0	0	0	0	0	0	0

Table S4 is not appropriate for this report and so has been omitted.

 $\textbf{Table S5} \ \text{Raw data for figure five showing when lineages started per day, divided by singletons and non-singletons}$

Day	Number of singleton starts	Number of non-singleton starts	Total
2020-03-01	1	0	1
2020-03-02	4	0	4
2020-03-03	1	1	2
2020-03-05	0	1	1
2020-03-06	1	0	1
2020-03-07	0	1	1
2020-03-08	1	0	1
2020-03-09	2	0	2
2020-03-12	1	1	2
2020-03-13	0	1	1
2020-03-15	0	1	1
2020-03-16	1	0	1
2020-03-17	1	1	2
2020-03-18	0	1	1
2020-03-19	4	2	6
2020-03-20	6	2	8
2020-03-21	6	8	14
2020-03-22	3	3	6
2020-03-23	7	4	11
2020-03-24	17	5	22
2020-03-25	29	8	37
2020-03-26	17	9	26
2020-03-27	8	2	10
2020-03-28	9	2	11
2020-03-29	4	6	10
2020-03-30	12	4	16
2020-03-31	4	0	4
2020-04-01	13	4	17
2020-04-02	20	4	24
2020-04-03	10	1	11
2020-04-04	6	0	6
2020-04-05	5	0	5
2020-04-06	5	0	5
2020-04-07	1	1	2
2020-04-08	3	2	5
2020-04-09	4	0	4
2020-04-10	11	0	11
2020-04-11	4	1	5
2020-04-12	3	1	4
2020-04-13	3	1	4
2020-04-14	4	1	5
2020-04-15	4	0	4
2020-04-16	3	1	4
2020-04-17	3	1	4
2020-04-18	0	1	1
2020-04-19	2	0	2
2020-04-20	1	0	1
2020-04-21	3	0	3
2020-04-22	1	2	3
2020-04-23	2	0	2
2020-05-01	2	0	2
2020-05-04	1	0	1
2020-05-11	1	0	1
2020-05-20	1	0	1
2020 - 05 - 22	1	0	1

 ${\bf Table~S6~{\rm Raw~data~for~figure~six~showing~the~number~of~sequences~taken~over~time.}$

Day	England
2020-03-01	1
2020-03-01	4
2020-03-02	
	2
2020-03-05	1
2020-03-06	1
2020-03-07	1
2020-03-08	2
2020-03-09	2
2020-03-12	3
2020-03-13	1
2020-03-15	3
2020-03-16	5
2020-03-17	4
2020-03-18	13
2020-03-19	8
2020-03-20	12
2020-03-21	23
2020-03-22	22
2020-03-23	29
2020-03-24	50
2020-03-25	73
2020-03-26	53
2020-03-27	36
2020-03-28	30
2020-03-29	30
2020-03-30	55
2020-03-31	30
2020-04-01	53
2020-04-02	70
2020-04-03	35
2020-04-04	19
2020-04-05	13
2020-04-06	18
2020-04-07	11
2020-04-08	22
2020-04-09	34
2020-04-09	39
2020-04-10	
	40
2020-04-12	24
2020-04-13	17
2020-04-14	26
2020-04-15	26
2020-04-16	24
2020-04-17	33
2020-04-18	34
2020-04-19	23
2020-04-20	16
2020-04-21	25
2020-04-22	33
2020-04-23	16
2020-04-24	4
2020-04-24	3
2020-04-25	1
2020-04-20	3
	ა 8
2020-04-30	-
2020-05-01	16
2020-05-02	15

Day	England
2020-05-03	7
2020-05-04	6
2020-05-11	6
2020-05-12	2
2020-05-13	4
2020 - 05 - 14	2
2020-05-15	4
2020-05-16	2
2020-05-18	2
2020-05-20	2
2020-05-22	1

 $\textbf{Table S7} \ \text{Raw data for the figure seven with the number of sequences assigned to each admin 2 region.}$

Admin2	Country	Number of sequences	Sequence group
DERBYSHIRE	England	14	10-50
EAST RIDING OF YORKSHIRE	England	8	1-10
SOUTH YORKSHIRE	England	1206	>500