

## UK lineages summary report

This report gives summaries of UK specific lineages sequenced by SHEF for week 2020-05-29. There are time lags due to batching, curation and analysis, the most recently sampled sequence is 2020-05-13. The analysis (eg time since last sample) is therefore undertaken from this date. 1148 sequences in the UK from the sequencing centre SHEF have been included in this analysis.

A few notes: the size of a lineage may be due to a low amount of transmission of this lineage, but it is likely also that it just hasn't been sampled as frequently, especially for newer lineages. It's also important to realise that these lineages are *estimates* of how we think the virus is spreading in the UK after being introduced from abroad, as the low evolutionary rate of the virus makes it difficult to separate lineages with certainty.

The minimum number of introductions is 6130 and the maximum is 9084

Sequences which were replicates or too error-prone were removed from this analysis.

312 are lineages which only contained five sequences or fewer, and so have been left out of visualisation in the interests of clarity

Furthermore, those sequences which haven't been sampled in the last month are not shown.

Of the 19 that remain: 11 are pending extinction, ie last seen three weeks ago. 7 lineages have gone quiet, ie haven't been seen this week. 1 lineage has been continuously circulating.

The following table contains information about the ten largest lineages and the number of sequences the dataset. Information about other lineages is found in the appendix, along with the raw data for all of the other figures.

Each entry is the count of sequences from each lineage in each country, with the percentage of the total sequences from that lineage that this count represents.

"Activity score" is calculated by taking the average gap between sampling for each lineage, and dividing it by the number of days since the lineage was last sampled. Therefore the higher the number, the more active the lineage is. If the score is above 1, then it has been sampled *more* recently than expected given its average gap size. We might interpret this as an increase in activity. If the score is below 1, it has been sampled *less* recently than expected given its average gap size, so we might interpret this as a decrease in activity.

The global lineages are correct as of the data release on 2020-05-19

It is written to "summary\_files" as "lineage\_summary.tsv" for further use, and the full list of lineages is available in the same directory as "all\_lineages.csv"

Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK5	295 (100.0%)	Mar-13, May-13	295	B.1, B.1.1.1	0	active today
UK194	61 (100.0%)	Mar-19, Apr-24	61	B.1.1	19	0.0316
UK343	60 (100.0%)	Mar-28, Apr-24	60	B.1	19	0.0241
UK144	25 (100.0%)	Mar-05, Apr-07	25	B.2.1	36	0.0382
UK279	22 (100.0%)	Mar-26, Apr-25	22	B.1.1	18	0.0794
UK701	22 (100.0%)	Mar-03, Apr-23	22	B.1	20	0.1214

Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK235	22 (100.0%)	Mar-21, May-04	22	B.1.1	9	0.2328
UK4	20 (100.0%)	Mar-07, Apr-21	20	B	22	0.1077
UK94	19 (100.0%)	Mar-21, Apr-10	19	B.2.1	33	0.0337
UK419	19 (100.0%)	Mar-30, May-02	19	B.1.1	11	0.1667

These data is represented in the figure one. Note that the number of sequences is likely to be due more to differing sampling efforts in different regions, rather than genuine differences in numbers of cases.

The raw data for this bar chart are in the table above.




Figure 1: Number of sequences sampled in a lineage by country

Different sequencing centres have different delays in turn around from receipt of samples to submission of sequence data. This will affect all of the figures shown after this if lineages have geographical variation, as some regions have less up to date data.

The relative growth and decline of the ten most sampled lineages in terms of number of counties they are present in is shown in figure three.

These lineages are shown on the timeline. Each line represents the length of the cluster, from oldest to most recent sampling date. The dots are sized by the number of sequences taken on that date, and again are colour coded by country. The raw data has been written to a summary file.

The date of first sequence in the cluster is shown in figure five for every cluster with date information.

For comparison, here is a plot of the day that every sequence was taken, coloured by country. Note that sequences without dates were not included.




Figure 2: Lag since the most recent sequence from each sequencing centre to most current date

The map shows the number of sequences sampled in each admin2 region in the UK. The colour scale is the same for all four countries, but with different underlying base colours.




Figure 3: Lineages by number of adm2 regions present by epiweek




Figure 4: Timeline of lineages, sized by number of sequences from each country.




Figure 5: Lineage starts per week, split by singletons and non-singletons




Figure 6: Sequences taken on each day by country

Number of sequen

- 0-10
- 10-50
- >500
- No sequence

There are 5 sequences without enough geographical information to map from this centre.

Other results modules for UK lineage analysis can be added in here if required.

## Appendix

Below are the raw data tables for each of the figures in the report.

**Table S1** Description of all lineages that have been circulating in the last month, and have more than 5 sequences.

Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK5	295 (100.0%)	Mar-13, May-13	295	B.1, B.1.1.1	0	active today
UK194	61 (100.0%)	Mar-19, Apr-24	61	B.1.1	19	0.0316
UK343	60 (100.0%)	Mar-28, Apr-24	60	B.1	19	0.0241
UK144	25 (100.0%)	Mar-05, Apr-07	25	B.2.1	36	0.0382
UK279	22 (100.0%)	Mar-26, Apr-25	22	B.1.1	18	0.0794
UK701	22 (100.0%)	Mar-03, Apr-23	22	B.1	20	0.1214
UK235	22 (100.0%)	Mar-21, May-04	22	B.1.1	9	0.2328
UK4	20 (100.0%)	Mar-07, Apr-21	20	B	22	0.1077
UK94	19 (100.0%)	Mar-21, Apr-10	19	B.2.1	33	0.0337
UK419	19 (100.0%)	Mar-30, May-02	19	B.1.1	11	0.1667
UK24	17 (100.0%)	Mar-19, Apr-30	17	B.1.1	13	0.2019
UK23	17 (100.0%)	Mar-23, May-02	17	B.9	11	0.2273
UK384	16 (100.0%)	Mar-15, Apr-02	16	B.2.1	41	0.0293
UK6	15 (100.0%)	Mar-22, May-01	15	B.1	12	0.2381
UK131	15 (100.0%)	Mar-20, Apr-10	15	B.15	33	0.0455
UK95	15 (100.0%)	Mar-21, May-03	15	B.2.1	10	0.3071
UK51	14 (100.0%)	Mar-25, May-04	14	B.1.36	9	0.3419
UK501	13 (100.0%)	Apr-03, Apr-22	13	B, B.1	21	0.0754
UK802	9 (100.0%)	Mar-21, Apr-22	9	B.1	21	0.1905
UK432	9 (100.0%)	Mar-24, Apr-09	9	B.3	34	0.0588
UK12	8 (100.0%)	Mar-26, Apr-22	8	B.1.p11	21	0.1837



Lineage name	England	Date range	Total sequences	Global lineage	Time since last sample (days)	Activity score
UK72	8 (100.0%)	Mar-22, Apr-22	8	B.10	21	0.2109
UK5505	7 (100.0%)	Mar-29, Apr-21	7	B.1	22	0.1742
UK5084	6 (100.0%)	Mar-29, Apr-16	6	B.1	27	0.1333
UK36	6 (100.0%)	Mar-24, Apr-02	6	B.1	41	0.0439
UK173	6 (100.0%)	Mar-22, Mar-30	6	B	44	0.0364

**Table S2** Raw data for figure three showing the number of admin2 regions a lineage is present in over time

Week commencing	UK5	UK194	UK343	UK701	UK279	UK235	UK4	UK419	UK24	UK23
2020-03-01	0	0	0	1	0	0	1	0	0	0
2020-03-08	1	0	0	0	0	0	1	0	0	0
2020-03-15	1	1	0	1	0	1	1	0	1	0
2020-03-22	2	1	1	1	1	1	2	0	1	1
2020-03-29	1	1	1	1	1	1	1	1	1	1
2020-04-05	1	1	1	0	1	1	0	1	1	1
2020-04-12	2	1	1	1	1	1	1	1	1	1
2020-04-19	1	1	1	1	1	0	1	0	1	1
2020-04-26	1	0	0	0	0	0	0	1	1	1
2020-05-03	1	0	0	0	0	1	0	0	0	0
2020-05-10	1	0	0	0	0	0	0	0	0	0

Table S3 is not appropriate for this report and so has been omitted.

**Table S4** Raw data for figure six showing when lineages started per day, divided by singletons and non-singletons

Day	Number of singleton starts	Number of non-singleton starts	Total
2020-03-01	1	0	1
2020-03-02	4	0	4
2020-03-03	1	1	2
2020-03-05	0	1	1
2020-03-06	1	0	1
2020-03-07	0	1	1
2020-03-08	1	0	1
2020-03-09	2	0	2
2020-03-12	1	1	2
2020-03-13	0	1	1
2020-03-15	0	1	1
2020-03-16	0	1	1
2020-03-17	1	1	2
2020-03-18	0	1	1
2020-03-19	4	2	6
2020-03-20	6	2	8
2020-03-21	6	8	14
2020-03-22	3	3	6
2020-03-23	6	5	11
2020-03-24	17	5	22
2020-03-25	29	9	38
2020-03-26	19	8	27
2020-03-27	10	2	12
2020-03-28	8	2	10
2020-03-29	5	6	11
2020-03-30	11	4	15
2020-03-31	4	0	4
2020-04-01	13	3	16
2020-04-02	18	5	23
2020-04-03	10	1	11
2020-04-04	7	0	7
2020-04-05	5	0	5
2020-04-06	5	0	5
2020-04-07	1	1	2
2020-04-08	4	1	5
2020-04-09	6	0	6
2020-04-10	11	0	11
2020-04-11	6	1	7
2020-04-12	3	1	4
2020-04-13	3	1	4
2020-04-14	3	1	4
2020-04-15	4	0	4
2020-04-16	3	1	4
2020-04-17	1	1	2
2020-04-20	1	1	2
2020-04-21	3	0	3

Day	Number of singleton starts	Number of non-singleton starts	Total
2020-04-22	1	2	3
2020-04-23	1	0	1
2020-05-01	2	0	2
2020-05-02	0	1	1
2020-05-04	1	0	1

**Table S5** Raw data for figure seven showing the number of sequences taken over time.

Day	England
2020-03-01	1
2020-03-02	4
2020-03-03	2
2020-03-05	1
2020-03-06	1
2020-03-07	1
2020-03-08	2
2020-03-09	2
2020-03-12	3
2020-03-13	1
2020-03-15	3
2020-03-16	5
2020-03-17	4
2020-03-18	13
2020-03-19	8
2020-03-20	12
2020-03-21	23
2020-03-22	22
2020-03-23	29
2020-03-24	50
2020-03-25	73
2020-03-26	53
2020-03-27	36
2020-03-28	30
2020-03-29	30
2020-03-30	55
2020-03-31	30
2020-04-01	53
2020-04-02	70
2020-04-03	35
2020-04-04	19
2020-04-05	13
2020-04-06	18
2020-04-07	11
2020-04-08	22
2020-04-09	34
2020-04-10	39
2020-04-11	40
2020-04-12	24
2020-04-13	17
2020-04-14	26
2020-04-15	26
2020-04-16	24
2020-04-17	28
2020-04-18	6
2020-04-19	7
2020-04-20	14

Day	England
2020-04-21	25
2020-04-22	33
2020-04-23	16
2020-04-24	4
2020-04-25	3
2020-04-26	1
2020-04-29	1
2020-04-30	3
2020-05-01	12
2020-05-02	15
2020-05-03	7
2020-05-04	6
2020-05-11	1
2020-05-13	1

**Table S6** Raw data for the map with the number of sequences assigned to each admin2 region.

Admin2	Country	Number of sequences	Sequence group
DERBYSHIRE	England	14	10-50
EAST RIDING OF YORKSHIRE	England	8	1-10
SOUTH YORKSHIRE	England	1121	>500