Course Reminders

- Due this Friday (11:59 PM)
  - **PROJECT GROUP SIGNUP**
  - D1
  - A1
- Projects
  - You will be assigned a GitHub repo this weekend - please accept the invitation (it will expire)
  - You will also be assigned a previous project to review (links will be on Canvas)



Tokens are

- More secure (no dictionary attacks)
- Unique per person or per device
- You can have lots of them, different PATs for different roles in different projects

Our Scott Yang wrote this great HOWTO
https://docs.google.com/document/d/1Sb6tQwUVBhzcmBGWw4UnhGlYcMDdyUy3gaRKcQzYur4/edit

COGS 108 Final Projects

The COGS 108 Final Project will give you the chance to explore a topic of your choice and to expand your analytical skills. By working with real data of your choosing you can examine questions of particular interest to you.

- You are encouraged to work on a topic that matters to the world (your family, your neighborhood, a state/province, country, etc).
- Taboo Topics: Movie Predictions/Recommendation System; YouTube Data Analysis, Kickstarter success prediction/analysis,prediction of what makes a song popular on Spotify Whatever is MOST popular EVER and whatever is HOTTEST RN on Kaggle

Final Project: Objectives

- Identify the problems and goals of a *real* situation and dataset.
- Choose an appropriate approach for formalizing and testing the problems and goals, and be able to articulate the reasoning for that selection.
- Implement your analysis choices on the dataset(s).
- Interpret the results of the analyses.
- Contextualize those results within a greater scientific and social context, acknowledging and addressing any potential issues related to privacy and ethics.
- Work effectively to manage a project as part of a team.

Upcoming Project Components

Project Group Signup - 1 submission per group (due Fri Week 2)

Project Review (5%) - Before Mon of week 3, your group will be assigned a previous COGS 108 project to review; A google Form will be released to guide your thinking/discussion about and review of what a previous COGS 108 group did for their project. (due Fri Week 3)

Project Proposal (9%) - a GitHub repo will be created for your group; ‘submit’ on GitHub (due Fri Week 4)

Project Proposal (9%)

Full project guidelines are here:

https://github.com/COGS108/Projects/blob/master/FinalProject_Guidelines.md

Data

tidiness & intuition

Jason G. Fleischer, Ph.D
UC San Diego

Department of Cognitive Science
jfleischer@ucsd.edu
https://jgfleischer.com

@jasongfleischer

Data Structures Review

Structured data

- can be stored in database SQL
- tables with rows and columns
- requires a relational key
- 5-10% of all data

Semi-structured data

- doesn't reside in a relational database
- has organizational properties (easier to analyze)
- CSV, XML, JSON

Unstructured

- non-tabular data
- 80% of the world's data
- images, text, audio, videos

(Semi-)Structured Data

Data that is stored in such a way that it is easy to search and work with. These data are stored in a particular format that adheres to organization principles imposed by the file format. These are the data structures data scientists work with most often.

CSVs

Each column separated by a comma

Has the extension ".csv"



Each row is separated by a new line


Example CSV
File Edit View Insert Format Data Tools Add-ons Help
All changes saved in Drive
100% $ % .0 .00 123 Arial 10
fx
A B C D E F
1 Email First Name Last Name Company Snippet 1
2 example1@domain.com John Smith Company 1 Snippet Sentence1
3 example2@gmail.com
4 example3@outlook.com
5
6
7
8
CSV file
Example CSV - Sheet1 — Notatnik
Plik Edycja Format Widok Pomoc
Email,First Name,Last Name,Company,Snippet 1
example1@domain.com,John,Smith,Company 1,Snippet Sentence1
example2@gmail.com,Mary,Blake,Company 2,Snippet Sentence 2
example3@outlook.com,James,Joyce,Company 3,Snippet Sentence 3

JSON: key-value pairs

nested/hierarchical data





JSON

https://blog.exploratory.io/working-with-json-data-in-very-simple-way-ad7ebcc0bb89

texas_choropleth_example.ipynb | emoji_tsne.ipynb


```
{
 "cells": [
  {
   "cell_type": "markdown",
   "metadata": {},
   "source": [
    "This example represents the output the t-SNE dimensionality reduction algorithm on embeddings computed from Unicode emojis using Keras
   ]
  },
  {
   "cell_type": "code",
   "execution_count": null,
   "metadata": {},
   "outputs": [],
   "source": [
    "import pandas as pd\n",
    "import holoviews as hv\n",
    "hv.extension('bokeh')"
   ]
  },
  {
   "cell_type": "markdown",
   "metadata": {},
   "source": [
    "## Declaring data"
   ]
  },
  {
   "cell_type": "code",
   "execution_count": null,
```


Jupyter notebooks suck to version control

https://nextjournal.com/schmudde/how-to-version-control-jupyter

```
{
 "cell_type": "code",
 "execution_count": null,
 "metadata": {},
 "outputs": [],
 "source": [
  "import pandas as pd\n",
  "import holoviews as hv\n",
  "hv.extension('bokeh')"
 ]
},
```

In [10]:
```python
import numpy as np
import matplotlib.pyplot as plt

# Data for plotting
t = np.arange(0.0, 2.0, 0.01)
s = 1 + np.sin((5 * 2)* np.pi * t)

# Note that using plt.subplots below is equivalent to using
# fig = plt.figure() and then ax = fig.add_subplot(111)
fig, ax = plt.subplots()
ax.plot(t, s)

ax.set(xlabel='time (s)', ylabel='voltage (mV)', title='Sine Wave')
ax.grid()
```

Out[10]:



"outputs": [
{
"data": {
"image/png":
"iVBORw0KGgoAAAANSUhEUgAAAYwAAAEWCAYAAAB1xKBvAAAABHNCSVQICAgIfAhkiAAAAAlwSFlzAAALEgAACxIB0t1+/AAAADl
0RVh0U29mdHdhcmUAbWF0cGxvdGxpYiB2ZXJzaW9uIDIuMi4yLCBodHRwOi8vbWF0cGxvdGxpYi5vcmcvhp/UCwAAIABJREFUeJz
svXmcHNd13/s9vc4+2EgABHeQEkVSXGGRFLembFNSPn7WyywC4i5UKh5ZjvcSy4xcr78WK5bwkzvKSeIll0qaVxZKcOJLN+FHc0dx
JEVxAAgQBAiCIdbDP0tPT+80fVdXdmOnl1q17ezBm/T6f+QDdXVXnVtU996z3HFKESNGjBgxYvRDYrkHECNGjBgxVgZigRwiDGxxAIjRowYMbiBEjRow
YMbQQC4wYMWLEiKGFWGDEiBEjRgwtxAIjRowYMWJoIRYYMWLEiBFDC7HAiBEDEJG/JiKPL/c4YsQ4nxxELjBgfGojIXSLyoojMiMg

Jupyter notebooks suck to version control

https://nextjournal.com/schmudde/how-to-version-control-jupyter

Clear Output Manually

The simplest solution is to always clear the output before committing. **Cell → All Output → Clear → Save.** This removes any binary blobs that have been generated by the notebook. There are three main drawbacks:

- It is a manual process.
- Collaborators on other machines will need to rerun the notebook to see the output, requiring additional time and setup.

Jupyter notebooks suck to version control

https://nextjournal.com/schmudde/how-to-version-control-jupyter

ReviewNB

ReviewNB is a GitHub app that also offers visual diffing with an interface that looks similar to the traditional Jupyter IDE. Because the outputs are visualized, problems associated with committing binary blobs disappear.



ReviewNB example courtesy of the ReviewNB website

Back to data formats…

Extensible Markup Language (XML): nodes, tags, and elements

nested/hierarchical data



XML

```xml
<?xml version="1.0" encoding="UTF-8"?>
<customers>
    <customer>
        <customer_id>1</customer_id>
        <first_name>John</first_name>
        <last_name>Doe</last_name>
        <email>john.doe@example.com</email>
    </customer>
    <customer>
        <customer_id>2</customer_id>
        <first_name>Sam</first_name>
        <last_name>Smith</last_name>
        <email>sam.smith@example.com</email>
    </customer>
    <customer>
        <customer_id>3</customer_id>
        <first_name>Jane</first_name>
        <last_name>Doe</last_name>
        <email>jane.doe@example.com</email>
    </customer>
</customers>
```

XML

Relational Databases: A set of interdependent tables

1. Efficient Data Storage
2. Avoid Ambiguity
3. Increase Data Privacy


Results | Messages

	EmployeeId	FirstName	LastName	DepartmentName
1	1	Ken	Sanchez	Executive
2	2	Terri	Duffy	Engineering
3	3	Roberto	Tamburello	Engineering
4	4	Rob	Walters	Engineering
5	5	Gail	Erickson	Engineering
6	6	Jossef	Goldberg	Engineering
7	7	Dylan	Miller	Support
8	8	Diane	Margheim	Support
9	9	Gigi	Matthew	Support
10	10	Michael	Raheem	Support

relational database

Information is stored across tables



entries are *related* to one another by their unique identifier

relational database

restaurant

name	id	address	type
Taco Stand	AH13JK	1 Main St.	Mexican
Pho Place	**JJ29JJ**	192 Street Rd.	Vietnamese
Taco Stand	XJ11AS	18 W. East St.	Fusion
Pizza Heaven	CI21AA	711 K Ave.	Italian

health inspections

id	inspection_ date	inspector	score
AH13JK	2018-08-21	Sheila	97
JJ29JJ	2018-03-12	D'eonte	98
JJ29JJ	2018-01-02	Monica	66
XJ11AS	2018-12-16	Mark	43
CI21AA	2018-08-21	Anh	99

rating

id	stars
AH13JK	4.9
JJ29JJ	4.8
XJ11AS	4.2
CI21AA	4.7

relational database

restaurant

name	id	address	type
Taco Stand	AH13JK	1 Main St.	Mexican
Pho Place	**JJ29JJ**	192 Street Rd.	Vietnamese
Taco Stand	XJ11AS	18 W. East St.	Fusion
Pizza Heaven	CI21AA	711 K Ave.	Italian

health inspections

id	inspection_ date	inspector	score
AH13JK	2018-08-21	Sheila	97
JJ29JJ	2018-03-12	D'eonte	98
JJ29JJ	2018-01-02	Monica	66
XJ11AS	2018-12-16	Mark	43
CI21AA	2018-08-21	Anh	99

rating

id	stars
AH13JK	4.9
JJ29JJ	4.8
XJ11AS	4.2
CI21AA	4.7

Two different restaurants with the same name will have different unique identifiers

relational database

Unstructured Data

Some datasets record information about the state of the world, but in a more heterogeneous way. Perhaps it is a large text corpus with images and links like Wikipedia, or the complicated mix of notes and test results appearing in personal medical records.

Unstructured Data Types

Text files and documents



Websites and applications

Sensor data

Image files

Audio files

Video files

Email data

Social media data

Text:
Sentiment Analysis


PYTHON
BEAUTIFULSOUP
WEB SCRAPING

Bedroom Or Not?



“The left two photos were correctly predicted as bedrooms; The right two photos were correctly predicted NOT as bedrooms.”

https://medium.com/airbnb-engineering/categorizing-listing-photos-at-airbnb-f9483f3ab7e3

Tidy Data

"Good data scientists understand, in a deep way, that the heavy lifting of cleanup and preparation isn't something that gets in the way of solving the problem: it is the problem."
- DJ Patil



Australian Bureau of Statistics

Table junk

1800.0 Australian Marriage Law Postal Survey, 2017

Released on 15 November 2017

Table 5 Participation by Federal Electoral Division(a), Males and Age

Gender apartheid

Yeah NA

Primary keynotes

Merged cells

Comma on

Summary of data inside data

Covariate as Subheading

NA Yeah

Return of the table junk

(a) The Federal Electoral Divisions are current as at 24 August 2017
(b) Includes those whose age is unknown
(c) Includes Christmas Island and the Cocos (Keeling) Islands
(d) Includes Norfolk Island

https://medium.com/@miles.mcbain/tidying-the-a

untidy data



data

wrangling

tidy data



	area	gender	age	State	Area (sq km)	Eligible participants	Participation rate (%)	Total participants	Total Participants
2	Adelaide	Female	18-19 years	SA	76	1341	83.5	1120	1120
3	Adelaide	Female	20-24 years	SA	76	4620	81.2	3750	3750
4	Adelaide	Female	25-29 years	SA	76	4897	81.8	4004	4004
5	Adelaide	Female	30-34 years	SA	76	4784	79.8	3820	3820
6	Adelaide	Female	35-39 years	SA	76	4319	79	3411	3411
7	Adelaide	Female	40-44 years	SA	76	4310	80.6	3472	3472
8	Adelaide	Female	45-49 years	SA	76	4579	81.4	3728	3728
9	Adelaide	Female	50-54 years	SA	76	4476	84.7	3791	3791
10	Adelaide	Female	55-59 years	SA	76	4622	87.3	4033	4033
				SA	76	4342	89.3	3879	3879
				SA	76	3970	90.7	3602	3602
				SA	76	3009	90.3	2716	2716
				SA	76	2156	88.5	1908	1908
				SA	76	1673	85.1	1423	1423



urvey-data-with-r-5d35cea07962

Tidy Data

1. Each variable you measure should be in a single column

	A	B	C	D	E	F	G
1	ID	LastName	FirstName	Sex	City	State	Occupation
2	1004	Smith	Jane	female	Frederick	MD	Welder
3	4587	Nayef	Mohammed	male	Upper Darby	PA	Nurse
4	1727	Doe	Janice	female	San Diego	CA	Doctor
5	6879	Jordan	Alex	male	Birmingham	AL	Teacher

2. Every observation of a variable should be in a different row

	A	B	C	D	E	F	G
1	ID	LastName	FirstName	Sex	City	State	Occupation
2	1004	Smith	Jane	female	Frederick	MD	Welder
3	4587	Nayef	Mohammed	male	Upper Darby	PA	Nurse
4	1727	Doe	Janice	female	San Diego	CA	Doctor
5	6879	Jordan	Alex	male	Birmingham	AL	Teacher

3. There should be one table for each type of data

Demographic Survey Data

	A	B	C	D	E	F	G
1	ID	LastName	FirstName	Sex	City	State	Occupation
2	1004	Smith	Jane	female	Frederick	MD	Welder
3	4587	Nayef	Mohammed	male	Upper Darby	PA	Nurse
4	1727	Doe	Janice	female	San Diego	CA	Doctor
5	6879	Jordan	Alex	male	Birmingham	AL	Teacher

Doctor's Office Measurements Data

	A	D	E	F	G
1	ID	Height_Inches	Weight_lbs	Insulin	Glucose
2	1004	65	130	0.60	163
3	4587	75	215	1.46	150
4	1727	62	124	0.72	177
5	6879	77	160	1.23	205

4. If you have multiple tables, they should include a column in each *with the same column label* that allows them to be joined or merged

	A	B	C	D	E	F	G
1	ID	LastName	FirstName	Sex	City	State	Occupation
2	1004	Smith	Jane	female	Frederick	MD	Welder
3	4587	Nayef	Mohammed	male	Upper Darby	PA	Nurse
4	1727	Doe	Janice	female	San Diego	CA	Doctor
5	6879	Jordan	Alex	male	Birmingham	AL	Teacher

	A	D	E	F	G
1	ID	Height_inches	Weight_lbs	Insulin	Glucose
2	1004	65	190	0.60	163
3	4587	75	215	1.46	150
4	1727	62	124	0.72	177
5	6879	77	150	1.23	205

Tidy data == rectangular data

A

	A	B	C	D	E
1	Id	sex	glucose	insulin	triglyc
2	101	Male	134.1	0.60	273.4
3	102	Female	120.0	1.18	243.6
4	103	Male	124.8	1.23	297.6
5	104	Male	83.1	1.16	142.4
6	105	Male	105.2	0.73	215.7

Broman KW, Woo KH. (2017) Data organization in spreadsheets. *PeerJ Preprints* 5:e3183v1 https://doi.org/10.7287/peerj.preprints.3183v1

Tidy Data Benefits

1. consistent data structure
2. foster tool development
3. require only a small set of tools to be learned
4. allow for datasets to be combined

TIDY data is NOT the same as CLEAN data

Tabular Data Time

https://forms.gle/6EKypPu1odgBdbiJ8

A

ID	Last	First	height_m	height_f
1004	Smith	Jane	NA	65
4587	Nayef	Mohammed	72	NA
1727	Doe	Janice	NA	60
6879	Jordan	Alex	55	NA

B

ID	Last	First	height_m	height_f
1004	Smith	Jane		65
4587	Nayef	Mohammed	72	
1727	Doe	Janice		60
6879	Jordan	Alex	55	

C

ID	Last	First	sex	height
1004	Smith	Jane	female	65
4587	Nayef	Mohammed	male	72
1727	Doe	Janice	fem	60
6879	Jordan	Alex	male	55

D

ID	Last	First	sex	height
1004	Smith	Jane	F	65
4587	Nayef	Mohammed	M	72
1727	Doe	Janice	F	60
6879	Jordan	Alex	M	55

Which of these tables stores data best?



text

tidy dataset

Word	Novel	Frequency
good	Emma	359
young	Emma	192
friend	Emma	166

results



website

tidy dataset

results



https://www.nytimes.com/interactive/2017/06/23/opinion/trumps-lies.html

text (lyrics)



tidy dataset

song	Artist	Released	Reduction
Cheap Thrills	Sia	2016	76
Around The World	Daft Punk	1997	98
Everybody Dies	J. Cole	2018	27

results



https://pudding.cool/2017/05/song-repetition/

Data Intuition

1011

1375

In today's pattern recognition class my professor talked about PCA, eigenvectors and eigenvalues.

I understood the mathematics of it. If I'm asked to find eigenvalues etc. I'll do it correctly like a machine. But I didn't **understand** it. I didn't get the purpose of it. I didn't get the feel of it.

I strongly believe in the following quote:

> You do not really understand something unless you can explain it to your grandmother. -- Albert Einstein

Well, I can't explain these concepts to a layman or grandma.

1. Why PCA, eigenvectors & eigenvalues? What was the *need* for these concepts?
2. How would you explain these to a layman?

https://stats.stackexchange.com/questions/2691/making-sense-of-principal-component-analysis-eigenvectors-eigenvalues



Figure 1—*Total area under the curve is the sum of individual areas of triangles a, c, e, and g and rectangles b, d, f, and h.*

Theory vs. Practice: "Tai's model"

Tai, *Diabetes Care* (1994)

Fermi Estimation

https://forms.gle/C982naWtU9RvHqAb7

Approximately how many piano tuners do you think there are in the city of Chicago?





https://www.youtube.com/watch?v=0YzvupOX8Is

Has humanity produced enough paint to cover the entire land area of the Earth?

—Josh (Bolton, MA)

https://what-if.xkcd.com/84/

Fermi Estimation

https://forms.gle/shS84W1tai4SDrVF9

Has humanity produced enough paint to cover the entire land area of the Earth?



This answer is pretty straightforward. We can look up the size of the world's paint industry, extrapolate backward to figure out the total amount of paint produced. We'd also need to make some assumptions about how we're painting the ground. Note: When we get to the Sahara desert, I recommend not using a brush.

https://what-if.xkcd.com/84/

But first, let's think about different ways we might come up with a guess for what the answer will be. In this kind of thinking—often called Fermi estimation—all that matters is getting in the right ballpark; that is, the answer should have about the right number of digits. In Fermi estimation, you can round [1] all your answers to the nearest order of magnitude:

Let's suppose that, on average, everyone in the world is responsible for the existence of two rooms, and they're both painted. My living room has about 50 square meters of paintable area, and two of those would be 100 square meters. 7.15 billion people times 100 square meters per person is a little under a trillion square meters—an area smaller than Egypt.

Let's make a wild guess that, on average, one person out of every thousand spends their working life painting things. If I assume it would take me three hours to paint the room I'm in,[2] and 100 billion people have ever lived, and each of them spent 30 years painting things for 8 hours a day, we come up with 150 trillion square meters ... just about exactly the land area of the Earth.



How much paint does it take to paint a house? I'm not enough of an adult to have any idea, so let's take another Fermi guess.

Based on my impressions from walking down the aisles, home improvement stores stock about as many light bulbs as cans of paint. A normal house might have about 20 light bulbs, so let's assume a house needs about 20 gallons of paint.[3] Sure, that sounds about right.

The average US home costs about $200,000. Assuming each gallon of paint covers about 300 square feet, that's a square meter of paint per $300 of real estate. I vaguely remember that the world's real estate has a combined value of something like $100 trillion, [4] which suggests there's about 300 billion square meters of paint on the world's real estate. That's about one New Mexico.



Of course, both of the building-related guesses could be overestimates (lots of buildings are not painted) or underestimates (lots of things that are not buildings [5] are painted) But from these wild Fermi estimates, my guess would be that there probably isn't enough paint to cover all the land.

So, how did Fermi do?

According to the report **The State of the Global Coatings Industry**, the world produced 34 billion liters of paints and coatings in 2012.

There's a neat trick that can help us here. If some quantity—say, the world economy—has been growing for a while at an annual rate of **n**—say, 3% (0.03)—then the most recent year's share of the whole total so far is $1 - \frac{1}{1+n}$, and the whole total so far is the most recent year's amount times $1 + \frac{1}{n}$.

If we assume paint production has, in recent decades, followed the economy and grown at about 3% per year, that means the total amount of paint produced equals the current yearly production times 34.[6] That comes out to a little over a trillion liters of paint. At 30 square meters per gallon,[7] that's enough to cover 9 trillion square meters—about the area of the United States.

So the answer is no; there's not enough paint to cover the Earth's land, and—at this rate—probably won't be enough until the year 2100.

Data Intuition

1. Think about your question and your expectations
2. Do some Fermi calculations (back of the envelope calculations)
3. Write code & look at outputs <- think about those outputs
4. Use your gut instinct / background knowledge to guide you
5. Review code & fix bugs

On your own (meaning w/o Googling), please fill out quickly:

https://forms.gle/CREcpMkYDLYTUp2s6

Other kinds of guessing and intuitions



Vox Populi

Galton, *Nature* (1907)

The Wisdom of the Crowds

- Diversity of opinion: Each person should have private information….even if it's just an eccentric interpretation of the known facts
- Independence: People's opinions aren't determined by the opinions of those around them
- Decentralization: People are able to specialize and draw on local knowledge
- Aggregation: Some mechanism exists for turning private judgements into a collective decision


counts
height (in)
165cm
230m


NHL
NBA
counts
height (in)


20000
15000
10000
5000
0
number of plays at yard
0
10
20
30
40
50
60
70
80
90
100
yards from own endzone