State, Slicing, and A3

Learning goals:
- **Understand how state works within a notebook.**
- **Understand slicing DataFrames.**
- **Get hints for a bunch of questions on A3.**

- **COGS 108 Fall 2020**
- **Ganesh Raghavendran**
- **Discussion 5**

graghave@eng.ucsd.edu
OH: Thu 3p-4p on Zoom

Materials adapted from Sam Lau WI20

Why does my code sometimes break?

Keeping track of notebook state is subtle!

What is df_income?

	first_name	id	income	last_name
0	Lauren	1592	23951.49	Murphy
1	Rebecca	27495	31019.37	Walls
2	Alejandra	19776	19058.09	Garcia
...	...	...	...	...
12662	Mark	58060	50696.11	Torres
12663	Peter	13881	0.00	Gibson
12664	Michele	35147	19864.48	Robinson

```
df_income.drop(['first_name', 'last_name'], axis=1)
```

	id	income
0	1592	23951.49
1	27495	31019.37
2	19776	19058.09
...	...	...
12662	58060	50696.11
12663	13881	0.00
12664	35147	19864.48

12665 rows × 2 columns

```
In [ ]: df_income
```

What is df_income?

	first_name	id	income	last_name
0	Lauren	1592	23951.49	Murphy
1	Rebecca	27495	31019.37	Walls
2	Alejandra	19776	19058.09	Garcia
...	...	...	...	...
12662	Mark	58060	50696.11	Torres
12663	Peter	13881	0.00	Gibson
12664	Michele	35147	19864.48	Robinson

```python
df_income = df_income.drop(['first_name', 'last_name'], axis=1)
```

```
In [ ]: df_income
```

What happens if you run the first cell one time? Two times?

What is df_income?

	first_name	id	income	last_name
0	Lauren	1592	23951.49	Murphy
1	Rebecca	27495	31019.37	Walls
2	Alejandra	19776	19058.09	Garcia
...	...	...	...	...
12662	Mark	58060	50696.11	Torres
12663	Peter	13881	0.00	Gibson
12664	Michele	35147	19864.48	Robinson

```
df_income.drop(['first_name', 'last_name'], axis=1)
```

	id	income
0	1592	23951.49
1	27495	31019.37
2	19776	19058.09
...	...	...
12662	58060	50696.11
12663	13881	0.00
12664	35147	19864.48

12665 rows × 2 columns

```
In [ ]: df_income
```

What happens if you run the first cell one time? Two times?

What is df_income?

	first_name	id	income	last_name
0	Lauren	1592	23951.49	Murphy
1	Rebecca	27495	31019.37	Walls
2	Alejandra	19776	19058.09	Garcia
...	...	...	...	...
12662	Mark	58060	50696.11	Torres
12663	Peter	13881	0.00	Gibson
12664	Michele	35147	19864.48	Robinson

```
df_income = df_income.drop(['first_name'], axis=1)
```

```
df_income = df_income.drop(['last_name'], axis=1)
```

```
In [ ]: df_income
```

What is df_income?

	first_name	id	income	last_name
0	Lauren	1592	23951.49	Murphy
1	Rebecca	27495	31019.37	Walls
2	Alejandra	19776	19058.09	Garcia
...	...	...	...	...
12662	Mark	58060	50696.11	Torres
12663	Peter	13881	0.00	Gibson
12664	Michele	35147	19864.48	Robinson

```python
df_income = df_income.drop(['first_name'], axis=1)
```

Edited to ->
```python
df_income = df_income.drop(['last_name'], axis=1)
```

```python
In [ ]: df_income
```

You will pass the local tests but **fail the autograder**! Be very careful when editing cells that mutate variables.

Okay, so I how do not screw things up?

- **Avoid mutation until absolutely necessary!**

  - **Use temporary variables to work around this.**

- **If a cell has code that results in mutation, only run it once.**

  - **If you need to run it again (e.g. because of a bug), run all cells above it first.**

- **Restart kernel and run all cells often, and especially before you turn in your assignment.**

What's the deal with brackets?

- **Why do I need brackets? When do I use parentheses and when do I use brackets?**

- **Why do I sometimes put strings in brackets but other times an expression?**

- **Why do I sometimes need double brackets??**

For more on this: http://bit.ly/sam-pandas-01

Use brackets when taking slices (subsets) of a DF

Key idea: Only **one** value goes into the brackets.

	Candidate	Party	%	Year	Result
0	Obama	Democratic	52.9	2008	win
1	McCain	Republican	45.7	2008	loss
2	Obama	Democratic	51.1	2012	win
3	Romney	Republican	47.2	2012	loss
4	Clinton	Democratic	48.2	2016	loss
5	Trump	Republican	46.1	2016	win

How do I grab a single column?

```
elections["Candidate"].head(6)
```

```
0        Reagan
1        Carter
2      Anderson
3        Reagan
4       Mondale
5          Bush
Name: Candidate, dtype: object
```

This is a Series!

How do I grab multiple columns?

```
elections[["Candidate", "Party"]].head(6)
```

	Candidate	Party
0	Reagan	Republican
1	Carter	Democratic
2	Anderson	Independent
3	Reagan	Republican
4	Mondale	Democratic
5	Bush	Republican

This is a DF!

Use brackets when taking slices (subsets) of a DF

	Candidate	Party	%	Year	Result
0	Obama	Democratic	52.9	2008	win
1	McCain	Republican	45.7	2008	loss
2	Obama	Democratic	51.1	2012	win
3	Romney	Republican	47.2	2012	loss
4	Clinton	Democratic	48.2	2016	loss
5	Trump	Republican	46.1	2016	win

How do I grab rows?

```
elections[0:3]
```

	Candidate	Party	%	Year	Result
0	Reagan	Republican	50.7	1980	win
1	Carter	Democratic	41.0	1980	loss
2	Anderson	Independent	6.6	1980	loss

This is a DF!

```
elections[elections['Party'] == 'Independent']
```

|	Candidate	Party	%	Year	Result
2	Anderson	Independent	6.6	1980	loss
9	Perot	Independent	18.9	1992	loss
12	Perot	Independent	8.4	1996	loss

Whoa, what's going on here?

Demo with Elections Data

Bracket Takeaways?

- **Brackets = slicing a DF.**
  Parentheses = calculating something about a DF.

- **Strings in brackets = grabbing column (Series)**
  List of strings in brackets = grabbing columns (DF)

- **Slice in brackets = grabbing rows (DF)**
  Boolean expression in brackets = grabbing rows (DF)

Preview of next week

String methods: how do I work with text?

A3 quick tips

- **1b: Use pd.read_json**

- **1e: Leave blank if your columns are already in the right order.**

- **2a: Use Series.isna()**

- **Part 3: Use plt.hist(). Ignore warnings for 3d.**

- **4b, 4f, 5e: Use boolean slicing**

- **4d: Use np.log10(), not np.log()**

- **6i: the better predictor is the one with the most non-zero correlation.**