

Read Recovery & Validity Statistics

Dataset	Tool	Total Input	Output Reads	Recovery %	Valid Reads (d≤1)	Valid %	Filtered Out
SPLiT-seq PE	Seqproc	1,000,000	813,208	81.3%	700,139	70.0%	186,792
SPLiT-seq PE	Matchbox	1,000,000	817,520	81.8%	663,414	66.3%	182,480
SPLiT-seq PE Replace	Seqproc	1,000,000	813,208	81.3%	700,139	70.0%	186,792
SPLiT-seq PE Replace	Matchbox	1,000,000	817,520	81.8%	663,414	66.3%	182,480
SPLiT-seq Long	Seqproc	1,000,000	210,924	21.1%	N/A	-	789,076
SPLiT-seq Long	Matchbox	1,000,000	240,065	24.0%	N/A	-	759,935
10x Short	Seqproc	1,000,000	1,000,000	100.0%	1,000,000	100.0%	0
10x Short	Matchbox	1,000,000	1,000,000	100.0%	1,000,000	100.0%	0
Sci-Seq 3	Seqproc	1,000,000	897,202	89.7%	893,772	89.4%	102,798
Sci-Seq 3	Matchbox	1,000,000	897,666	89.8%	894,236	89.4%	102,334
10x GridION	Seqproc	1,000,000	927,102	92.7%	517,617	51.8%	72,898
10x GridION	Matchbox	1,000,000	927,054	92.7%	517,618	51.8%	72,946
10x PromethION	Seqproc	1,000,000	913,518	91.4%	463,723	46.4%	86,482
10x PromethION	Matchbox	1,000,000	915,465	91.5%	463,722	46.4%	84,535