- Encapsulation & Discursive Labels - Outlier information & Description

In cooperation with

Óscar Loureda and Research group DPKog

Statistical Consulting Unit StaBLab

Department of Statistics

Ludwig-Maximilians-Universität München

October 29, 2024

Henri Funk
Helen Alber

Dimension of the data

ED_raw_data_2023_CHP (1).xlsx: 3328 x 23

Encapsulation_Raw_data_2023_CHP.xlsx: 31007 x 23

Distribution of AOIs

AOI	h_file1	h_file2
1	390	3991
2	442	3991
3	416	3684
4	416	3991
5	416	3991
6	416	3684
7	416	4015
8	416	3660

Consistency checks

```
## [1] "0 observations with missing FRT and RRT are removed."
```

Notes

No inconsistencies found.

Distribution of AOI.conditions

AOI.condition	h
C1_1	307
C1_2	307
C1_3	307
C1_4	307
C1_5	307
C1_6	307
C1_7	307
C1_8	307
C2_1	307
C2_2	307
C2_3	307

AOI.condition	h
C2_4	307
C2_5	307
C2_6	307
C2_7	307
C2_8	307
C3_1	307
C3_2	307
C3_3	307
C3_4	307
C3_5	307
C3_6	284
C3_7	307
C3_8	307
C4_1	307
C4_2	307
C4_3	307
C4_4	307
C4_5	307
C4_6	307
C4_7	307
C4_8	307
C5_1	307
C5_2	307
C5_3	307
C5_4	307
C5_5	307
C5_6	307
C5_7	307
C5_8	307
C6_1	104
C6_2	104
C6_3	104
C6_4	104
C6_5	104
C6_6	104
C6_7	104
C6_8	104
C7_1	104
C7_2	104
C7_3	104
C7_4	104
C7_5	104
C7_6	104
C7_7	104

AOI.condition	h
C7_8	104
CE0_1	307
CE0_2	307
CE0_4	307
CE0_5	307
CE0_7	307
E1_1	307
E1_2	307
E1_3	307
E1_4	307
E1_5	307
E1_6	307
E1_7	307
E1_8	307
E2_1	307
E2_2	307
E2_3	307
E2_4	307
E2_5	307
E2_6	307
E2_7	307
E2_8	307
E3_1	284
E3_2	284
E3_3	284
E3_4	284
E3_5	284
E3_6	307
E3_7	284
E3_8	284
E4_1	307
E4_2	307
E4_3	307
E4_4	307
E4_5	307
E4_6	307
E4_7	307
E4_8	307
E5_1	307
E5_2	307
E5_3	307
E5_4	307
E5_5	307
E5_6	307

AOI.condition	h
E5_7	307
E5_8	307
E6_1	411
E6_2	411
E6_3	411
E6_4	411
E6_5	411
E6_6	411
E6_7	411
E6_8	411
E7_1	434
E7_2	434
E7_3	434
E7_4	434
E7_5	434
E7_6	434
E7_7	434
E7_8	434

Outlier handling

Project specific definition of outliers:

```
1. Any.first.skip: First Pass Reading Time in AOI 1 = 0ms
2. Any.fast.reader (extremely low values): First Pass Reading Time in AOI 1 <80ms
and Second Pass Reading Time in AOI 1 <80ms
3. Any.slow.reader (extremely high values): Total Reading Time in AOI 1 >800ms
```

1. Any.first.skip

1 outliers in AOI '1'. 1 (0%) of all observations are affected.

2. Any.fast.reader

2 outliers in AOI '1'. 2 (0%) of all observations are affected.

3. Any.slow.reader

7 outliers in AOI '1'. 7 (0.2%) of all observations are affected.

Detailed information on outliers

Outliers were detected in 8 of 411 participants.

Overall, 9 (i.e. 0.2%) of 4430 observations were excluded.

Negative values after outlier exclusion

No negative reading times found.

Distribution after exclusion of outliers



Export data

The prepared data were successfully saved as '0_data/2_preparedData/data_prepared.csv'.