

Start from what already works.

You list the channels in your niche. Eight small steps later you know which of their breakout topics are repeatable, and which are also rising on Google. This guide walks through every step with a real example.

Success leaves clues. Most of them are noise.

Every niche has videos that blew up. Copying them rarely works, because a video's views have four causes and only one of them is the topic.

$$\text{views} \approx \text{channel} \times \text{topic} \times \text{packaging} \times \text{luck}$$

This pipeline starts from the breakout videos of the channels you list, and then does the work of separating the topic from everything else. A real result, from 24 AI and tech channels:

TOPIC	REPEATABILITY	CHANNELS	SEARCHES / MONTH	VERDICT
GPT-6 Astra	4.57	13	1,000	make it
Claude Code	4.52	18	2,900	make it
PDF compression	2.61	12	40,500	make it
Gemma 4	2.33	8	22,200	make it
AI agents	3.54	16	1,600	repeatable, but search is flat
AI login automation	1.40	10	5,400	rising, but not repeatable

Six of the eight topics of the run. Searches are for the topic's most searched Google keyword.

THE PRINCIPLE BEHIND IT

One viral video proves little. The same topic working for 18 channels proves a lot.


Packaging and luck differ from channel to channel. When many unrelated channels all beat their own normal with the same topic, the thing they share is the topic.

Eight steps. Each one asks one question.

The first four steps happen on YouTube and answer "is it repeatable?". The last four happen on Google and answer "is it rising?".

- | | | | |
|---|----------------|---------------------------|---|
| 1 | YouTube | Find outliers | Which videos far outperformed their own channel? |
| 2 | LLM | Outliers to topics | Which topics are those videos about? |
| 3 | YouTube | Search queries | What do viewers really type to find them? (a: YouTube, b: LLM) |
| 4 | YouTube | Repeatability | Has each search query worked for many channels? |
| 5 | LLM | Google seeds | How would people google each topic? (a: YouTube phrasings, b: LLM) |
| 6 | Google | Keyword ideas | What do people search for around each topic? (a: Google, b: keep the biggest) |
| 7 | LLM | Pick keywords | Which of those keywords are really about the topic? |
| 8 | Rule | Scoreboard | Which topics are repeatable and rising? |

The same run, as a funnel



Real numbers from the run on the previous page. Steps 5 to 7 then looked at 5,876 Google keywords to find the 50 that are really about the eight topics.

FOUR KINDS OF STEP

YouTube and **Google** steps fetch facts. **Rule** steps are plain arithmetic. **LLM** steps use an AI model only to translate between how people talk: a video title, a YouTube search, a Google search. The numbers never come from the model.

Which videos far outperformed their own channel?

For each channel on your list, the pipeline finds the channel's normal: the median views of its last 50 uploads. A video at 5 times that normal is an outlier. The 10 biggest go on.

GOES IN

@nicksaraev

@mreflow

@howiaipodcast

@PavanLalwani

and **20** more channels from config.py.


COMES OUT

"Convert Image PDF to Editable Text" **6.1M** vs **28,012** normal = **217x**

"CLAUDE CODE FULL COURSE 4 HOURS" **2.5M** vs **79,758** = **31.5x**

"Build Your First AI Agent in 10 Minutes" **315,881** vs **14,753** = **21.4x**

10 outlier videos.



Nine uploads of one imaginary channel. The average says a normal video gets 54,000 views. The median says 11,000, which is the truth.

WHY IT WORKS

Compare a channel with itself.

Raw views mostly measure how big the channel is. A channel's own normal cancels that out. The normal is the median, not the average, because one viral video drags an average far above what the channel usually gets.

WHERE IT FALLS SHORT

- It can only find topics the channels on your list have made. The list is the most important setting.
- One outlier is one data point. It may be luck or a great thumbnail. That is why steps 3 and 4 exist.
- Older videos have had more time to collect views.

TRY IT `uv run python -m steps.find_outliers @Fireship`

SAVED AS `01_find_outliers.json`

Which topics are those videos about?

An AI model reads the outlier videos' titles and names the topic underneath each one, with the plain search query a viewer would type. Videos about the same thing become one topic.

GOES IN

"GPT-6 Astra Is Finally Here (And It's REALLY Good)"

"I Tested GPT 6 Astra vs Fable 5.1 (No Hype ...)"

"CLAUDE CODE FULL COURSE 4 HOURS: Build & Sell"

and 7 more outlier videos.



COMES OUT

GPT-6 Astra · 2 videos "gpt 6 astra"

Claude Code · 1 "claude code
video tutorial"

PDF compression "compress pdf without
· 1 video losing quality"

8 topics, each with a search query.

WHY IT WORKS

A title is packaging. The topic is what is underneath.

"Is Finally Here (And It's REALLY Good)" is how one creator sold the video. "GPT-6 Astra" is what it is about, and that is the part you can reuse. Reading through the packaging is a language task, so it goes to a language model.

WHERE IT FALLS SHORT

- The search query is the model's guess. It can be too long or too specific for what people really type. Step 3 corrects for that.
- A different model may split or merge topics differently.

TRY IT `uv run python -m steps.outliers_to_topics` (one small LLM call)

SAVED AS `02_outliers_to_topics.json`

What does YouTube's search box suggest?

Type something into YouTube and it finishes your sentence. Those suggestions are what viewers really type, most popular first. The pipeline asks for them, for every topic's query. It is free and needs no key.

GOES IN

claude code tutorial

One topic's search query.



COMES OUT

claude code tutorial for beginners

claude code tutorial mac

claude code tutorial vscode

claude code tutorial for developers

claude code tutorial for non coders

and 4 more suggestions.

WHY IT WORKS

Ask the crowd how they phrase it.

A model guessed the query in step 2.

YouTube's search box knows what millions of viewers actually typed. Real phrasings beat guessed ones, because the search results, and so the evidence, depend on the exact words.

WHERE IT FALLS SHORT

- It gives an order, not numbers. You learn what is popular, not how popular.
- Long, specific queries get few suggestions or none. Short queries work best.
- It is an unofficial address that YouTube could change without notice. If it fails, the pipeline goes on with the topic's own query.

TRY IT `uv run python -m steps.youtube_suggestions "claude code"`

SAVED AS `03_a_youtube_suggestions.json`

Which phrasings are worth a search of their own?

An AI model picks up to 3 of YouTube's suggestions per topic: same language, still on topic, and a different angle or audience. Each pick is scored in the next step as an idea of its own.

GOES IN

claude code	+ 9
tutorial	suggestions
gpt 6 astra	+ 9 suggestions
ai agents	+ 9 suggestions

8 topics with their suggestions.



COMES OUT

claude code tutorial	the topic's own query
claude code tutorial for beginners	picked
claude code tutorial vscode	picked
claude code tutorial for non coders	picked

26 search queries for the 8 topics.

WHY IT WORKS

The same topic can win under one phrasing and lose under another.

"For beginners" and "for non coders" are different audiences, with different videos competing. In this run the first scored 4.52 and the second 2.56. The guardrail: a pick that is not in YouTube's list is thrown away, so the model cannot invent a query.

WHERE IT FALLS SHORT

- Every extra query costs a YouTube search: 26 searches are 2,600 of your 10,000 daily units.
- "A different angle" is a judgement. Expect an odd pick now and then, such as "gpt 6 astra roblox".

TRY IT `uv run python -m steps.query_variants "claude code"`

SAVED AS `03_b_query_variants.json`

Has each search query worked for many channels?

One YouTube search per query. Every result is compared with what **its own channel** normally gets. At 4 times normal it is a hit. Newer hits, and hits from channels near your size, count more.

GOES IN


claude code tutorial for beginners
gpt 6 astra free
python ocr pdf to text
and **23** more search queries.



COMES OUT

claude code tutorial for beginners	25 hits on 18 channels · 4.52
gpt 6 astra free	15 hits on 13 channels · 4.57
python ocr pdf to text	8 hits on 6 channels · 0.66

21 of 26 are repeatable: hits on 6 or more channels and a score of 2.0 or more. A topic is judged by its best phrasing.



Why newer hits count more. A hit from last month says the topic works now. A hit from two years ago says it worked then. So a hit's weight halves every 180 days.

WHY IT WORKS

Divide by the channel, then demand many channels.

A video's views come from the channel, the topic, the packaging and luck. Dividing by what the channel normally gets cancels the channel. Asking for hits on many unrelated channels cancels packaging and luck, because those differ from channel to channel. What is left is the topic.

WHERE IT FALLS SHORT

- It only sees the videos YouTube's search returns. Most flops on the topic stay invisible.
- The bars (4 times normal, 6 channels, the score) are judgement calls. You can change them.
- It measures the topic, not you. A repeatable topic still needs a good title, thumbnail and video.

TRY IT `uv run python -m steps.score_repeatability "claude code"`

SAVED AS `04_score_repeatability.json`

How would people google each topic?

People talk to YouTube and to Google differently. First (a) each topic gets the phrasings that were scored on YouTube in step 4. Then (b) an AI model turns them into three short seed keywords for Google.

GOES IN

Claude Code

claude code tutorial for beginners

claude code tutorial vscode

A topic with its YouTube phrasings.



COMES OUT

Claude Code

claude code · claud code
tutorial · claud code vscode

PDF compression

compress pdf · reduce pdf size ·
pdf compressor offline

AI login automation

login automation · ai automation ·
automated login

24 seed keywords for the 8 topics.

WHY IT WORKS

Translate before you ask.

On YouTube people type "compress pdf without losing quality". Google's keyword tool works best with short seeds such as "compress pdf". Asking Google in YouTube's language would return little. This step is a translator, nothing more.

WHERE IT FALLS SHORT

- Everything after this depends on the seeds. Look at the third row: those seeds drifted from "AI that logs in for you" to login automation in general. Step 7 shows where that leads.
- It is a model's judgement, so check the saved file when a verdict looks odd.

TRY IT `uv run python -m steps.google_seeds` (one small LLM call) **SAVED AS** `05_a_...` and `05_b_google_seeds.json`

What do people search for around each topic?

First (a) each topic's three seeds go to Google's Keyword Planner, one request per topic. Google answers with related keywords and 48 months of searches. Then (b) a rule keeps the 40 biggest per topic.

GOES IN

Claude Code	3 seeds
PDF compression	3 seeds
GPT-6 Astra	3 seeds
and 5 more topics.	



COMES OUT

Google suggested	5,876 keywords
kept, the biggest per topic	173
PDF compression	40 kept
Claude Code	4 kept
GPT-6 Astra	3 kept

Each keyword already has its trend: rising, flat, shrinking or new.

WHY IT WORKS

One request per topic, so no topic is crowded out.

Google blends the seeds of one request into one list. With all topics in one request, PDF keywords, with their huge volumes, would bury Claude Code. Asking separately gives every topic its own list.

WHERE IT FALLS SHORT

- "Related" is loose. Most of the 5,876 keywords are not about the topic. The next step sorts that out.
- A brand-new topic has few keywords. GPT-6 Astra got 3, so its verdict rests on thin data.
- Keeping the biggest favours generic keywords over precise ones.

TRY IT `uv run python -m steps.keyword_ideas "claude code"`

SAVED AS 06_a_... and 06_b_...json

Which of those keywords are really about the topic?

An AI model reads each topic's candidate keywords and keeps only the ones a viewer of that video would search for. The topic's search trend is then read from the most searched keyword it kept.

GOES IN

Claude Code	4 candidates
AI agents	14 candidates
AI login automation	40 candidates

173 candidate keywords for the 8 topics.

COMES OUT

Claude Code	claude code tutorial · claud code vscode
AI agents	ai agents examples · ai agent tutorial · 3 more
AI login automation	power automate login

50 keywords picked.

WHY IT WORKS

Judge a topic only by keywords that are truly about it.

If "club automation login", a real suggestion from Google, counted for the topic "AI login automation", its search trend would describe something else entirely. The same guardrail as before applies: the model may only pick from Google's list.

WHERE IT FALLS SHORT

- Here the pipeline visibly falls short. "Power automate login" is a Microsoft product, not AI that logs in for you. The seeds drifted in step 5 and no good keyword was on the list. So that topic's "rising" is not to be trusted.
- Always read the keyword next to a verdict.

TRY IT `uv run python -m steps.pick_topic_keywords` (one small LLM call) SAVED AS `07_pick_topic_keywords.json`

Which topics are repeatable and rising?

The last step puts the two tests side by side, one row per topic: the best YouTube phrasing and its score, the most searched Google keyword and its trend, and the verdict.

GOES IN

The topics, their YouTube scores and their Google keywords.



COMES OUT

Claude Code

make it

Gemma 4

make it

AI agents repeatable, but search is flat

AI opportunities repeatable, but search is shrinking

AI login automation rising, but not repeatable

4 topics to make, out of 8.

WHY IT WORKS

Every verdict carries its reason.

"Repeatable, but search is flat" is useful: the topic works on YouTube today, but the audience is not growing, so expect more competition for the same viewers. Because every step saved its work, you can walk back to the number behind any verdict.

WHERE IT FALLS SHORT

- "Make it" means the odds are good. It is not a promise. Your title, thumbnail and video still decide the result.
- The rising test rests on one keyword per topic. If that keyword is a poor match, the verdict is too.
- The data moves. Run it again before you commit weeks to a topic.

TRY IT `uv run python -m steps.scoreboard` (needs no keys)

SAVED AS 08_scoreboard.json and scoreboard.csv

What this pipeline can't tell you.

It turns other channels' results into evidence about topics. It is not an oracle. Knowing where it is weak is what lets you trust it where it is strong.

LIMIT

WHAT TO DO ABOUT IT

It only sees the channels you list

A topic none of them has made stays invisible. List the channels of your niche, including small ones, and refresh the list now and then.

You only see the winners

YouTube shows the videos that did well. The many that flopped on the same topic are mostly hidden. Asking for hits on 6 or more channels reduces this. It does not remove it.

Three steps are a model's judgement

Steps 2, 5 and 7 translate language, and translation can drift, as "AI login automation" showed. Guardrails keep the model from inventing data. They cannot make it always right.

It costs quota

Every search query costs 100 of your 10,000 daily YouTube units. The 26 searches of this run cost 2,600. Answers are kept for 24 hours, so running again the same day is free.

The thresholds are opinions

5 times normal, 4 times normal, 6 channels, 180 days. They are all named settings in config.py. Change one, run again, and see which verdicts move.

FIRST PRINCIPLE**A model you can't inspect, you can't improve.**

Every step saves a file with a summary, what went in and what came out. When a verdict surprises you, open the run folder and walk back, file by file, to the step that caused it.

When to use pipeline 1 instead

Use this pipeline to learn what is working in your niche right now, including topics you had no words for. Use pipeline 1, from keywords, when you already know what you want to cover and want to check it.

RUN IT YOURSELF

One command.

Set it up once and list the channels of your niche. A page opens in your browser that shows every step of the run.

```
cp .env.example .env          your YouTube and LLM keys
cp config.py.example config.py your channel, and the channels to scan
uv run pipeline2_from_youtube.py run it
```

Without Google Ads access the run stops after step 4, with the YouTube half of the answer. The README walks through the rest.