

FarmData2 School > 02-HTML Using setDB.bash and clearDrupalCache 🔊



leew MOVED

오후 10:29

In what directory should I use clearDrupalCache? sampleDB?

2월 8일



Notification Bot 📢

오전 9:01

This topic was moved here from [#general > HTML](#) by [Grant Braught](#).



Grant Braught

😊 👤 ☆ 오전 9:05

Both `clearDrupalCache` and `setDB.bash sample` must be used in the FarmData2 development environment.

- The `clearDrupalCache` command can be used in the terminal from any working directory.
 - Note: At this time there is bug in that command - see the [clearDrupalCache command not found](#) Topic in this Stream for more information.
- The `setDB.bash` command must be run from inside the `docker` directory in the `FarmData2` repo as described in the `INSTALL.md` document.



install > setDB must run in dev container 🔊

2월 1일




leew MOVED

📎 👤 ☆ 오후 12:50

Even after initializing the container and volume and running it again, this error still occurs. Any suggestions? Thank you.

[image.png](#)



Christian González 🌱

오후 12:52

You need to run that command in the `fd2_dev` environment. This is the vnc that should be running in your browser at address `localhost:6901`

👉 Grant Braught



leew

오후 12:53

got you. Thanks for the help.

👍 Christian González



Grant Braught

오후 1:04

[Christian González](#) said:

You need to run that command in the `fd2_dev` environment. This is the vnc that should be running in your browser at address `localhost:6901`

Or connect to the Development Environment at `localhost:5901` using the TigerVNC Viewer. Then open a Terminal window there and use the `./setDB` command.



leew

오후 1:05

Thanks for the clarification professor was wondering the related question

👍 Grant Braught