

S5 Portage upland 23-Sept-2022

N₂O

10:39 TC 15°C

UPLAND - Portage
chamber ID

time	CO ₂ (1)	CH ₄ (1)	CO ₂ (2)	CH ₄ (2)	ID
11:04	1.992	-1.826	2.543	-1.802	UP ⁶ S6
11:11	1.565	-2.094	1.312	-1.903	UP ⁷ S7
11:16	1.451	-2.005	1.741	-1.930	VPS3
11:21	1.368	-2.152	1.108	-1.959	UpS3b
11:26	1.320	-2.153	1.418	-2.115	VPS4
11:34	1.626	-1.221	1.567	-1.147	UPS2
11:44	2.182	-1.407	1.584	-1.378	TRSI2
					TRST6
11:54	8.818	-2.761	7.778	-1.924	TRSI1
12:02	4.892	-0.130			TRSI5
12:12	2.984	-0.684	3.519	-0.350	TRSI4
12:22	1.740	-0.644	1.737	-0.630	TRSI9
12:06	3.724	-0.177	3.298	-0.045	TRSI5b
13:02	13.456	-2.308	9.582	-0.628	Not S20
12:06	520d				
13:07	4.908	-1.431	5.305	-0.517	WetsS23
13:12	7.626	-0.675	4.599	-0.588	Wets22
13:22	14.087	-2.299	7.803	-0.910	Wets18
13:27	5.471	-0.324	5.155	-0.318	Wets17