

COMPASS_Synoptic_LE_Soil-Fluxes_2022_CO2

Roberta Peixoto

2026-05-05

Table of contents

0.1	Goals of this code:	2
0.2	Set Up & Load Packages	2
0.3	Pull in Smart Chamber Files from the Raw Data folder	2
0.4	Unfortunately - we had many problems with labels - we need to include the sites in the Plot_ID	2
0.5	Create a unique Plot_ID, check if there is a meta-data file, if not, create a meta-data file	2
0.6	Mark fluxes that were retaken - this is the first issue! Need to get all but last flux to be TRUE for drop - fieldnotes with explanation for flux retaken - usually weird zeros, Steven probe not inserted in the soil, or label mistake	2
0.7	Match up the metadata to the rest of the data	3
0.8	fixing some Deadbands	3
0.9	Change the units from ppb to nmol	3
0.10	Calculate fluxes	4
0.11	Visualize fluxes and sort by r2	4
0.12	check the fluxes for which I changed the start time due to lags or ebullition (recorded in notes of metadata)	5
0.13	Spot check a few fluxes with R2 > 0.9	9
0.14	Take a look at the fluxes <0.9 and a flux estimate below 1	12
0.15	Take a look at the bad fluxes <0.9 and have a high flux estimate	15
1	See if we want to remove these fluxes or if we want to try and recalculate these ones?	15
1.1	Look at the really high or really low ones to see if there is a timing issue or something	18
1.2	Check all fluxes	21

1.3	QAQC - Flags	24
1.4	Adding manual flag to reject any fluxes that do not fit criteria	26
1.5	Do some visualization of QAQC plots to assess fluxes	26
1.6	Read out final dataframe and export for use elsewhere	27

0.1 Goals of this code:

1. Reads in raw smart chamber
2. If no metadatafile, write one out & fields will be: Label the IDs pulled from the label, Plot *fixed so that if there are any issues in the label they are good here Drop column – false as long as label looks right adjust time – would be initially populated by the start time in the OR blank adjust observation length – initially populated by the obs length OR blank notes / comment
3. Code reads in the meta data and applies it to the data
 - a. i.e. drops fluxes that have the drop column TRUE or FLAG this
 - b. adjusting times as needed
4. Now you compute fluxes
5. Visualize and look for issues
6. If found, report to meta data file then go back to 3 and reanalyze
7. Apply algorithmic qaqc and generate flags

0.2 Set Up & Load Packages

0.3 Pull in Smart Chamber Files from the Raw Data folder

0.4 Unfortunately - we had many problems with labels - we need to include the sites in the Plot_ID

0.5 Create a unique Plot_ID, check if there is a meta-data file, if not, create a meta-data file

```
[1] "CSV file exists and has been read into the code."
```

0.6 Mark fluxes that were retaken - this is the first issue! Need to get all but last flux to be TRUE for drop - fieldnotes with explanation for flux retaken - usually weird zeros, Steven probe not inserted in the soil, or label mistake

##Dont need to pull L1 temp data or any other temps like we do for macrophyte because the smartchamber records the temp

0.7 Match up the metadata to the rest of the data

YYYY-MM-DD format failed for start_dates; trying MM/DD/YYYY

4 entries had no timestamp matches!

YYYY-MM-DD format failed for start_dates; trying MM/DD/YYYY

0.8 fixing some Deadbands

##Extracting initial CO2 concentration

0.9 Change the units from ppb to nmol

```
#change the units
alldat_trimmed$CO2_umol <- ffi_ppb_to_nmol(alldat_trimmed$co2,
                                           volume = (alldat_trimmed$TotalVolume_fixed_cm3 / 1000000), #
                                           temp = alldat_trimmed$chamber_t)      # degrees C
```

Assuming atm = 101325 Pa


Using R = 8.31446261815324 m3 Pa K-1 mol-1

```
#> Assuming atm = 101325 Pa
#> Using R = 8.31446261815324 m3 Pa K-1 mol-1

alldat_trimmed$CO2_umol_m2 <- alldat_trimmed$CO2_umol / 0.0318 #adjust for the area
```


0.10 Calculate fluxes

0.11 Visualize fluxes and sort by r2




0.12 check the fluxes for which I changed the start time due to lags or ebullition (recorded in notes of metadata)


Incubation Period Adjustments: 2022_07_08_CRC_W




Incubation Period Adjustments: 2022_08_16_CRC_W




Incubation Period Adjustments: 2022_08_16_CRC_TF




Incubation Period Adjustments: 2022_11_04_OWC_T







Incubation Period Adjustments: 2022_08_17_OWC_



Incubation Period Adjustments: 2022_07_18_PTR_W









0.13 Spot check a few fluxes with $R^2 > 0.9$


``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




0.14 Take a look at the fluxes <0.9 and a flux estimate below 1


``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




0.15 Take a look at the bad fluxes <0.9 and have a high flux estimate

1 See if we want to remove these fluxes or if we want to try and recalculate these ones?


``geom_smooth()`` using `method = 'loess'` and `formula = 'y ~ x'`




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




1.1 Look at the really high or really low ones to see if there is a timing issue or something


``geom_smooth()`` using `method = 'loess'` and `formula = 'y ~ x'`




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




1.2 Check all fluxes


``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'



``geom_smooth()`` using method = 'loess' and formula = 'y ~ x'




1.3 QAQC - Flags

Table 1: QA/QC CO₂ Flux Summary



Metric	Value
Total observations	861
Rejections	
Rejected — poor model fit (n)	17
Rejected — negative CO ₂ flux (n)	27
Rejected — both reasons (n)	1
Rejected — total (n)	43
Rejected — total (%)	5
Rejected - [CO ₂] (n)	25
Rejected — [CO ₂] (%)	2
Model performance	
Passed — Linear model (n)	830
Passed — HM81 model (n)	472
Passed — Polynomial model (n)	840

R² vs RMSE — CO2 Flux QA/QC




1.4 Adding manual flag to reject any fluxes that do not fit criteria

1.5 Do some visualization of QAQC plots to assess fluxes



Warning: Removed 379 rows containing missing values or values outside the scale range (``geom_point()``).



1.6 Read out final dataframe and export for use elsewhere