

Current Dropbox data: DLG

AUTHOR
COMPASS workflows team

PUBLISHED
2026-09-29 10:03:53-04:00


Sites: DLG

Data path: C:/Users/rbitten/Dropbox

Sapflow

DLG: found 5 files

Total: 11006 data rows



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
DLG	F1	1	0.235	0.239	-0.037-0.679	7,812	651
	F2	1	203.321	682.280	-0.005-3072	7,812	1
	R1	1	0.331	0.490	-0.043-2.399	7,800	0


	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	R2	1	18.041	58.337	-0.01-337.5	7,800	650

TEROS

DLG: ignoring backup file(s)

DLG: found 16 files

Total: 34658 data rows




	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
DLG	F1	EC	18	248.5	166.2	19-610	23,436	13,671
	F1	Temp	18	17.6	1.7	15.5-26.8	46,872	25,389
	F1	VWC	18	-17,004.6	39,144.8	-1e+05-2896.5	46,872	25,389
	F2	EC	18	200.4	103.7	20-422	23,436	11,718

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	F2	Temp	18	17.2	0.4	15.7-18.6	46,872	27,993
	F2	VWC	18	-9,121.5	31,504.6	-1e+05-2817.6	46,872	28,644
	F3	EC	18	334.0	106.1	156-617	23,400	14,955
	F3	Temp	18	17.8	0.6	16.2-19.7	46,800	29,306
	F3	VWC	18	-21,370.2	42,605.4	-1e+05-2822.8	46,800	29,306
	R1	EC	18	385.1	96.6	133-604	23,400	11,700
	R1	Temp	18	16.8	0.5	15.3-18.3	46,800	33,150
	R1	VWC	18	2,371.9	982.6	-71.7-2868.1	46,800	33,150
	R2	EC	18	181.2	82.0	26-367	23,400	11,700
	R2	Temp	18	17.1	0.5	14.8-18.6	46,800	33,150
	R2	VWC	18	2,197.5	958.6	-282.7-2772.2	46,800	33,150


AquaTROLL

DLG: found 10 files


Total: 20450 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
DLG	F1	Pressure	2	NaN	NA	-	1,302	1,302
	F1	RDO_concen	2	NaN	NA	-	1,302	1,302
	F1	Salinity	2	NaN	NA	-	1,302	1,302
	F1	Temperature	2	NaN	NA	-	1,302	1,302
	F1	Water_Density	2	NaN	NA	-	1,302	1,302
	F1	pH	2	NaN	NA	-	1,302	1,302
	F2	Pressure	2	NaN	NA	-	1,302	1,302
	F2	RDO_concen	2	NaN	NA	-	1,302	1,302
	F2	Salinity	2	NaN	NA	-	1,302	1,302
	F2	Temperature	2	NaN	NA	-	1,302	1,302
	F2	Water_Density	2	NaN	NA	-	1,302	1,302
	F2	pH	2	NaN	NA	-	1,302	1,302
	F3	Pressure	2	5.9	0.1	5.804-6.003	1,300	651
	F3	RDO_concen	2	0.0	0.0	0-0	1,300	651
	F3	Salinity	2	2.3	0.0	2.24-2.26	1,300	651
	F3	Temperature	2	11.9	0.0	11.8-11.92	1,300	651
	F3	Water_Density	2	1.0	0.0	1.001-1.001	1,300	651
	F3	pH	2	6.8	0.0	6.84-6.85	1,300	651
	R1	Pressure	2	5.9	0.0	5.864-6.011	1,300	650
	R1	RDO_concen	2	0.0	0.0	0-0	1,300	650
	R1	Salinity	2	1.4	0.0	1.37-1.38	1,300	650
	R1	Temperature	2	11.3	0.0	11.23-11.31	1,300	650
	R1	Water_Density	2	1.0	0.0	1.001-1.001	1,300	650
	R1	pH	2	7.1	0.0	7.06-7.08	1,300	650


	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	R2	Pressure	2	2.4	0.0	2.361-2.451	1,300	651
	R2	RDO_concen	2	0.0	0.0	0-0	1,300	651
	R2	Salinity	2	1.7	0.0	1.66-1.67	1,300	651
	R2	Temperature	2	11.6	0.0	11.55-11.65	1,300	651
	R2	Water_Density	2	1.0	0.0	1.001-1.001	1,300	651
	R2	pH	2	6.8	0.0	6.76-6.77	1,300	651

Redox

DLG: found 14 files

Total: 171976 data rows

DLG Redox



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
DLG	F1	24	579.365	74.983	465.882-779.803	31,248	0
	F2	24	621.788	122.621	136.694-1198.539	31,248	0
	F3	24	2,066.577	1,706.131	79.034-3956.252	31,200	1,344
	R1	24	597.459	529.680	172.256-4413.009	31,200	610
	R2	24	668.306	114.794	275.377-1116.161	31,200	0

Sonde

DLG: found 0 files

Total: 0 data rows

No Data

No data files were found for Exo