Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-11-13 17:25:53-05:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox

Sapflow

```
PTR: found 4 files

Warning: One or more parsing issues, call `problems()` on your data frame for details,
e.g.:
  dat <- vroom(...)
  problems(dat)


CRC: found 2 files


OWC: found 2 files


Warning: One or more parsing issues, call `problems()` on your data frame for details,
e.g.:
  dat <- vroom(...)
  problems(dat)

Total: 11981 data rows

Warning in left_join(., SF_METADATA, by = c("Site", "Logger", "Port")): Detected an unexpected
many-to-many relationship between `x` and `y`.
ℹ Row 1 of `x` matches multiple rows in `y`.
ℹ Row 79 of `y` matches multiple rows in `x`.
ℹ If a many-to-many relationship is expected, set `relationship =
  "many-to-many"` to silence this warning.
```


PTR
UP
TR
Raw sapflow
0
200
400
600
800
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
Tree
01D (001)
01D (556)
02D (002)
02D (552)
03D (003)
05D (555)
07D (551)
08D (550)
1 (001)
1 (556)
2 (002)
2 (555)
3 (003)
3 (554)
4 (004)
4 (553)
5 (005)
5 (552)
6 (006)
6 (012)
7 (007)
7 (551)
8 (550)
8 (557)
PTR-TR-01 (556)
PTR-TR-01D (556)
PTR-TR-02 (555)
PTR-TR-02D (555)
PTR-TR-03 (554)
PTR-TR-04 (553)
PTR-TR-05 (552)
PTR-TR-05D (552)
PTR-TR-06 (12)
PTR-TR-07 (551)
PTR-TR-07D (551)
PTR-TR-08 (557)
PTR-UP-01 (1)
PTR-UP-01D (1)
PTR-UP-02 (2)
PTR-UP-02D (2)
PTR-UP-03 (3)
PTR-UP-03D (3)
PTR-UP-04 (4)
PTR-UP-05 (5)
PTR-UP-06 (6)
PTR-UP-07 (7)
PTR-UP-08 (550)
PTR-UP-08D (550)


CRC
UP
TR
Raw sapflow
0
1000
2000
3000
4000
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
Tree
01D (309)
02D (327)
03D (311)
04D (312)
1 (309)
2 (327)
3 (311)
4 (312)
5 (313)
6 (314)
7 (315)
8 (316)
CRC-TR-01 (309)
CRC-TR-03 (311)
CRC-TR-04 (312)
CRC-TR-05 (313)
CRC-TR-06 (314)
CRC-TR-07 (315)
CRC-TR-08 (316)
CRC-TR-327 (327)
CRC-TR-D-01 (309)
CRC-TR-D-03 (311)
CRC-TR-D-04 (312)
CRC-TR-D-327 (327)
CRC-UP-01 (301)
CRC-UP-02 (302)
CRC-UP-03 (303)
CRC-UP-04 (304)
CRC-UP-05 (305)
CRC-UP-06 (306)
CRC-UP-07 (307)
CRC-UP-08 (308)
CRC-UP-09 (NA)
CRC-UP-10 (NA)
CRC-UP-11 (NA)
CRC-UP-12 (NA)
CRC-UP-D-01 (301)
CRC-UP-D-02 (302)
CRC-UP-D-06 (306)
CRC-UP-D-08 (308)



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	16	256.568	992.704	-0.003-4135	18,816	9,408
	TR	24	NaN	NA	-	31,248	31,248
OWC	UP	17	301.286	200.020	-0.018-572.3	26,040	20,832
	TR	17	NaN	NA	-	26,040	26,040
PTR	UP	24	38.452	82.496	-89.8-845	31,248	23,096
	TR	24	NaN	NA	-	31,248	31,248

TEROS


```
PTR: found 5 files


CRC: found 6 files


OWC: found 3 files


Total: 16822 data rows

TEROS 21 soil: no data in the last 7 days
```


PTR TEROS 12 soil
UP
TR
W
EC
Temp
VWC
value
TIMESTAMP
Nov 08
Nov 10
Nov 12
Nov 14
Depth_cm
10
30
NA


CRC TEROS 12 soil
UP
TR
W
EC
Temp
VWC
value
TIMESTAMP
Nov 08
Nov 10
Nov 12
Nov 14
Depth_cm
10
30
NA


OWC TEROS 12 soil
UP
TR
W
EC
Temp
VWC
value
TIMESTAMP
Nov 08
Nov 10
Nov 12
Nov 14
Depth_cm
10
30
NA


CRC Stem TEROS 12
UP
Dielectric
EC
Temp
VWC_counts
VWC_species
value
TIMESTAMP
Nov 08
Nov 10
Nov 12
Nov 14
Port
1
10
2
3
4
5
6
7
8
9

TEROS 12 soil								
	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	18	375.7	824.6	0-4003	21,168	17,743
	UP	Temp	18	11.3	5.5	0-66	21,168	17,746
	UP	VWC	18	1,991.3	876.7	0-3920.7	21,168	18,329
	TR	EC	18	197.7	88.7	62-446	23,436	19,530
	TR	Temp	18	12.6	1.0	10.4-15	23,436	19,530
	TR	VWC	18	2,589.6	94.0	2419.8-2807.5	23,436	19,530
	W	EC	16	354.4	163.4	126-623	18,228	15,624
	W	Temp	16	11.4	0.9	9.6-13.6	18,228	15,624
	W	VWC	16	2,822.4	63.6	2726.9-2967.9	18,228	15,624
OWC	UP	EC	18	82.1	38.3	15-174	23,436	19,530
	UP	Temp	18	12.5	0.8	10.5-14.7	23,436	19,530
	UP	VWC	18	2,509.9	79.3	2373.8-2688.9	23,436	19,530
	TR	EC	18	304.4	62.2	199-480	23,436	19,530
	TR	Temp	18	12.0	1.0	10.4-14.7	23,436	19,530
	TR	VWC	18	2,820.6	101.6	2664.1-3023.4	23,436	19,530
	W	EC	16	474.3	36.0	371-565	18,228	15,624
	W	Temp	16	11.3	1.1	9.1-13.3	18,228	15,624
	W	VWC	16	3,017.6	96.8	2913.4-3160.1	18,228	15,624
PTR	UP	EC	18	19.9	21.0	0-84	23,436	19,530
	UP	Temp	18	11.2	1.0	8.5-13.8	23,436	19,530
	UP	VWC	18	2,154.5	94.3	2058.6-2321.5	23,436	19,530
	TR	EC	18	41.7	50.1	5-166	23,436	19,530
	TR	Temp	18	10.9	1.2	8-14	23,436	19,530

TEROS 12 soil

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	18	2,249.7	164.5	2051.6-2476.9	23,436	19,530
	W	EC	16	283.4	144.4	123-501	18,228	15,624
	W	Temp	16	11.5	0.9	9.1-13.8	18,228	15,624
	W	VWC	16	2,722.1	80.1	2582.6-2817.4	18,228	15,624

Stem TEROS 12

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	Dielectric	9	537.5	837.3	7.7-1882.7	5,292	3,614
	UP	EC	10	723.2	1,071.1	0-4004	5,880	4,211
	UP	Temp	10	6.3	4.9	0-71	5,880	4,211
	UP	VWC_counts	10	1,797.8	1,137.1	0-3921.4	5,880	4,202
	UP	VWC_species	9	−0.1	NA	-0.1--0.1	5,292	5,291

AquaTROLL

```
PTR: ignoring backup file(s)

PTR: found 5 files


CRC: ignoring backup file(s)


CRC: found 4 files


OWC: ignoring backup file(s)


OWC: found 6 files


Total: 18327 data rows
```



AquaTROLL 600 - water_level_cm
UP
TR
W
CRC
OWC
PTR
water_level_cm
-100
-200
-300
-400
-500
-33.000
-33.025
-33.050
-33.075
-33.100
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK



AquaTROLL 600 - Temperature
UP
TR
W
CRC
OWC
PTR
Temperature
15
14
13
12
11
10
14.0
13.5
13.0
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK



AquaTROLL 600 - Salinity
UP
TR
W
CRC
OWC
PTR
Salinity
TIMESTAMP
Nov 08
Nov 10
Nov 12
Nov 14
WL below sensor
Below sensor
No well dimensions
OK



AquaTROLL 600 - Water_Density
UP
TR
W
CRC
OWC
PTR
Water_Density
1.0010
1.0005
1.0000
0.9995
0.9990
1.050
1.025
1.000
0.975
0.950
1.0020
1.0015
1.0010
1.0005
1.0000
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK


AquaTROLL 600 - pH
UP
TR
W
CRC
OWC
PTR
pH
9
8
7
7.50
7.25
7.00
6.75
7.0
6.9
6.8
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK


AquaTROLL 600 - RDO_concen
UP
TR
W
CRC
OWC
PTR
RDO_concen
0.3
0.2
0.1
0.0
9
6
3
0
0.050
0.025
0.000
-0.025
-0.050
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK


AquaTROLL 600 - Pressure
UP
TR
W
CRC
OWC
PTR
Pressure
2.0
1.5
1.0
0.5
0.75
0.50
0.25
0.00
0.0
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK


AquaTROLL 600 - Depth
UP
TR
W
CRC
OWC
PTR
Depth
160
120
80
40
90
60
30
0
100
50
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
WL below sensor
Below sensor
No well dimensions
OK



	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
CRC - AquaTROLL 200	UP	Depth	1	298.9	6.0	289.392-308.147	588	0
	UP	Pressure	1	4.3	0.1	4.12-4.387	588	0
	UP	Salinity	1	2.0	0.0	2.032-2.044	588	0
	UP	Temperature	1	12.4	0.0	12.363-12.4	588	0
	UP	Water_Density	1	1.0	0.0	1.001-1.001	588	0
CRC - AquaTROLL 600	UP	Depth	1	35.1	1.0	33.44-37.42	7,056	6,468

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Pressure	1	0.2	0.0	0.204-0.26	7,056	6,468
	UP	RDO_concen	1	0.0	0.0	0-0.31	1,764	1,176
	UP	Salinity	1	1.4	0.0	1.38-1.43	7,056	6,468
	UP	Temperature	1	12.3	0.0	12.26-12.34	7,056	6,468
	UP	Water_Density	1	1.0	0.0	1.001-1.001	7,056	6,468
	UP	pH	1	6.5	0.1	6.39-6.69	1,764	1,176
	TR	Depth	1	70.3	0.1	69.98-70.58	7,812	7,161
	TR	Pressure	1	0.7	0.0	0.723-0.731	7,812	7,161
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	0.0	0.0	0-0	7,812	7,161
	TR	Temperature	1	15.2	0.1	15-15.37	7,812	7,161
	TR	Water_Density	1	1.0	0.0	0.999-0.999	7,812	7,161
	TR	pH	1	9.0	0.8	6.59-9.49	1,953	1,302
	W	Depth	1	146.7	5.5	136.69-158.33	7,812	7,212
	W	Pressure	1	1.8	0.1	1.671-1.979	7,812	7,212
	W	RDO_concen	1	0.0	0.0	0-0.33	1,953	1,353
	W	Salinity	1	0.5	0.0	0.51-0.57	7,812	7,212
	W	Temperature	1	13.3	0.4	12.66-13.93	7,812	7,212
	W	Water_Density	1	1.0	0.0	1-1	7,812	7,212
	W	pH	1	6.7	0.0	6.66-6.68	1,953	1,353
OWC - AquaTROLL 600	UP	Depth	1	NaN	NA	-	5,100	5,100
	UP	Pressure	1	NaN	NA	-	5,100	5,100
	UP	RDO_concen	1	NaN	NA	-	1,275	1,275
	UP	Salinity	1	NaN	NA	-	5,100	5,100

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	NaN	NA	-	5,100	5,100
	UP	Water_Density	1	NaN	NA	-	5,100	5,100
	UP	pH	1	NaN	NA	-	1,275	1,275
	TR	Depth	1	64.0	8.3	-13.97-66.95	7,812	7,709
	TR	Pressure	1	0.6	0.1	-0.013-0.679	7,812	7,709
	TR	RDO_concen	1	0.5	1.3	0-11.12	1,953	1,850
	TR	Salinity	1	0.3	0.0	0-0.36	7,812	7,709
	TR	Temperature	1	13.9	0.4	9.85-13.96	7,812	7,709
	TR	Water_Density	1	1.0	0.0	1-1	7,812	7,709
	TR	pH	1	6.7	0.1	6.71-7.69	1,953	1,850
	W	Depth	1	84.6	0.2	84.25-85.07	5,568	5,104
	W	Pressure	1	0.9	0.0	0.927-0.938	5,568	5,104
	W	RDO_concen	1	0.0	0.0	0-0	1,392	928
	W	Salinity	1	0.4	0.0	0.39-0.4	5,568	5,104
	W	Temperature	1	12.9	0.2	12.5-13.19	5,568	5,104
	W	Water_Density	1	1.0	0.0	1-1	5,568	5,104
	W	pH	1	6.8	0.0	6.76-6.78	1,392	928
PTR - AquaTROLL 600	UP	Depth	1	132.8	2.4	127.64-137.44	7,812	7,161
	UP	Pressure	1	1.6	0.0	1.547-1.686	7,812	7,161
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	2.9	0.1	2.3-3.16	7,812	7,161
	UP	Temperature	1	12.8	0.0	12.73-12.78	7,812	7,161
	UP	Water_Density	1	1.0	0.0	1.001-1.002	7,812	7,161
	UP	pH	1	6.8	0.0	6.77-6.92	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	Depth	1	56.2	1.5	53.14-60.16	7,812	7,161
	TR	Pressure	1	0.5	0.0	0.484-0.583	7,812	7,161
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	0.9	0.1	0.66-1.13	7,812	7,161
	TR	Temperature	1	14.1	0.0	14.05-14.2	7,812	7,161
	TR	Water_Density	1	1.0	0.0	1-1	7,812	7,161
	TR	pH	1	7.0	0.0	6.95-7.07	1,953	1,302
	W	Depth	1	15.4	0.4	14.85-17.38	7,812	7,161
	W	Pressure	1	−0.1	0.0	-0.06--0.024	7,812	7,161
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.9	0.0	0.87-0.88	7,812	7,161
	W	Temperature	1	13.8	0.1	13.45-13.92	7,812	7,161
	W	Water_Density	1	1.0	0.0	1-1	7,812	7,161
	W	pH	1	6.9	0.0	6.93-6.94	1,953	1,302

Redox


```
PTR: found 6 files


CRC: ignoring backup file(s)


CRC: found 8 files

OWC: found 6 files

Total: 68102 data rows
```


PTR Redox
UP
TR
W
RedoxRa
RedoxRaT
RedoxRb
RedoxRbT
value
3000
2000
1000
0
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA


CRC Redox
UP
TR
W
RedoxRa
RedoxRaT
RedoxRb
RedoxRbT
value
3000
2000
1000
0
Nov 08
Nov 10
Nov 12
Nov 14
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,254.882	585.799	590.587-3777.891	56,448	28,227
	TR	24	820.097	277.882	227.838-1496.933	62,496	46,872
	W	24	111.546	403.721	-364.767-784.901	62,496	46,872
OWC	UP	24	948.554	684.383	584.886-4740.112	62,496	46,872
	TR	24	483.916	305.044	-297.491-846.057	62,496	46,872
	W	24	−334.289	44.348	-392.173--150.25	62,496	46,872
PTR	UP	24	105.113	995.000	-737.056-3405.554	62,496	46,872

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,540.650	586.704	775.157-3395.796	62,496	46,872
	W	24	1,004.662	300.614	448.922-1515.356	62,496	46,872

Sonde

```
PTR: found 1 file


CRC: ignoring backup file(s)

CRC: found 1 file

OWC: ignoring backup file(s)

OWC: found 2 files

Total: 5349 data rows
```


CRC
Battery_v
BGA_PC_Raw
BGA_PC_ugL
Cable_v
Chlorophyll_cellsmL
Chlorophyll_Raw
Chlorophyll_RFU
Chlorophyll_ugL
Conductivity
Depth_m
FDOM_QSU
FDOM_RFU
NLF_conductivity
ODO_local
ODO_MgL
ODO_sat
pH
pH_mv
Pressure_psia
Rhodamine_ugL
Salinity_PPT
cific_Conductivity_uS
TAL_PC_cellsmL
Temp_C
Wiper_Current_ma
Wiper_Position_mv
value
TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	6.2	0.0	6.16-6.17	651	4
	Cable_v	12.6	0.4	12.12-13.65	651	4
	Chlorophyll_RFU	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	0.9	0.5	0-6.61	651	15
	Depth_m	−0.3	0.1	-0.537-0	651	3
	FDOM_QSU	0.0	0.4	-1.45-4.23	651	15
	FDOM_RFU	0.2	3.2	0-78	651	15
	NLF_conductivity	1.3	0.4	-0.352-4.15	651	20
	ODO_MgL	0.7	4.4	0.34-81.23	651	29
	ODO_local	4.2	0.5	0-12.5	651	28
	ODO_sat	4.1	0.4	0-6.17	651	22
	Pressure_psia	0.0	0.0	0-0	651	32
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	0.6	0.2	0-0.8	651	32
	Specific_Conductivity_uScm	2.1	22.4	0.122-573	651	2
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	9.9	3.1	7.581-85.3	651	2
	Wiper_Current_ma	81.0	4.9	70.94-101.74	651	4
	Wiper_Position_mv	1.3	0.3	-0.346-1.66	651	2
	pH	6.6	0.0	6.16-6.74	651	2
	pH_mv	−1.5	1.1	-8.59-13.09	651	2
OWC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651
	pH_mv	NaN	NA	-	651	651