

Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-09-28 11:44:37-04:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox


Sapflow

PTR: found 4 files


CRC: found 2 files

OWC: found 2 files


Total: 21841 data rows



CRC



OWC



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	0.356	0.058	0.164-0.513	15,648	7,824
	TR	12	NaN	NA	-	24,600	24,600

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	9	285.503	192.605	-0.015-526.1	15,624	13,020
	TR	9	NaN	NA	-	15,648	15,648
PTR	UP	12	14.232	32.318	-0.024-108.5	15,648	11,736
	TR	12	NaN	NA	-	15,648	15,648

TEROS


PTR: found 5 files

CRC: found 6 files


OWC: found 3 files

Total: 30550 data rows


Warning: Expected 2 pieces. Additional pieces discarded in 1466400 rows [55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, ...].



CRC TEROS



OWC TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	19	171.7	413.9	9.4-3907.6	53,464	49,979
	UP	Temp	19	299.8	742.6	10.8-2424.3	76,936	71,019
	UP	VWC	19	2,537.5	209.8	0-3908.2	76,936	74,279
	UP	NA	1	717.9	1,149.1	0-2716.3	43,032	40,448
	TR	EC	19	414.3	161.3	23-674	42,025	35,875
	TR	Temp	19	17.8	0.6	16.2-19.6	60,475	54,325
	TR	VWC	19	2,878.8	137.8	2434.7-3069.3	60,475	54,325
	TR	NA	1	NaN	NA	-	33,825	33,825
	W	EC	19	348.4	258.1	0-652	26,691	22,785
	W	Temp	19	11.4	8.1	0-18.8	38,409	34,503
	W	VWC	19	2,040.1	1,445.1	0-3192.7	38,409	34,503
	W	NA	1	NaN	NA	-	21,483	21,483
OWC	UP	EC	19	75.5	43.0	12-174	26,691	22,785
	UP	Temp	19	17.2	0.7	15-19.1	38,409	34,503
	UP	VWC	19	2,489.3	73.7	2351.1-2568.3	38,409	34,503
	UP	NA	1	NaN	NA	-	21,483	21,483
	TR	EC	19	230.0	52.9	147-358	26,732	22,820
	TR	Temp	19	17.6	0.9	16.1-19.4	38,468	34,556
	TR	VWC	19	2,713.4	61.3	2603.1-2834	38,468	34,556
	TR	NA	1	NaN	NA	-	21,516	21,516
	W	EC	19	250.1	181.2	0-490	26,732	22,820
	W	Temp	19	11.5	8.1	0-18.7	38,468	34,556
	W	VWC	19	2,007.6	1,422.3	0-3157.4	38,468	34,556
	W	NA	1	NaN	NA	-	21,516	21,516

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
PTR	UP	EC	19	26.5	22.4	0-94	26,732	22,820
	UP	Temp	19	16.7	0.6	14.9-18.5	38,468	34,556
	UP	VWC	19	2,184.3	94.7	2069.1-2352.1	38,468	34,556
	UP	NA	1	NaN	NA	-	21,516	21,516
	TR	EC	19	44.7	53.3	5-173	26,732	22,820
	TR	Temp	19	17.3	0.7	15.2-19	38,468	34,556
	TR	VWC	19	2,256.8	165.9	2045.6-2493.5	38,468	34,556
	TR	NA	1	NaN	NA	-	21,516	21,516
	W	EC	19	287.6	238.4	0-616	26,691	22,785
	W	Temp	19	11.6	8.3	0-19.2	38,409	34,503
	W	VWC	19	1,952.8	1,385.5	0-3142.8	38,409	34,503
	W	NA	1	NaN	NA	-	21,483	21,483

AquaTROLL

PTR: ignoring backup file(s)

PTR: found 5 files




CRC: ignoring backup file(s)


CRC: found 5 files

OWC: ignoring backup file(s)

OWC: found 6 files

Total: 36036 data rows





	Plot name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP Pressure	2	NaN	NA	-	3,912	3,912
	UP RDO_concen	2	NaN	NA	-	3,912	3,912
	UP Salinity	2	NaN	NA	-	3,912	3,912
	UP Temperature	2	NaN	NA	-	3,912	3,912
	UP Water_Density	2	NaN	NA	-	3,912	3,912
	UP pH	2	NaN	NA	-	3,912	3,912
	TR Pressure	1	1.0	0.2	0.785-1.293	3,075	2,798
	TR RDO_concen	1	1.0	0.5	0-2.23	3,075	2,798
	TR Salinity	1	0.2	0.1	0-0.42	3,075	2,050
	TR Temperature	1	17.2	0.1	16.23-17.92	3,075	2,050
	TR Water_Density	1	1.0	0.0	0.999-0.999	3,075	2,050
	TR pH	1	7.2	1.1	6.55-10.7	3,075	2,050
W	Pressure	1	1.6	0.1	1.406-1.913	1,953	1,303
	RDO_concen	1	0.0	0.0	0-0.13	1,953	1,303
	Salinity	1	0.4	0.0	0.35-0.4	1,953	1,303

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Temperature	1	17.8	0.5	17-18.62	1,953	1,303
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,953	1,303
	W	pH	1	6.4	0.0	6.38-6.49	1,953	1,303
OWC	UP	Pressure	1	0.1	0.0	0.094-0.189	1,953	1,302
	UP	RDO_concen	1	0.5	0.8	0-2.84	1,953	1,302
	UP	Salinity	1	0.2	0.0	0.2-0.26	1,953	1,302
	UP	Temperature	1	17.8	0.4	17.09-18.27	1,953	1,302
	UP	Water_Density	1	1.0	0.0	0.999-0.999	1,953	1,302
	UP	pH	1	7.6	0.1	7.52-7.7	1,953	1,302
	TR	Pressure	1	0.0	0.0	-0.025-0.088	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	0.4	0.0	0.36-0.37	1,956	1,304
	TR	Temperature	1	17.8	0.3	17.31-18.16	1,956	1,304
	TR	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	TR	pH	1	6.7	0.0	6.65-6.67	1,956	1,304
	W	Pressure	1	0.5	0.0	0.386-0.484	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	0.3	0.0	0.3-0.32	1,956	1,304
	W	Temperature	1	17.4	0.4	16.64-18.03	1,956	1,304
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	W	pH	1	6.7	0.0	6.68-6.76	1,956	1,304
PTR	UP	Pressure	1	2.5	0.0	2.452-2.557	1,956	1,304
	UP	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	UP	Salinity	1	2.9	0.1	2.32-3.2	1,956	1,304

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	12.2	0.0	12.09-12.22	1,956	1,304
	UP	Water_Density	1	1.0	0.0	1.001-1.002	1,956	1,304
	UP	pH	1	6.8	0.0	6.73-6.81	1,956	1,304
	TR	Pressure	1	1.3	0.0	1.3-1.416	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	1.7	0.4	1.22-2.4	1,956	1,304
	TR	Temperature	1	14.5	0.0	14.41-14.54	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1-1.001	1,956	1,304
	TR	pH	1	7.0	0.0	6.94-7.03	1,956	1,304
	W	Pressure	1	0.8	0.2	0.203-1.154	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.9	0.1	0.72-0.94	1,953	1,302
	W	Temperature	1	17.3	0.1	16.99-17.45	1,953	1,302
	W	Water_Density	1	1.0	0.0	0.999-1	1,953	1,302
	W	pH	1	6.9	0.0	6.84-6.89	1,953	1,302

Redox

PTR: found 6 files


CRC: ignoring backup file(s)

CRC: found 6 files


OWC: found 6 files


Total: 119027 data rows

PTR Redox



CRC Redox





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,122.581	797.638	326.459-3796.102	31,296	0
	TR	24	553.351	191.622	117.277-891.175	49,200	24,600
	W	24	-217.226	149.918	-368.504-470.151	31,248	15,624
OWC	UP	24	724.551	88.128	495.509-1429.045	31,248	15,624
	TR	24	269.209	352.835	-372.469-602.79	31,296	15,648
	W	24	-326.210	67.081	-406.33-502.533	31,296	15,648
PTR	UP	24	45.995	506.446	-587.452-1896.728	31,296	15,648

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,343.274	536.442	722.373-3416.23	31,296	15,648
	W	24	641.012	376.379	90.948-1311.884	31,248	15,624

Sonde

PTR: found 1 file

CRC: ignoring backup file(s)

CRC: found 1 file

OWC: ignoring backup file(s)


OWC: found 2 files

Total: 8627 data rows

PTR



CRC



OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	6.2	0.0	6.15-6.16	651	28
	Cable_v	12.7	0.4	12.21-13.61	651	28
	Chlorophyll_RFU	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	1.2	0.2	0.758-6.44	651	3
	Depth_m	-1.7	0.8	-2.927-0.081	651	28
	FDOM_QSU	0.0	0.4	0-8.97	651	3
	FDOM_RFU	0.0	0.7	0-17.025	651	3
	NLF_conductivity	1.4	0.1	-1.786-1.53	651	4
	ODO_MgL	0.5	2.8	0.36-70.51	651	5
	ODO_local	3.9	0.3	3.89-12.42	651	5
	ODO_sat	3.9	0.1	3.89-6.15	651	5
	Pressure_psia	0.0	0.0	0-0	651	6
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	0.7	0.0	0-0.76	651	6
	Specific_Conductivity_uScm	1.5	2.5	-2.816-65	651	20
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	17.1	4.2	15.207-80.43	651	24
	Wiper_Current_ma	76.2	5.2	64.15-95.38	651	28
	Wiper_Position_mv	1.3	0.4	-2.314-6.15	651	20
	pH	6.5	0.4	6.15-12.58	651	20
	pH_mv	11.0	36.9	8.4-929	651	20
OWC	BGA_PC_Raw	NaN	NA	-	652	652
	BGA_PC_ugL	NaN	NA	-	652	652
	Battery_v	NaN	NA	-	652	652

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	652	652
	Chlorophyll_RFU	NaN	NA	-	652	652
	Chlorophyll_Raw	NaN	NA	-	652	652
	Chlorophyll_cellsmL	NaN	NA	-	652	652
	Chlorophyll_ugL	NaN	NA	-	652	652
	Conductivity	NaN	NA	-	652	652
	Depth_m	NaN	NA	-	652	652
	FDOM_QSU	NaN	NA	-	652	652
	FDOM_RFU	NaN	NA	-	652	652
	NLF_conductivity	NaN	NA	-	652	652
	ODO_MgL	NaN	NA	-	652	652
	ODO_local	NaN	NA	-	652	652
	ODO_sat	NaN	NA	-	652	652
	Pressure_psia	NaN	NA	-	652	652
	Rhodamine_ugL	NaN	NA	-	652	652
	Salinity_PPT	NaN	NA	-	652	652
	Specific_Conductivity_uScm	NaN	NA	-	652	652
	TAL_PC_cellsmL	NaN	NA	-	652	652
	Temp_C	NaN	NA	-	652	652
	Wiper_Current_ma	NaN	NA	-	652	652
	Wiper_Position_mv	NaN	NA	-	652	652
	pH	NaN	NA	-	652	652
	pH_mv	NaN	NA	-	652	652
PTR	BGA_PC_Raw	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651

name		Mean	SD	Range	N_values	N_na
	pH_mv	NaN	NA	-	651	651