Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-10-27 11:39:53-04:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox


Sapflow

```
PTR: found 4 files


CRC: found 2 files

OWC: found 2 files


Total: 18801 data rows
```



CRC



OWC



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	0.379	0.140	-0.003-0.649	15,624	7,812
	TR	12	NaN	NA	-	15,624	15,624

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	9	309.189	208.043	-0.012-607.1	13,752	11,460
	TR	9	NaN	NA	-	15,624	15,624
PTR	UP	12	17.242	38.907	-0.044-125.6	15,624	11,718
	TR	12	NaN	NA	-	15,624	15,624

TEROS


```
PTR: found 5 files


CRC: found 6 files


OWC: found 3 files

Total: 28193 data rows

Warning: Expected 2 pieces. Additional pieces discarded in 1353264 rows [55, 56, 57, 58,
59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, ...].
```




CRC TEROS
UP
TR
W
EC
Temp
VWC
NA
value
TIMESTAMP
Oct 22
Oct 24
Oct 26
Depth_cm
10
30
NA


OWC TEROS
UP
TR
W
EC
Temp
VWC
NA
value
TIMESTAMP
Oct 22
Oct 24
Oct 26
Depth_cm
10
30
NA

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	19	215.4	697.6	4-3915.5	53,382	49,391
	UP	Temp	19	278.3	710.8	8-2326	76,818	70,795
	UP	VWC	19	2,438.8	367.4	0-3915.4	76,818	74,049
	UP	NA	1	694.7	1,132.3	7.9-2658.9	42,966	40,362
	TR	EC	19	242.2	108.7	84-445	26,691	22,785
	TR	Temp	19	14.4	0.8	12.3-15.7	38,409	34,503
	TR	VWC	19	2,632.7	97.3	2483.4-2801	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	19	286.9	263.5	0-656	26,691	22,785
	W	Temp	19	8.3	5.9	0-13.6	38,409	34,503
	W	VWC	19	1,955.8	1,383.9	0-3021.9	38,409	34,503
	W	NA	1	NaN	NA	-	21,483	21,483
OWC	UP	EC	19	75.3	39.8	13-175	23,493	20,055
	UP	Temp	19	13.9	0.5	12.4-15.8	33,807	30,369
	UP	VWC	19	2,484.2	76.2	2361.6-2564.4	33,807	30,369
	UP	NA	1	NaN	NA	-	18,909	18,909
	TR	EC	19	250.7	58.0	174-407	26,691	22,785
	TR	Temp	19	13.3	0.6	12.2-14.5	38,409	34,503
	TR	VWC	19	2,753.4	87.9	2608.5-2862.7	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	19	295.8	210.4	0-537	26,691	22,785
	W	Temp	19	8.2	5.8	0-13.6	38,409	34,503
	W	VWC	19	2,012.0	1,425.1	0-3157.3	38,409	34,503
	W	NA	1	NaN	NA	-	21,483	21,483

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
PTR	UP	EC	19	20.4	21.1	0-83	26,691	22,785
	UP	Temp	19	13.1	0.7	11-14.4	38,409	34,503
	UP	VWC	19	2,156.5	93.2	2059.6-2324.2	38,409	34,503
	UP	NA	1	NaN	NA	-	21,483	21,483
	TR	EC	19	40.3	49.9	5-165	26,691	22,785
	TR	Temp	19	12.7	0.8	10.6-13.9	38,409	34,503
	TR	VWC	19	2,245.1	164.3	2049.8-2475.7	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	19	228.2	190.6	0-521	23,493	20,055
	W	Temp	19	8.2	5.8	0-13.8	33,807	30,369
	W	VWC	19	1,884.3	1,333.4	0-2938.1	33,807	30,369
	W	NA	1	NaN	NA	-	18,909	18,909

AquaTROLL

```
PTR: ignoring backup file(s)

PTR: found 5 files


CRC: ignoring backup file(s)


CRC: found 4 files


OWC: ignoring backup file(s)


OWC: found 6 files


Total: 30001 data rows
```



water_level_cm
UP
TR
W
CRC
OWC
PTR
water_level_cm
-100
-200
-300
-400
-500
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA



Temperature
UP
TR
W
CRC
OWC
PTR
Temperature
17
16
15
14
13
12
14.8
14.4
14.0
13.6
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA


Salinity
UP
TR
W
CRC
OWC
PTR
Salinity
1.0
0.5
0.0
0.3700
0.3675
0.3650
0.3625
0.3600
3
2
1
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA


Water_Density
UP
TR
W
CRC
OWC
PTR
Water_Density
1.0010
1.0005
1.0000
0.9995
0.9990
1.00000
0.99975
0.99950
0.99925
0.99900
1.0020
1.0015
1.0010
1.0005
1.0000
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA


pH
UP
TR
W
CRC
OWC
PTR
pH
7
6
5
4
3
6.810
6.805
6.800
6.795
6.790
7.0
6.9
6.8
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA


RDO_concen
UP
TR
W
CRC
OWC
PTR
RDO_concen
8
6
4
2
0
0.050
0.025
0.000
-0.025
-0.050
Oct 22
Oct 24
Oct 26
TIMESTAMP
WL below sensor
FALSE
NA



	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	Pressure	2	0.5	0.0	0.43-0.539	3,906	3,258
	UP	RDO_concen	2	6.9	2.8	0-8.42	3,906	3,258
	UP	Salinity	2	0.2	0.5	0-1.39	3,906	3,258
	UP	Temperature	2	12.2	0.0	12.16-12.93	3,906	3,258
	UP	Water_Density	2	1.0	0.0	0.999-1.001	3,906	3,258
	UP	pH	2	4.6	1.2	2.57-7.06	3,906	3,258
	TR	Pressure	1	0.7	0.0	0.717-0.733	1,953	1,309
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,309
	TR	Salinity	1	1.0	0.0	0.91-1.05	1,953	1,309
	TR	Temperature	1	16.1	0.1	15.86-16.83	1,953	1,309
	TR	Water_Density	1	1.0	0.0	1-1	1,953	1,309
	TR	pH	1	7.1	0.0	7.04-7.06	1,953	1,309
	W	Pressure	1	2.0	0.1	1.792-2.106	1,953	1,309
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,309
	W	Salinity	1	0.5	0.0	0.5-0.55	1,953	1,309

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Temperature	1	14.2	0.3	13.71-14.91	1,953	1,309
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,309
	W	pH	1	6.6	0.0	6.6-6.64	1,953	1,309
OWC	UP	Pressure	1	NaN	NA	-	1,953	1,953
	UP	RDO_concen	1	NaN	NA	-	1,953	1,953
	UP	Salinity	1	NaN	NA	-	1,953	1,953
	UP	Temperature	1	NaN	NA	-	1,953	1,953
	UP	Water_Density	1	NaN	NA	-	1,953	1,953
	UP	pH	1	NaN	NA	-	1,953	1,953
	TR	Pressure	1	NaN	NA	-	1,953	1,953
	TR	RDO_concen	1	NaN	NA	-	1,953	1,953
	TR	Salinity	1	NaN	NA	-	1,953	1,953
	TR	Temperature	1	NaN	NA	-	1,953	1,953
	TR	Water_Density	1	NaN	NA	-	1,953	1,953
	TR	pH	1	NaN	NA	-	1,953	1,953
	W	Pressure	1	0.9	0.0	0.905-0.926	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.4	0.0	0.36-0.37	1,953	1,302
	W	Temperature	1	14.0	0.4	13.41-14.74	1,953	1,302
	W	Water_Density	1	1.0	0.0	0.999-1	1,953	1,302
	W	pH	1	6.8	0.0	6.79-6.81	1,953	1,302
PTR	UP	Pressure	1	1.9	0.0	1.861-1.98	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	2.9	0.1	2.15-2.95	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	12.6	0.0	12.55-12.64	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.001-1.002	1,953	1,302
	UP	pH	1	6.8	0.0	6.74-6.85	1,953	1,302
	TR	Pressure	1	0.8	0.0	0.687-0.799	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	0.9	0.1	0.56-1.16	1,953	1,302
	TR	Temperature	1	14.5	0.0	14.42-14.51	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	TR	pH	1	7.0	0.0	6.93-7.06	1,953	1,302
	W	Pressure	1	0.3	0.1	0.181-0.429	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.9	0.0	0.85-0.88	1,953	1,302
	W	Temperature	1	14.9	0.3	14.44-15.45	1,953	1,302
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	W	pH	1	6.9	0.0	6.9-6.92	1,953	1,302

Redox


```
PTR: found 6 files


CRC: ignoring backup file(s)


CRC: found 6 files

OWC: found 6 files

Total: 113707 data rows
```


PTR Redox
UP
TR
W
RedoxRa
RedoxRb
value
3000
2000
1000
0
Oct 22
Oct 24
Oct 26
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA


CRC Redox
UP
TR
W
RedoxRa
RedoxRb
value
4000
3000
2000
1000
0
Oct 22
Oct 24
Oct 26
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,290.514	600.766	816.772-3799.255	31,248	0
	TR	24	682.166	227.430	189.197-1084.771	31,248	15,624
	W	24	−41.694	364.757	-447.664-641.1	31,248	15,624
OWC	UP	24	1,026.641	836.451	629.978-4719.657	31,248	15,624
	TR	24	400.202	352.542	-370.023-776.411	31,248	15,624
	W	24	−330.821	44.067	-393.083--221.641	31,248	15,624
PTR	UP	24	171.217	911.191	-632.909-3212.963	31,248	15,624

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,560.444	647.858	794.247-3362.146	31,248	15,624
	W	24	841.321	426.405	141.464-1454.88	31,248	15,624

Sonde

```
PTR: found 1 file

CRC: ignoring backup file(s)


CRC: found 1 file


OWC: ignoring backup file(s)

OWC: found 2 files


Total: 8640 data rows
```

PTR


Battery_v
BGA_PC_Raw
BGA_PC_ugL
Cable_v
Chlorophyll_cellsmL
Chlorophyll_Raw
Chlorophyll_RFU
Chlorophyll_ugL
Conductivity
Depth_m
FDOM_QSU
FDOM_RFU
NLF_conductivity
ODO_local
ODO_MgL
ODO_sat
pH
pH_mv
Pressure_psia
Rhodamine_ugL
Salinity_PPT
pecific_Conductivity_uScr
TAL_PC_cellsmL
Temp_C
Wiper_Current_ma
Wiper_Position_mv
Oct 22 Oct 24 Oct 26
value
TIMESTAMP


CRC
Battery_v
BGA_PC_Raw
BGA_PC_ugL
Cable_v
Chlorophyll_cellsmL
Chlorophyll_Raw
Chlorophyll_RFU
Chlorophyll_ugL
Conductivity
Depth_m
FDOM_QSU
FDOM_RFU
NLF_conductivity
ODO_local
ODO_MgL
ODO_sat
pH
pH_mv
Pressure_psia
Rhodamine_ugL
Salinity_PPT
TAL_PC_cellsmL
Temp_C
Wiper_Current_ma
Wiper_Position_mv
value
Oct 22
Oct 24
Oct 26
TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	6.2	0.0	6.15-6.17	651	37
	Cable_v	12.7	0.4	12.19-13.63	651	37
	Chlorophyll_RFU	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	1.1	0.3	0.645-6.57	651	15
	Depth_m	−0.6	0.4	-1.594-0	651	37
	FDOM_QSU	0.0	0.2	0-4.08	651	15
	FDOM_RFU	0.2	3.1	0-75	651	15
	NLF_conductivity	1.5	0.2	-1.23-1.57	651	26
	ODO_MgL	0.7	4.2	0.4-77.1	651	29
	ODO_local	4.1	0.5	3.99-13.08	651	29
	ODO_sat	4.0	0.2	0.72-6.16	651	27
	Pressure_psia	0.0	0.0	0-0	651	32
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	0.7	0.0	0-0.78	651	33
	Specific_Conductivity_uScm	2.6	27.0	-0.574-676	651	23
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	12.5	3.7	10.096-74.36	651	29
	Wiper_Current_ma	75.2	3.7	66.97-92.66	651	37
	Wiper_Position_mv	1.3	0.4	-0.921-6.17	651	25
	pH	6.6	0.5	6.16-13.52	651	25
	pH_mv	0.2	6.6	-7.29-79.69	651	25
OWC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651
	pH_mv	NaN	NA	-	651	651
PTR	BGA_PC_Raw	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	pH_mv	NaN	NA	-	651	651