

Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-09-29 10:06:15-04:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox


Sapflow

PTR: found 4 files


CRC: found 2 files

OWC: found 2 files


Total: 22372 data rows



CRC



OWC



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	0.357	0.059	0.164-0.513	15,624	7,812
	TR	12	NaN	NA	-	22,416	22,416

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	9	298.155	196.025	-0.015-534.7	15,600	13,000
	TR	9	NaN	NA	-	15,600	15,600
PTR	UP	12	14.904	33.690	-0.024-108.5	15,600	11,700
	TR	12	NaN	NA	-	15,600	15,600

TEROS


PTR: found 5 files

CRC: found 5 files


OWC: found 3 files

Total: 25583 data rows


Warning: Expected 2 pieces. Additional pieces discarded in 1227984 rows [55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, ...].



CRC TEROS



OWC TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	19	168.7	427.5	9.4-3907.6	53,382	49,894
	UP	Temp	19	299.3	741.6	10.6-2424.3	76,818	70,910
	UP	VWC	19	2,522.6	211.8	0-3908.2	76,818	74,165
	UP	NA	1	717.9	1,149.3	0-2716.3	42,966	40,378
	W	EC	19	349.8	258.9	0-653	26,691	22,785
	W	Temp	19	11.3	8.0	0-18.3	38,409	34,503
	W	VWC	19	2,040.3	1,445.3	0-3192.7	38,409	34,503
	W	NA	1	NaN	NA	-	21,483	21,483
OWC	UP	EC	19	74.7	43.2	12-174	26,650	22,750
	UP	Temp	19	17.0	0.6	15-18.5	38,350	34,450
	UP	VWC	19	2,485.7	75.5	2342.5-2567.1	38,350	34,450
	UP	NA	1	NaN	NA	-	21,450	21,450
	TR	EC	19	223.0	53.1	146-358	26,650	22,750
	TR	Temp	19	17.4	0.7	16.1-19	38,350	34,450
	TR	VWC	19	2,705.0	58.3	2600.2-2829.5	38,350	34,450
	TR	NA	1	NaN	NA	-	21,450	21,450
	W	EC	19	252.4	182.4	0-479	26,650	22,750
	W	Temp	19	11.3	8.0	0-18.3	38,350	34,450
	W	VWC	19	2,007.9	1,422.5	0-3157.4	38,350	34,450
	W	NA	1	NaN	NA	-	21,450	21,450
PTR	UP	EC	19	25.3	22.7	0-94	26,650	22,750
	UP	Temp	19	16.6	0.5	14.9-17.9	38,350	34,450
	UP	VWC	19	2,180.4	95.9	2067.7-2352.1	38,350	34,450
	UP	NA	1	NaN	NA	-	21,450	21,450

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	EC	19	43.6	53.5	5-173	26,650	22,750
	TR	Temp	19	17.2	0.7	15.2-18.6	38,350	34,450
	TR	VWC	19	2,254.0	166.6	2044-2492	38,350	34,450
	TR	NA	1	NaN	NA	-	21,450	21,450
	W	EC	19	295.8	239.2	0-616	26,650	22,750
	W	Temp	19	11.4	8.1	0-18.8	38,350	34,450
	W	VWC	19	1,968.5	1,394.8	0-3142.8	38,350	34,450
	W	NA	1	NaN	NA	-	21,450	21,450

AquaTROLL

PTR: ignoring backup file(s)

PTR: found 5 files




CRC: ignoring backup file(s)

CRC: found 5 files


OWC: ignoring backup file(s)

OWC: found 6 files


Total: 36930 data rows




Water_Density




pH



RDO_concen





	Plot name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP Pressure	2	NaN	NA	-	3,906	3,906
	UP RDO_concen	2	NaN	NA	-	3,906	3,906
	UP Salinity	2	NaN	NA	-	3,906	3,906
	UP Temperature	2	NaN	NA	-	3,906	3,906
	UP Water_Density	2	NaN	NA	-	3,906	3,906
	UP pH	2	NaN	NA	-	3,906	3,906
	TR Pressure	1	0.9	0.2	0.662-1.293	2,802	2,436
	TR RDO_concen	1	0.9	0.5	0-2.23	2,802	2,436
	TR Salinity	1	0.3	0.1	0-0.47	2,802	1,868
	TR Temperature	1	17.1	0.1	16.94-17.92	2,802	1,868
	TR Water_Density	1	1.0	0.0	0.999-0.999	2,802	1,868
	TR pH	1	7.0	0.7	6.6-10.2	2,802	1,868
W	Pressure	1	1.6	0.1	1.382-1.913	1,953	1,303
	RDO_concen	1	0.0	0.0	0-0	1,953	1,303
	Salinity	1	0.4	0.0	0.36-0.4	1,953	1,303

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Temperature	1	17.6	0.5	16.87-18.41	1,953	1,303
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,953	1,303
	W	pH	1	6.5	0.0	6.4-6.5	1,953	1,303
OWC	UP	Pressure	1	0.1	0.0	0.085-0.175	1,953	1,302
	UP	RDO_concen	1	0.2	0.4	0-1.54	1,953	1,302
	UP	Salinity	1	0.2	0.0	0.2-0.26	1,953	1,302
	UP	Temperature	1	17.6	0.4	16.96-18.19	1,953	1,302
	UP	Water_Density	1	1.0	0.0	0.999-0.999	1,953	1,302
	UP	pH	1	7.6	0.1	7.52-7.73	1,953	1,302
	TR	Pressure	1	0.0	0.0	-0.025-0.051	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	0.4	0.0	0.36-0.37	1,956	1,304
	TR	Temperature	1	17.7	0.3	17.21-18.11	1,956	1,304
	TR	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	TR	pH	1	6.7	0.0	6.66-6.68	1,956	1,304
	W	Pressure	1	0.5	0.0	0.444-0.484	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	0.3	0.0	0.31-0.32	1,956	1,304
	W	Temperature	1	17.2	0.4	16.52-17.92	1,956	1,304
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	W	pH	1	6.7	0.0	6.68-6.76	1,956	1,304
PTR	UP	Pressure	1	2.5	0.0	2.421-2.516	1,950	1,300
	UP	RDO_concen	1	0.0	0.0	0-0	1,950	1,300
	UP	Salinity	1	2.9	0.1	2.32-3.2	1,950	1,300

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	12.2	0.0	12.11-12.23	1,950	1,300
	UP	Water_Density	1	1.0	0.0	1.001-1.002	1,950	1,300
	UP	pH	1	6.8	0.0	6.73-6.81	1,950	1,300
	TR	Pressure	1	1.3	0.0	1.3-1.375	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	1.9	0.4	1.22-2.4	1,956	1,304
	TR	Temperature	1	14.5	0.0	14.43-14.55	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1-1.001	1,956	1,304
	TR	pH	1	7.0	0.0	6.94-7.03	1,956	1,304
	W	Pressure	1	0.8	0.1	0.399-1.154	1,950	1,300
	W	RDO_concen	1	0.0	0.0	0-0	1,950	1,300
	W	Salinity	1	0.9	0.0	0.73-0.95	1,950	1,300
	W	Temperature	1	17.2	0.2	16.89-17.42	1,950	1,300
	W	Water_Density	1	1.0	0.0	0.999-1	1,950	1,300
	W	pH	1	6.9	0.0	6.85-6.9	1,950	1,300

Redox

PTR: found 6 files


CRC: ignoring backup file(s)

CRC: found 6 files


OWC: found 6 files


Total: 123323 data rows

PTR Redox



CRC Redox





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,124.503	796.980	333.264-3796.102	31,248	0
	TR	24	552.912	194.495	117.277-891.175	44,832	22,416
	W	24	-241.464	114.158	-371.193-444.512	31,200	15,600
OWC	UP	24	729.705	87.299	495.509-1429.045	31,248	15,624
	TR	24	273.130	354.327	-372.469-603.49	31,296	15,648
	W	24	-329.362	58.454	-405.723--121.996	31,296	15,648
PTR	UP	24	-1.539	505.432	-587.798-1896.728	31,296	15,648

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,360.338	563.946	722.373-3438.933	31,296	15,648
	W	24	605.684	369.905	90.948-1315.973	31,248	15,624

Sonde

PTR: found 1 file

CRC: ignoring backup file(s)

CRC: found 1 file

OWC: ignoring backup file(s)


OWC: found 2 files

Total: 8896 data rows

PTR



CRC



TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	650	650
	BGA_PC_ugL	NaN	NA	-	650	650
	Battery_v	6.2	0.0	6.15-6.16	650	24
	Cable_v	12.7	0.4	12.21-13.61	650	24
	Chlorophyll_RFU	NaN	NA	-	650	650

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	650	650
	Chlorophyll_cellsmL	NaN	NA	-	650	650
	Chlorophyll_ugL	NaN	NA	-	650	650
	Conductivity	1.2	0.4	0.65-6.45	650	3
	Depth_m	-2.1	0.5	-2.969--0.728	650	23
	FDOM_QSU	0.0	0.6	0-8.97	650	3
	FDOM_RFU	0.1	1.2	0-18.027	650	3
	NLF_conductivity	1.4	0.3	-3.042-1.51	650	4
	ODO_MgL	0.7	4.9	0.37-74.27	650	5
	ODO_local	4.0	0.6	3.9-12.51	650	5
	ODO_sat	3.9	0.2	3.9-6.15	650	5
	Pressure_psia	0.0	0.0	0-0	650	8
	Rhodamine_ugL	NaN	NA	-	650	650
	Salinity_PPT	0.7	0.1	0-0.75	650	8
	Specific_Conductivity_uScm	1.5	2.5	-2.816-65	650	14
	TAL_PC_cellsmL	NaN	NA	-	650	650
	Temp_C	17.1	4.7	15.206-80.43	650	19
	Wiper_Current_ma	76.8	4.9	66.25-95.38	650	24
	Wiper_Position_mv	1.3	0.5	-2.836-6.15	650	14
	pH	6.5	0.5	6.15-12.58	650	14
	pH_mv	11.0	36.9	8.4-929	650	14
OWC	BGA_PC_Raw	NaN	NA	-	652	652
	BGA_PC_ugL	NaN	NA	-	652	652
	Battery_v	NaN	NA	-	652	652

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	652	652
	Chlorophyll_RFU	NaN	NA	-	652	652
	Chlorophyll_Raw	NaN	NA	-	652	652
	Chlorophyll_cellsmL	NaN	NA	-	652	652
	Chlorophyll_ugL	NaN	NA	-	652	652
	Conductivity	NaN	NA	-	652	652
	Depth_m	NaN	NA	-	652	652
	FDOM_QSU	NaN	NA	-	652	652
	FDOM_RFU	NaN	NA	-	652	652
	NLF_conductivity	NaN	NA	-	652	652
	ODO_MgL	NaN	NA	-	652	652
	ODO_local	NaN	NA	-	652	652
	ODO_sat	NaN	NA	-	652	652
	Pressure_psia	NaN	NA	-	652	652
	Rhodamine_ugL	NaN	NA	-	652	652
	Salinity_PPT	NaN	NA	-	652	652
	Specific_Conductivity_uScm	NaN	NA	-	652	652
	TAL_PC_cellsmL	NaN	NA	-	652	652
	Temp_C	NaN	NA	-	652	652
	Wiper_Current_ma	NaN	NA	-	652	652
	Wiper_Position_mv	NaN	NA	-	652	652
PTR	pH	NaN	NA	-	652	652
	pH_mv	NaN	NA	-	652	652
	BGA_PC_Raw	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651

name		Mean	SD	Range	N_values	N_na
	pH_mv	NaN	NA	-	651	651