Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-11-11 08:51:53-05:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox

Sapflow


```
PTR: found 4 files


CRC: found 2 files


OWC: found 2 files

Total: 10655 data rows

Warning in left_join(., SF_METADATA, by = c("Site", "Logger", "Port")): Detected an unexpected
many-to-many relationship between `x` and `y`.
ℹ Row 1 of `x` matches multiple rows in `y`.
ℹ Row 79 of `y` matches multiple rows in `x`.
ℹ If a many-to-many relationship is expected, set `relationship =
  "many-to-many"` to silence this warning.
```







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	16	223.353	929.124	-0.003-4135	19,328	9,664
	TR	24	NaN	NA	-	31,248	31,248

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	17	298.263	189.925	-0.018-572.3	26,040	20,832
	TR	17	NaN	NA	-	26,040	26,040
PTR	UP	24	26.684	60.891	-0.03-218.8	31,248	23,436
	TR	24	NaN	NA	-	31,248	31,248

TEROS


```
PTR: found 5 files


CRC: found 6 files


OWC: found 3 files

Total: 14622 data rows

Warning: Expected 2 pieces. Additional pieces discarded in 701856 rows [55, 56, 57, 58,
59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, ...].
```




CRC TEROS
UP
TR
W
EC
Temp
VWC
NA
value
TIMESTAMP
Nov 06
Nov 08
Nov 10
Depth_cm
10
30
NA


OWC TEROS
UP
TR
W
EC
Temp
VWC
NA
value
TIMESTAMP
Nov 06
Nov 08
Nov 10
Depth_cm
10
30
NA

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	19	593.9	994.8	0-4004	49,528	44,166
	UP	Temp	19	260.8	690.8	0-2313.4	71,272	65,372
	UP	VWC	19	2,012.2	870.0	0-3919.8	71,272	68,378
	UP	NA	1	670.4	1,118.9	0-2644.8	39,864	37,394
	TR	EC	19	195.5	90.7	61-407	26,691	22,785
	TR	Temp	19	13.6	1.4	10.5-16.2	38,409	34,503
	TR	VWC	19	2,585.1	89.2	2442.3-2750.4	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	17	350.2	158.8	126-579	21,483	18,879
	W	Temp	17	12.5	1.3	9.7-14.7	31,899	29,295
	W	VWC	17	2,814.2	55.1	2726.9-2903.4	31,899	29,295
	W	NA	1	NaN	NA	-	21,483	21,483
OWC	UP	EC	19	75.7	38.1	13-176	26,691	22,785
	UP	Temp	19	13.6	1.3	11.2-16	38,409	34,503
	UP	VWC	19	2,486.2	73.4	2324.4-2575	38,409	34,503
	UP	NA	1	NaN	NA	-	21,483	21,483
	TR	EC	19	289.9	57.4	175-433	26,691	22,785
	TR	Temp	19	13.1	1.4	10.4-15	38,409	34,503
	TR	VWC	19	2,798.4	95.3	2605.8-2928.1	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	17	471.2	34.4	371-561	21,483	18,879
	W	Temp	17	12.1	1.0	9.3-13.4	31,899	29,295
	W	VWC	17	3,015.5	96.2	2913.3-3158.2	31,899	29,295
	W	NA	1	NaN	NA	-	21,483	21,483

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
PTR	UP	EC	19	19.7	21.2	0-82	26,691	22,785
	UP	Temp	19	12.4	1.7	8.9-16.3	38,409	34,503
	UP	VWC	19	2,153.8	94.5	2058.4-2321.5	38,409	34,503
	UP	NA	1	NaN	NA	-	21,483	21,483
	TR	EC	19	40.1	50.7	5-166	26,691	22,785
	TR	Temp	19	12.2	1.9	8-15.5	38,409	34,503
	TR	VWC	19	2,247.0	165.1	2051.6-2477.4	38,409	34,503
	TR	NA	1	NaN	NA	-	21,483	21,483
	W	EC	17	287.0	145.8	123-506	21,483	18,879
	W	Temp	17	12.5	1.3	9.2-14.7	31,899	29,295
	W	VWC	17	2,726.0	77.1	2587-2818.3	31,899	29,295
	W	NA	1	NaN	NA	-	21,483	21,483

AquaTROLL

```
PTR: ignoring backup file(s)

PTR: found 5 files


CRC: ignoring backup file(s)


CRC: found 4 files


OWC: ignoring backup file(s)


OWC: found 6 files


Total: 16540 data rows
```



water_level_cm
UP
TR
W
CRC
OWC
PTR
water_level_cm
-100
-200
-300
-400
-500
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA



Temperature
UP
TR
W
CRC
OWC
PTR
Temperature
15
14
13
13.2
13.0
12.8
12.6
14.0
13.5
13.0
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA


Salinity
UP
TR
W
CRC
OWC
PTR
Salinity
1.0
0.5
0.0
0.400
0.395
0.390
0.385
0.380
3
2
1
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA


Water_Density
UP
TR
W
CRC
OWC
PTR
Water_Density
1.0010
1.0005
1.0000
0.9995
0.9990
1.050
1.025
1.000
0.975
0.950
1.0020
1.0015
1.0010
1.0005
1.0000
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA


pH
UP
TR
W
CRC
OWC
PTR
pH
9
8
7
6.79
6.78
6.77
6.76
7.0
6.9
6.8
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA


RDO_concen
UP
TR
W
CRC
OWC
PTR
RDO_concen
0.6
0.4
0.2
0.0
0.050
0.025
0.000
-0.025
-0.050
Nov 06
Nov 08
Nov 10
TIMESTAMP
WL below sensor
FALSE
TRUE
NA



	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	Pressure	2	0.2	0.0	0.208-0.288	3,624	3,020
	UP	RDO_concen	2	0.0	0.0	0-0	3,624	3,020
	UP	Salinity	2	1.4	0.0	1.38-1.4	3,624	3,020
	UP	Temperature	2	12.3	0.0	12.28-12.33	3,624	3,020
	UP	Water_Density	2	1.0	0.0	1.001-1.001	3,624	3,020
	UP	pH	2	6.5	0.0	6.39-6.57	3,624	3,020
	TR	Pressure	1	0.7	0.0	0.723-0.731	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	0.0	0.0	0-0	1,953	1,302
	TR	Temperature	1	15.3	0.1	15.18-15.46	1,953	1,302
	TR	Water_Density	1	1.0	0.0	0.999-0.999	1,953	1,302
	TR	pH	1	9.1	0.6	6.64-9.42	1,953	1,302
	W	Pressure	1	1.7	0.2	1.344-1.921	1,953	1,328
	W	RDO_concen	1	0.0	0.1	0-0.61	1,953	1,328
	W	Salinity	1	0.5	0.0	0.51-0.55	1,953	1,328

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Temperature	1	13.6	0.3	13.07-13.94	1,953	1,328
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,328
	W	pH	1	6.7	0.0	6.64-6.67	1,953	1,328
OWC	UP	Pressure	1	NaN	NA	-	1,953	1,953
	UP	RDO_concen	1	NaN	NA	-	1,953	1,953
	UP	Salinity	1	NaN	NA	-	1,953	1,953
	UP	Temperature	1	NaN	NA	-	1,953	1,953
	UP	Water_Density	1	NaN	NA	-	1,953	1,953
	UP	pH	1	NaN	NA	-	1,953	1,953
	TR	Pressure	1	NaN	NA	-	1,953	1,953
	TR	RDO_concen	1	NaN	NA	-	1,953	1,953
	TR	Salinity	1	NaN	NA	-	1,953	1,953
	TR	Temperature	1	NaN	NA	-	1,953	1,953
	TR	Water_Density	1	NaN	NA	-	1,953	1,953
	TR	pH	1	NaN	NA	-	1,953	1,953
	W	Pressure	1	0.9	0.0	0.873-0.938	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.4	0.0	0.38-0.4	1,953	1,302
	W	Temperature	1	13.0	0.2	12.59-13.19	1,953	1,302
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	W	pH	1	6.8	0.0	6.76-6.79	1,953	1,302
PTR	UP	Pressure	1	1.7	0.1	1.591-1.772	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	2.9	0.1	2.36-3.7	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	12.7	0.0	12.71-12.77	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.001-1.002	1,953	1,302
	UP	pH	1	6.8	0.0	6.77-6.89	1,953	1,302
	TR	Pressure	1	0.6	0.0	0.486-0.641	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	1.0	0.2	0.66-1.36	1,953	1,302
	TR	Temperature	1	14.2	0.0	14.1-14.26	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	TR	pH	1	7.0	0.0	6.95-7.08	1,953	1,302
	W	Pressure	1	0.0	0.0	-0.06--0.014	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.9	0.0	0.87-0.88	1,953	1,302
	W	Temperature	1	13.9	0.1	13.71-13.92	1,953	1,302
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	W	pH	1	6.9	0.0	6.93-6.94	1,953	1,302

Redox


```
PTR: found 6 files


CRC: ignoring backup file(s)


CRC: found 8 files

OWC: found 6 files

Total: 54770 data rows
```


PTR Redox
UP
TR
W
RedoxRa
RedoxRaT
RedoxRb
RedoxRbT
value
3000
2000
1000
0
Nov 06
Nov 08
Nov 10
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA


CRC Redox
UP
TR
W
RedoxRa
RedoxRaT
RedoxRb
RedoxRbT
value
2000
1000
0
Nov 06
Nov 08
Nov 10
TIMESTAMP
Depth_Rep
10-1
10-2
10-3
15-1
15-2
15-3
30-1
30-2
30-3
45-1
45-2
45-3
NA-NA



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,252.239	543.254	0-2646.229	57,984	28,992
	TR	24	816.246	279.115	227.679-1496.933	62,496	46,872
	W	24	82.879	399.687	-369.576-750.152	62,496	46,872
OWC	UP	24	967.694	712.192	666.448-4729.596	62,496	46,872
	TR	24	465.241	306.541	-297.524-835.408	62,496	46,872
	W	24	−337.066	43.218	-392.173--222.967	62,496	46,872
PTR	UP	24	50.583	990.468	-744.708-3283.796	62,496	46,872

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,582.101	636.569	822.285-3395.796	62,496	46,872
	W	24	972.446	322.455	326.314-1514.09	62,496	46,872

Sonde

```
PTR: found 1 file


CRC: ignoring backup file(s)

CRC: found 1 file


OWC: ignoring backup file(s)

OWC: found 2 files

Total: 4671 data rows
```


CRC
Battery_v
BGA_PC_Raw
BGA_PC_ugL
Cable_v
Chlorophyll_cellsmL
Chlorophyll_Raw
Chlorophyll_RFU
Chlorophyll_ugL
Conductivity
Depth_m
FDOM_QSU
FDOM_RFU
NLF_conductivity
ODO_local
ODO_MgL
ODO_sat
pH
pH_mv
Pressure_psia
Rhodamine_ugL
Salinity_PPT
cific_Conductivity_uS
TAL_PC_cellsmL
Temp_C
Wiper_Current_ma
Wiper_Position_mv
value
TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	6.2	0.0	6.16-6.17	651	9
	Cable_v	12.6	0.4	12.12-13.65	651	9
	Chlorophyll_RFU	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	0.9	0.4	0-6.59	651	14
	Depth_m	−0.4	0.1	-0.863-0	651	8
	FDOM_QSU	0.0	0.3	0-4.16	651	14
	FDOM_RFU	0.2	3.2	0-78	651	14
	NLF_conductivity	1.3	0.4	-0.342-4.15	651	18
	ODO_MgL	0.6	3.0	0.34-76.41	651	23
	ODO_local	4.1	0.4	0-12.64	651	23
	ODO_sat	4.1	0.3	0.33-6.16	651	19
	Pressure_psia	0.0	0.0	0-0	651	25
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	0.6	0.2	0-0.8	651	26
	Specific_Conductivity_uScm	2.1	22.5	0.181-573	651	6
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	11.5	4.6	7.581-85.3	651	6
	Wiper_Current_ma	80.3	5.6	67.76-129.78	651	9
	Wiper_Position_mv	1.2	0.3	-0.455-1.62	651	6
	pH	6.6	0.0	6.16-6.74	651	6
	pH_mv	−0.6	1.7	-8.59-13.09	651	6
OWC	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651
	pH_mv	NaN	NA	-	651	651