

Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-10-05 10:09:50-04:00

Sites: PTR, CRC, OWC

Data path: C:/Users/rbitten/Dropbox


Sapflow

PTR: found 4 files


CRC: found 2 files

OWC: found 2 files


Total: 6679 data rows



CRC



OWC



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	0.364	0.076	0.007-0.542	10,080	5,040
	TR	12	NaN	NA	-	10,080	10,080

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	9	261.814	198.604	-141.2-772.6	4,896	3,929
	TR	9	NaN	NA	-	1,488	1,488
PTR	UP	12	49.196	132.775	-0.035-793.8	10,104	7,400
	TR	12	NaN	NA	-	10,104	10,104


TEROS

PTR: found 5 files


CRC: found 6 files

OWC: found 3 files


Total: 7605 data rows



CRC TEROS



OWC TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	18	102.3	89.8	28-317	15,120	12,945
	UP	Temp	18	16.5	1.2	11.3-19.3	22,680	20,505
	UP	VWC	18	2,487.1	307.6	0-3911.2	22,680	20,925
	TR	EC	18	342.5	141.0	83-699	15,156	12,630
	TR	Temp	18	17.7	0.8	15.4-19.8	22,734	20,208
	TR	VWC	18	2,776.5	63.9	2666.5-2955.6	22,734	20,208
	W	EC	18	351.8	263.3	0-659	15,120	12,600
	W	Temp	18	11.0	7.8	0-17.8	22,680	20,160
	W	VWC	18	2,040.2	1,445.2	0-3170.8	22,680	20,160
OWC	UP	EC	18	77.2	43.7	8-170	7,344	6,120
	UP	Temp	18	18.0	0.6	16.6-19.8	11,016	9,792
	UP	VWC	18	2,474.3	86.8	2305.9-2585.9	11,016	9,792
	TR	EC	18	192.4	46.3	147-316	2,232	1,860
	TR	Temp	18	17.5	0.2	17.2-18.4	3,348	2,976
	TR	VWC	18	2,654.7	37.9	2584.5-2707.3	3,348	2,976
	W	EC	18	265.5	190.1	0-465	1,872	1,560
	W	Temp	18	10.8	7.7	0-16.4	2,808	2,496
	W	VWC	18	2,007.9	1,424.4	0-3156.3	2,808	2,496
PTR	UP	EC	18	27.2	22.4	0-109	15,156	12,630
	UP	Temp	18	16.8	1.4	13.8-20.6	22,734	20,208
	UP	VWC	18	2,190.6	104.3	2060.9-2678.5	22,734	20,208
	TR	EC	18	42.6	50.7	5-165	15,156	12,630
	TR	Temp	18	17.1	1.1	14.1-19.6	22,734	20,208
	TR	VWC	18	2,250.5	166.3	2040.8-2482.6	22,734	20,208

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	EC	18	278.3	227.6	0-614	15,156	12,630
	W	Temp	18	11.1	7.9	0-18.2	22,734	20,208
	W	VWC	18	1,949.6	1,380.3	0-3100.4	22,734	20,208

AquaTROLL

PTR: ignoring backup file(s)

PTR: found 5 files


CRC: ignoring backup file(s)

CRC: found 4 files


OWC: ignoring backup file(s)

OWC: found 6 files


Total: 11295 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	Pressure	2	0.7	0.0	0.65-0.691	2,526	2,105
	UP	RDO_concen	2	0.0	0.0	0-0	2,526	2,105
	UP	Salinity	2	1.3	0.0	1.34-1.36	2,526	2,105
	UP	Temperature	2	11.9	0.0	11.82-11.9	2,526	2,105
	UP	Water_Density	2	1.0	0.0	1.001-1.001	2,526	2,105
	UP	pH	2	7.3	0.0	7.26-7.3	2,526	2,105
	TR	Pressure	1	1.1	0.1	1.067-1.25	1,263	842
	TR	RDO_concen	1	0.0	0.0	0-0	1,263	842
	TR	Salinity	1	0.6	0.0	0.53-0.7	1,263	842
	TR	Temperature	1	16.9	0.0	16.8-16.94	1,263	842
	TR	Water_Density	1	1.0	0.0	0.999-0.999	1,263	842
	TR	pH	1	7.0	0.0	6.97-7.02	1,263	842
	W	Pressure	1	1.5	0.2	1.21-1.75	1,260	840
	W	RDO_concen	1	0.0	0.0	0-0	1,260	840
	W	Salinity	1	0.4	0.0	0.41-0.43	1,260	840
	W	Temperature	1	16.7	0.1	16.47-16.87	1,260	840
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,260	840
	W	pH	1	6.5	0.0	6.51-6.52	1,260	840
OWC	UP	Pressure	1	0.2	0.1	0.065-0.513	612	413
	UP	RDO_concen	1	1.6	2.1	0-5.44	612	413
	UP	Salinity	1	0.3	0.0	0.22-0.28	612	413
	UP	Temperature	1	16.7	0.0	16.7-16.8	612	413
	UP	Water_Density	1	1.0	0.0	0.999-0.999	612	413
	UP	pH	1	7.7	0.1	7.41-7.82	612	413

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	Pressure	1	0.0	0.0	-0.027--0.02	180	120
	TR	RDO_concen	1	0.0	0.0	0-0.16	180	120
	TR	Salinity	1	0.4	0.0	0.36-0.36	180	120
	TR	Temperature	1	17.1	0.0	17.06-17.09	180	120
	TR	Water_Density	1	1.0	0.0	0.999-0.999	180	120
	TR	pH	1	6.7	0.0	6.68-6.69	180	120
	W	Pressure	1	0.4	0.0	0.439-0.453	156	104
	W	RDO_concen	1	0.0	0.0	0-0	156	104
	W	Salinity	1	0.3	0.0	0.32-0.32	156	104
	W	Temperature	1	16.3	0.0	16.27-16.31	156	104
	W	Water_Density	1	1.0	0.0	0.999-0.999	156	104
	W	pH	1	6.8	0.0	6.77-6.77	156	104
PTR	UP	Pressure	1	2.3	0.0	2.288-2.42	1,263	842
	UP	RDO_concen	1	0.0	0.0	0-0	1,263	842
	UP	Salinity	1	2.9	0.0	2.74-2.94	1,263	842
	UP	Temperature	1	12.3	0.0	12.26-12.33	1,263	842
	UP	Water_Density	1	1.0	0.0	1.002-1.002	1,263	842
	UP	pH	1	6.8	0.0	6.71-6.82	1,263	842
	TR	Pressure	1	1.2	0.1	1.162-1.305	1,263	842
	TR	RDO_concen	1	0.0	0.0	0-0	1,263	842
	TR	Salinity	1	1.5	0.5	0.87-2.33	1,263	842
	TR	Temperature	1	14.6	0.0	14.55-14.59	1,263	842
	TR	Water_Density	1	1.0	0.0	1-1.001	1,263	842
	TR	pH	1	7.0	0.0	6.85-7.03	1,263	842

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.8	0.1	0.6-1.02	1,263	842
	W	RDO_concen	1	0.0	0.0	0-0	1,263	842
	W	Salinity	1	0.9	0.0	0.92-0.96	1,263	842
	W	Temperature	1	16.6	0.1	16.44-16.72	1,263	842
	W	Water_Density	1	1.0	0.0	1-1	1,263	842
	W	pH	1	6.9	0.0	6.89-6.9	1,263	842

Redox

PTR: found 6 files


CRC: ignoring backup file(s)

CRC: found 6 files


OWC: found 6 files


Total: 16400 data rows

PTR Redox



CRC Redox





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	1,152.211	780.074	500.983-3789.607	20,208	0
	TR	24	585.181	201.315	131.272-958.11	20,208	10,104
	W	24	-271.776	38.496	-370.189--84.764	20,208	10,104
OWC	UP	24	801.759	405.904	614.789-4845.462	9,792	4,896
	TR	24	275.587	352.771	-364.188-577.469	2,976	1,488
	W	24	-336.960	49.932	-398.319--222.402	2,496	1,248
PTR	UP	24	-121.345	599.733	-742.392-2559.443	20,208	10,104

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,341.358	487.094	710.941-3381.235	20,208	10,104
	W	24	576.935	387.175	120.784-1346.493	20,208	10,104

Sonde

PTR: found 1 file

CRC: ignoring backup file(s)


CRC: found 1 file

OWC: ignoring backup file(s)


OWC: found 2 files

Total: 2578 data rows

PTR



CRC



TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	421	421
	BGA_PC_ugL	NaN	NA	-	421	421
	Battery_v	6.2	0.0	6.15-6.16	421	13
	Cable_v	12.7	0.4	12.23-13.61	421	13
	Chlorophyll_RFU	NaN	NA	-	421	421

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	421	421
	Chlorophyll_cellsmL	NaN	NA	-	421	421
	Chlorophyll_ugL	NaN	NA	-	421	421
	Conductivity	1.0	0.4	0.216-6.53	421	4
	Depth_m	-2.8	0.4	-3.883--2.159	421	12
	FDOM_QSU	0.0	0.3	0-3.95	421	4
	FDOM_RFU	0.2	3.5	0-70	421	4
	NLF_conductivity	1.2	0.3	-2.457-1.49	421	5
	ODO_MgL	0.6	3.6	0.35-73.16	421	9
	ODO_local	4.0	0.4	0.62-12.37	421	8
	ODO_sat	3.9	0.3	0-6.16	421	7
	Pressure_psia	0.0	0.0	0-0	421	10
	Rhodamine_ugL	NaN	NA	-	421	421
	Salinity_PPT	0.6	0.1	0-0.74	421	10
	Specific_Conductivity_uScm	3.1	39.1	0.251-799	421	4
	TAL_PC_cellsmL	NaN	NA	-	421	421
	Temp_C	16.8	5.5	2-76.51	421	4
	Wiper_Current_ma	73.4	3.2	65.05-90.95	421	13
	Wiper_Position_mv	1.3	0.4	-3.02-1.32	421	4
	pH	6.5	0.0	6.15-6.53	421	4
	pH_mv	6.3	2.0	3.19-13.53	421	4
OWC	BGA_PC_Raw	NaN	NA	-	52	52
	BGA_PC_ugL	NaN	NA	-	52	52
	Battery_v	NaN	NA	-	52	52

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	52	52
	Chlorophyll_RFU	NaN	NA	-	52	52
	Chlorophyll_Raw	NaN	NA	-	52	52
	Chlorophyll_cellsmL	NaN	NA	-	52	52
	Chlorophyll_ugL	NaN	NA	-	52	52
	Conductivity	NaN	NA	-	52	52
	Depth_m	NaN	NA	-	52	52
	FDOM_QSU	NaN	NA	-	52	52
	FDOM_RFU	NaN	NA	-	52	52
	NLF_conductivity	NaN	NA	-	52	52
	ODO_MgL	NaN	NA	-	52	52
	ODO_local	NaN	NA	-	52	52
	ODO_sat	NaN	NA	-	52	52
	Pressure_psia	NaN	NA	-	52	52
	Rhodamine_ugL	NaN	NA	-	52	52
	Salinity_PPT	NaN	NA	-	52	52
	Specific_Conductivity_uScm	NaN	NA	-	52	52
	TAL_PC_cellsmL	NaN	NA	-	52	52
	Temp_C	NaN	NA	-	52	52
	Wiper_Current_ma	NaN	NA	-	52	52
	Wiper_Position_mv	NaN	NA	-	52	52
PTR	pH	NaN	NA	-	52	52
	pH_mv	NaN	NA	-	52	52
	BGA_PC_Raw	NaN	NA	-	421	421

	name	Mean	SD	Range	N_values	N_na
	BGA_PC_ugL	NaN	NA	-	421	421
	Battery_v	NaN	NA	-	421	421
	Cable_v	NaN	NA	-	421	421
	Chlorophyll_RFU	NaN	NA	-	421	421
	Chlorophyll_Raw	NaN	NA	-	421	421
	Chlorophyll_cellsmL	NaN	NA	-	421	421
	Chlorophyll_ugL	NaN	NA	-	421	421
	Conductivity	NaN	NA	-	421	421
	Depth_m	NaN	NA	-	421	421
	FDOM_QSU	NaN	NA	-	421	421
	FDOM_RFU	NaN	NA	-	421	421
	NLF_conductivity	NaN	NA	-	421	421
	ODO_MgL	NaN	NA	-	421	421
	ODO_local	NaN	NA	-	421	421
	ODO_sat	NaN	NA	-	421	421
	Pressure_psia	NaN	NA	-	421	421
	Rhodamine_ugL	NaN	NA	-	421	421
	Salinity_PPT	NaN	NA	-	421	421
	Specific_Conductivity_uScm	NaN	NA	-	421	421
	TAL_PC_cellsmL	NaN	NA	-	421	421
	Temp_C	NaN	NA	-	421	421
	Wiper_Current_ma	NaN	NA	-	421	421
	Wiper_Position_mv	NaN	NA	-	421	421
	pH	NaN	NA	-	421	421

name		Mean	SD	Range	N_values	N_na
	pH_mv	NaN	NA	-	421	421