

Synoptic CB: Porewater Nutrients

October 2023 Samples

2025-07-08

Contents

0.1	Import Data & Clean	2
0.2	Assessing standard Curves	3
0.3	Dilution Corrections - ensure the latest dilution is kept	7
0.4	Performance Check	7
0.5	Analyze the Check Standards	9
0.6	Analyze Blanks	10
0.7	Analyze Duplicates	11
0.8	Spikes	12
0.9	Matrix Effects	13
0.10	Unit Converted Data Column Added (mg/L to uM)	13
0.11	Sample Flagging - Within range of standard curve	13
0.12	Pull out sample id information	13
0.13	Pulling Rhizon Samples	13
0.14	Check to see if samples run match metadata & merge info	13
0.15	Visualize Data	14
0.16	Export Processed Data	16

##Run Information

```
cat("Run Information: Input by I. Van Benschoten") #lets you know what section you're in
```

Run Information: Input by I. Van Benschoten

```
#set the run date & user name
run_date <- "01/27/24"
sample_year <- 2023
sample_month <- "October"
user <- "Stephanie Wilson"

#identify the files you want to read in
#read in as a list to accommodate multiple runs in a month
NOx_files <- c("Raw Data/SEAL_COMPASS_Synoptic_NOx_Oct2023_1.csv",
               "Raw Data/SEAL_COMPASS_Synoptic_NOx_Oct2023_2.csv",
               "Raw Data/SEAL_COMPASS_Synoptic_NOx_Oct2023_3.csv")
NH3_PO4_files <- c("Raw Data/SEAL_COMPASS_Synoptic_NH3_PO4_Oct2023_1.csv",
                   "Raw Data/SEAL_COMPASS_Synoptic_NH3_PO4_Oct2023_2.csv",
                   "Raw Data/SEAL_COMPASS_Synoptic_NH3_PO4_Oct2023_3.csv")

#Define the file path for QAQC log file - NO Need to change just check year
file_path <- "Raw Data/SEAL_COMPASS_Synoptic_QAQC_Log_2023.csv"
final_path <- "Processed Data/COMPASS_Synoptic_Nutrients_202310.csv"

#record any notes about the run or anything other info here:
run_notes <- "This run has limited spike checks for NH3 and PO4.
peCheck for NH3 is out of range, all other run metrics are fine,
so accepting this run."

#Set up file path for metadata
#downloaded metadata csv - downloaded from Google drive as csv for this year
Raw_Metadata = "Raw Data/COMPASS_SynopticCB_PW_SampleLog_2023.csv"

cat(run_notes)
```

This run has limited spike checks for NH3 and PO4.

peCheck for NH3 is out of range, all other run metrics are fine,

so accepting this run.

##Setup

##Read in metadata and create similar sample IDs for matching to samples

0.1 Import Data & Clean


0.2 Assessing standard Curves

```
#Pull out standards data
```

```
## Assess Standard Curves
```


```
#Plot standards data
```

```
## Assess Standard Curves
```




```
## 'geom_smooth()' using formula = 'y ~ x'
```

NH3 Standard Curve



```
## 'geom_smooth()' using formula = 'y ~ x'
```

PO4 Standard Curve



```
## [1] "NOx Curve r2 GOOD - PROCEED"
```

```
## [1] "NH3 Curve r2 GOOD - PROCEED"
```

```
## [1] "PO4 Curve r2 GOOD - PROCEED"
```

```
## [1] "QAQC log file exists and has been read into the code."
```




Table 1: Average Slope by Analyte

Test	avg_slope
NH3	1.883
NOx	1.242
PO4	2.375

0.3 Dilution Corrections - ensure the latest dilution is kept

```
## Dilution Corrections
```

```
## Duplicated samples: GCW_202310_TR_LysB_20cm, GCW_202310_WC_LysA_45cm, MSM_202310_TR_LysA_20cm, MSM_2
```

```
## All duplicated samples have valid dilutions. No naming issues detected.
```

0.4 Performance Check

```
## [1] "NOx pe Check has a % Difference <25% - PROCEED"
```

```
## Run mean = 0.7126627
```

```
## Expected = 0.706
```

```
## [1] "NH3 pe Check has a % Difference >25% - REASSESS"
```

```
## Run mean = 1.482162
```

```
## Expected = 0.948
```


```
## [1] "PO4 pe Check has a % Difference <25% - PROCEED"
```

```
## Run mean = 0.9255853
```

```
## Expected = 0.818
```

```
#Check NOx Reduction Efficiency
```

```
## Assess Reduction Efficiency
```



```
## [1] "Mean NOx Reduction Efficiency <95% - REASSESS"
```

```
## [1] 94.6084
```



0.5 Analyze the Check Standards

```
## Analyze Check Standards
```

```
## [1] "NOx Check Standard RSD within Range - PROCEED"
```

```
## [1] "NH3 Check Standard RSD within Range - PROCEED"
```

```
## [1] "PO4 Check Standard RSD within Range - PROCEED"
```



```
## [1] ">60% of NOx Check Standards are within range of expected concentration - PROCEED"
```

```
## [1] ">60% of NH3 Check Standards are within range of expected concentration - PROCEED"
```

```
## [1] ">60% of PO4 Check Standards are within range of expected concentration - PROCEED"
```

0.6 Analyze Blanks

```
## Assess Blanks
```

```
## [1] ">60% of NOx Blanks are below the lower 25% quartile of samples or 1/2 detection limit - PROCEED"
```

```
## [1] ">60% of NH3 Blanks are below the lower 25% quartile of samples - PROCEED"
```

```
## [1] ">60% of PO4 Blanks are below the lower 25% quartile of samples- PROCEED"
```




Table 2: Mean Concentration of Blanks

Test	Blank_Mean_Conc
NOx	-0.0010
NH3	-0.0196
PO4	0.0021

0.7 Analyze Duplicates

```
## Analyze Duplicates
```

```
## [1] ">60% of NOx Duplicates have a CV <10% - PROCEED"
```

```
## [1] ">60% of NH3 Duplicates have a CV <10% - PROCEED"
```

```
## [1] ">60% of PO4 Duplicates have a CV <10% - PROCEED"
```


```
## Warning: Using 'size' aesthetic for lines was deprecated in ggplot2 3.4.0.
```

```
## i Please use 'linewidth' instead.
```

```
## This warning is displayed once every 8 hours.
```

```
## Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was
```

```
## generated.
```




0.8 Spikes

[1] ">60% of NOx Spikes have a CV <50% - PROCEED"

[1] ">60% of NH3 Spikes have a CV <50% - PROCEED"

[1] ">60% of PO4 Spikes have a CV <50% - PROCEED"



0.9 Matrix Effects

```
## [1] "NO NOx Matrix Effect, PROCEED"
```

```
## [1] "NO NH3 Matrix Effect, PROCEED"
```

```
## [1] "NO PO4 Matrix Effect, PROCEED"
```

0.10 Unit Converted Data Column Added (mg/L to uM)

0.11 Sample Flagging - Within range of standard curve

```
## Sample Flagging
```

0.12 Pull out sample id information

```
## Sample Processing
```

```
## Warning: Expected 5 pieces. Missing pieces filled with 'NA' in 36 rows [17, 18, 19, 44,  
## 45, 46, 83, 84, 85, 107, 108, 109, 124, 125, 126, 146, 147, 148, 163, 164,  
## ...].
```

0.13 Pulling Rhizon Samples

0.14 Check to see if samples run match metadata & merge info


```
## Check Sample IDs with Metadata
```

```
## All sample IDs are present in metadata.
```


```
## Warning: Expected 5 pieces. Missing pieces filled with 'NA' in 36 rows [17, 18, 19, 44,  
## 45, 46, 83, 84, 85, 107, 108, 109, 124, 125, 126, 146, 147, 148, 163, 164,  
## ...].
```


0.15 Visualize Data

Visualize Data



Porewater NH3





0.16 Export Processed Data

#end