# COMPASS_TEMPEST_SGW_2024: July

Stephanie J. Wilson

2023-01-14

##Set Up

## Read in first data file and assess standard curves

```
##      Machine    User Run_Date Sample_Type Type1 Sample_Year Sample_Month
## 1 Varian GC  Wegner 20241029       Blank Blank        2024         <NA>
## 2 Varian GC  Wegner 20241029     STD_CH4  STDs        2024         <NA>
## 3 Varian GC  Wegner 20241029     STD_CO2  STDs        2024         <NA>
## 4 Varian GC  Wegner 20241029     STD_CH4  STDs        2024         <NA>
## 5 Varian GC  Wegner 20241029     STD_CH4  STDs        2024         <NA>
## 6 Varian GC  Wegner 20241029     STD_CH4  STDs        2024         <NA>
##               Sample.ID Dilution_Factor STD_Conc CO2_Area CH4_Area Lab_Notes
## 1               Blank_0               1      0.0        0        0
## 2 Blank_0_repeatforCH4               1      0.0        0        0
## 3 Blank_0_repeatforCO2               1      0.0        0        0
## 4         STD_1ppm_CH4               1      1.0    24090      585
## 5       STD_2.5ppm_CH4               1      2.5    76562     1403
## 6         STD_5ppm_CH4               1      5.0   136949     2412
##   Field_Notes
## 1
## 2
## 3
## 4
## 5
## 6
```

```
## 'geom_smooth()' using formula = 'y ~ x'
```

## CH4 LOW Std Curve



```
## 
## Call:
## lm(formula = stds_ch4_low$CH4_Area ~ stds_ch4_low$STD_Conc)
## 
## Residuals:
##     Min      1Q  Median      3Q     Max 
## -420.05 -104.77   65.47  181.95  217.14 
## 
## Coefficients:
##                       Estimate Std. Error t value Pr(>|t|)    
## (Intercept)           -206.352    111.046  -1.858    0.112    
## stds_ch4_low$STD_Conc  574.216      2.728 210.502 7.76e-13 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## Residual standard error: 252.6 on 6 degrees of freedom
## Multiple R-squared:  0.9999, Adjusted R-squared:  0.9998 
## F-statistic: 4.431e+04 on 1 and 6 DF,  p-value: 7.756e-13

## 'geom_smooth()' using formula = 'y ~ x'
```

## CH4 HIGH Std Curve



```
## 
## Call:
## lm(formula = stds_ch4$CH4_Area ~ stds_ch4$STD_Conc)
## 
## Residuals:
##    Min     1Q Median     3Q    Max
## -25417  -5566  -5433   1511  40362
## 
## Coefficients:
##                    Estimate Std. Error t value Pr(>|t|)
## (Intercept)        5608.636   5046.024   1.111     0.29
## stds_ch4$STD_Conc   542.125      1.586 341.796   <2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## 
## Residual standard error: 16280 on 11 degrees of freedom
## Multiple R-squared:  0.9999, Adjusted R-squared:  0.9999
## F-statistic: 1.168e+05 on 1 and 11 DF,  p-value: < 2.2e-16


## 'geom_smooth()' using formula = 'y ~ x'
```

## CO2 Std Curve



```
##
## Call:
## lm(formula = stds_co2$CO2_Area ~ stds_co2$STD_Conc)
##
## Residuals:
##       1       2       3       4       5       6
## -30347   -2119    4272   19689   10586   -2080
##
## Coefficients:
##                    Estimate Std. Error t value Pr(>|t|)
## (Intercept)       3.035e+04  8.808e+03   3.445   0.0262 *
## stds_co2$STD_Conc 1.607e+02  4.288e-01 374.873 3.04e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 19020 on 4 degrees of freedom
## Multiple R-squared:      1,  Adjusted R-squared:      1
## F-statistic: 1.405e+05 on 1 and 4 DF,  p-value: 3.038e-10


##   X          Curve        R2    Slope  Intercept Run_Date
## 1 1  Slope_CH4_low 0.9998964 626.2155   125.6616   202405
## 2 2 Slope_CH4_high 0.9986961 597.9392 18399.0623   202405
## 3 3      Slope_CO2 0.9999864 168.9656  9100.0798   202405
## 4 4  Slope_CH4_low 0.9998964 626.2155   125.6616   202405
## 5 5 Slope_CH4_high 0.9986961 597.9392 18399.0623   202405
## 6 6      Slope_CO2 0.9999864 168.9656  9100.0798   202405
```

4

## Now calculate the CH4 & CO2 concentrations in ppm

```r
#head(raw)

#pull out methane standards
Samples <-  raw %>%
  filter(!str_detect(Sample_Type, "STD_CH4")) %>%
  filter(!str_detect(Sample_Type, "STD_CO2")) %>%
  filter(!str_detect(Sample_Type, "Blank")) %>%
  filter(!str_detect(Sample_Type, "Chk_STD")) %>%
   filter(!str_detect(Sample_Type, "CHKSTD")) %>%
  filter(!str_detect(Sample_Type, "NA"))
#head(Samples)

#Now flag any areas that are above the 100ppm area for CH4
Samples$CH4_Curve <- ifelse(Samples$CH4_Area >71000, "High", "Low")
#head(Samples)

#Calculate CH4 concentrations in ppm
Samples$CH4_Conc_ppm <- ifelse(Samples$CH4_Area >71000, (Samples$CH4_Area-Slope_CH4_high$Intercept)/Slop

#Calculate CO2 concentrations in ppm
Samples$CO2_Conc_ppm <- ((Samples$CO2_Area-Slope_CO2$Intercept)/Slope_CO2$Slope)
```

```
#head(Samples)


##########make flags for any dilutions needed
#highest CH4 standard = 10000
#highest CO2 standard = 50000

Samples$CH4_Flag <- ifelse(Samples$CH4_Conc_ppm >10000, "Needs Dilution", "Within Range")
Samples$CO2_Flag <- ifelse(Samples$CO2_Conc_ppm >50000, "Needs Dilution", "Within Range")
#head(Samples)
```

## Check the Check Standards

```
## Warning: Using 'size' aesthetic for lines was deprecated in ggplot2 3.4.0.
## i Please use 'linewidth' instead.
## This warning is displayed once every 8 hours.
## Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was
## generated.
```



## Dilution correct samples

```
#multiply the concentration by the dilution factor
Samples$CH4_Conc_ppm_dilcorr <- (Samples$CH4_Conc_ppm * Samples$Dilution_Factor)
```

```r
Samples$CO2_Conc_ppm_dilcorr <- (Samples$CO2_Conc_ppm * Samples$Dilution_Factor)

#check results
#head(Samples)

#quick first look at the samples
ch4_samples <- ggplot(data = Samples, aes(x = Sample_ID, y = CH4_Conc_ppm, fill=CH4_Flag)) +
    geom_bar(stat = 'identity') +
      scale_fill_manual(values=c("red","darkgreen"))+
      #scale_fill_gradient2(low='red', mid='white', high='blue', space='Lab') +
      theme_classic() + labs(x= " ", y="CH4 (ppm)", title="CH4: Green = Within Range") +
      theme(legend.position="none")


co2_samples <- ggplot(data = Samples, aes(x = Sample_ID, y = CO2_Conc_ppm, fill=CO2_Flag)) +
    geom_bar(stat = 'identity') +
      scale_fill_manual(values=c("red", "darkgreen"))+
      #scale_fill_gradient2(low='red', mid='white', high='blue', space='Lab') +
      theme_classic() + labs(x= " ", y="CO2 (ppm)", title="CO2: Green = Within Range") +
      theme(legend.position="none")

ggarrange(ch4_samples, co2_samples, nrow=1, ncol=2)
```

```
## Warning: Removed 10 rows containing missing values or values outside the scale range
## ('geom_bar()').
## Removed 10 rows containing missing values or values outside the scale range
## ('geom_bar()').
```

## CH4: Green = Within Range



## CO2: Green = Within Range



**If samples are water calculate gas in water - only need if there is water**

**Write out processed data & slopes**

```r
#pull out what we need
Samples1 <- Samples[ ,c(1:3,6:9,18:21)]
#head(Samples1)

IDs <- data.frame(do.call('rbind', strsplit(as.character(Samples1$Sample_ID),'_',fixed=TRUE)))
```

```
## Warning in rbind(c("GCW", "TR", "SgwA", "10cm"), c("GCW", "TR", "SgwA", :
## number of columns of result is not a multiple of vector length (arg 10)
```

```r
colnames(IDs) <- c("Site" , "Zone", "Replicate", "Depth")
IDs$Depth1 <- ifelse(IDs$Depth == '10cm', '10',
               ifelse(IDs$Depth == '20cm', '20',
                   ifelse(IDs$Depth == '45cm', '45', '0')))
head(IDs)
```

```
##   Site Zone Replicate Depth Depth1
## 1  GCW   TR      SgwA  10cm     10
## 2  GCW   TR      SgwA  20cm     20
## 3  GCW   TR      SgwA  45cm     45
```

```
## 4  GCW    TR       SgwB  10cm        10
## 5  GCW    TR       SgwB  20cm        20
## 6  GCW    TR       SgwB  45cm        45
```

*#rejoin them to the dataframe*
alldat <- **cbind**(IDs, Samples1)
**head**(alldat)

```
##    Site Zone Replicate Depth Depth1    Machine    User Run_Date Sample_Year
## 1  GCW    TR      SgwA  10cm     10 Varian GC Wegner 20241029        2024
## 2  GCW    TR      SgwA  20cm     20 Varian GC Wegner 20241029        2024
## 3  GCW    TR      SgwA  45cm     45 Varian GC Wegner 20241029        2024
## 4  GCW    TR      SgwB  10cm     10 Varian GC Wegner 20241029        2024
## 5  GCW    TR      SgwB  20cm     20 Varian GC Wegner 20241029        2024
## 6  GCW    TR      SgwB  45cm     45 Varian GC Wegner 20241029        2024
##   Sample_Month          Sample_ID Dilution_Factor      CH4_Flag      CO2_Flag
## 1         July GCW_TR_SgwA_10cm               1 Within Range Within Range
## 2         July GCW_TR_SgwA_20cm               1 Within Range Within Range
## 3         July GCW_TR_SgwA_45cm               1 Within Range Within Range
## 4         July GCW_TR_SgwB_10cm               1 Within Range Within Range
## 5         July GCW_TR_SgwB_20cm               1 Within Range Within Range
## 6         July GCW_TR_SgwB_45cm               1 Within Range Within Range
##   CH4_Conc_ppm_dilcorr CO2_Conc_ppm_dilcorr
## 1             2.102610             17031.22
## 2             2.675565             26938.12
## 3            25.039966             26543.27
## 4             2.604163             22472.42
## 5            28.627466             29087.81
## 6          4223.836380             40171.72
```

**write.csv**(alldat, "Processed Data/COMPASS_CBSYN_SGW_202407_Processed.csv")

#end