

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: STD

Date: 5/17/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	100 (II)	250 (II)	500 (II)
B	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
C	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
D	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H			
E	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H			
F	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	100 (III)	250 (III)	500 (III)
G	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓
H	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓

Ferrozine
 1st Read
 Reducing Agent
 Buffer
 2nd Read

GENX Organs/Compass FeII/III Microplate Template

62

Name: Melanie

Plate ID: plate 1

Date: 5/17/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	636			741			984		
B	Fe(II) E	Fe(II) E	Fe(II) E	637			742			1024		
C	Fe(II) H	Fe(II) H	Fe(II) H	638			743			1026		
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	639		*	743 dup	dup	dup	317 new 1:50		
E	Fe(III) A	Fe(III) A	Fe(III) A	737			744		*	276 1:50 1:4		
F	Fe(III) E	Fe(III) E	Fe(III) E	738		*	744 spk	spk	spk	16 1:50 1:4		
G	Fe(III) H	Fe(III) H	Fe(III) H	739			49 1:50			41 1:50 1:4		
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	740			810			84 1:50 1:4		

Ferrozine 1st Read Reducing Agent Buffer 2nd Read

MSM Tr

1:50

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: Plate 2

63

Date: 5/17/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	202			320			529 1:50 1:4		C
B	Fe(II) E	Fe(II) E	Fe(II) E	203			323			632 1:50 1:4		C
C	Fe(II) H	Fe(II) H	Fe(II) H	206			93 1:50 1:4			633 1:50 1:4		
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	207			93 1:50 1:4 dup	dup	dup	700 1:50 1:4		
E	Fe(III) A	Fe(III) A	Fe(III) A	209			200 1:50 1:4			639 1:50 1:4		
F	Fe(III) E	Fe(III) E	Fe(III) E	279			200 1:50 1:4 spk	spk	spk	738 1:50 1:4		
G	Fe(III) H	Fe(III) H	Fe(III) H	284			426 1:50 1:4			744 1:50 1:4		
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	319			430 1:50 1:4					

Ferrozine 1st Read Reducing Agent Buffer 2nd Read

1:100 Dilution

20 ml sample: 1986 ml DI