

GENX Organs/Compass FeII/III Microplate Template

Name: melanie

Plate ID: STD

Date: 2/29/2022

	1	2	3	4	5	6	7	8	9	10	11	12
A	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	100 (n)	250 (n)	500 (n)
B	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
C	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
D	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H			
E	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H			
F	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	100 (m)	250 (m)	500 (m)
G	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓
H	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓

Ferrozine 1st Read Reducing Agent Buffer 2nd Read

double
buffer

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: Plate 1 11

Date: 2/29/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	222	222	222	230	230	230	236	236	236
B	Fe(II) E	Fe(II) E	Fe(II) E	223	223	223	231	231	231	237	237	237
C	Fe(II) H	Fe(II) H	Fe(II) H	224	224	224	232	232	232	238	238	238
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	225	225	225 not enough sample	232 dup	232 dup	232 dup	239	239	239
E	Fe(III) A	Fe(III) A	Fe(III) A	226	226	226	233	233	233	240	240	240
F	Fe(III) E	Fe(III) E	Fe(III) E	227	227	227	233 spk	233 spk	233 spk	241	241	241
G	Fe(III) H	Fe(III) H	Fe(III) H	228	228	228	234	234	234	242	242	242
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	229	229	229	235	235	235	243	243	243

☒ Ferrozine
 ☒ 1st Read
 ☒ Reducing Agent
 ☐ Buffer
 ☐ 2nd Read

4-6 missed me
 Row of Reducing Agent
 likely 226

Spike?
 1/ps

GENX Organs/Compass FeII/III Microplate Template

12

Name: Melanie

Plate ID: Plate 2

Date: 2/29/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	244	244	244	252	252	252	258	258	258
B	Fe(II) E	Fe(II) E	Fe(II) E	245	245	245	253	253	253	259	259	259
C	Fe(II) H	Fe(II) H	Fe(II) H	246	246	246	254	254	254	260 1:8	260 1:8	260 1:8
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	247	247	247	254 dup	254 dup	254 dup	261 1:8	261 1:8	261 1:8
E	Fe(III) A	Fe(III) A	Fe(III) A	248	248	248	255	255	255	262 1:8	262 1:8	262 1:8
F	Fe(III) E	Fe(III) E	Fe(III) E	249	249	249	255 spk	255 spk	255 spk	263 1:8	263 1:8	263 1:8
G	Fe(III) H	Fe(III) H	Fe(III) H	250	250	250	256	256	256	265 1:8	265 1:8	265 1:8
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	251	251	251	257	257	257	264 1:8	264 1:8	264 1:8

☒ Ferrozine
 ☒ 1st Read
 ☒ Reducing Agent
 ☒ Buffer
 ☒ 2nd Read

Sp. Re?
yes

GENX Organs/Compass FeII/III Microplate Template

13

Name: Melanie

Plate ID: Plate 3

Date: 2/29/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	266 1:8	266 1:8	266 1:8	274	274	274	280 1:8	280 1:8	280 1:8
B	Fe(II) E	Fe(II) E	Fe(II) E	267 1:8	267 1:8	267 1:8	275	275	275	281 1:8	281 1:8	281 1:8
C	Fe(II) H	Fe(II) H	Fe(II) H	268 1:8	268 1:8	268 1:8	276	276	276	282 1:8	282 1:8	282 1:8
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	269	269	269	276 dup	276 dup	276 dup	283 1:8	283 1:8	283 1:8
E	Fe(III) A	Fe(III) A	Fe(III) A	270	270	270	277 1:8	277 1:8	277 1:8	284 1:8	284 1:8	284 1:8
F	Fe(III) E	Fe(III) E	Fe(III) E	271	271	271	277 spk 1:8	277 spk 1:8	277 spk 1:8	285	285	285
G	Fe(III) H	Fe(III) H	Fe(III) H	272	272	272	278 1:8	278 1:8	278 1:8	286	286	286
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	273	273	273	279 1:8	279 1:8	279 1:8	226	226	226

☒ Ferrozine
 ☒ 1st Read
 ☒ Reducing Agent
 ☒ Buffer
 ☒ 2nd Read

spike?
yes