

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: STD

Date: 4/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	100 (II)	250 (II)	500 (II)
B	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
C	0.5 M HCl	0.6 uM Fe(II) H	3 uM Fe(II) G	6 uM Fe(II) F	9 uM Fe(II) E	18 uM Fe(II) D	30 uM Fe(II) C	45 uM Fe(II) B	60 uM Fe(II) A	↓	↓	↓
D	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H	0.6 uM Fe(II) H			
E	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H	0.6 uM Fe(III) H			
F	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	100 (III)	250 (III)	500 (III)
G	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓
H	0.5 M HCl	0.6 uM Fe(III) H	3 uM Fe(III) G	6 uM Fe(III) F	9 uM Fe(III) E	18 uM Fe(III) D	30 uM Fe(III) C	45 uM Fe(III) B	60 uM Fe(III) A	↓	↓	↓

Ferrozine
 1st Read
 Reducing Agent
 Buffer
 2nd Read

54

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: Plate 1

Date: 4/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	759 1:8			767			773		
B	Fe(II) E	Fe(II) E	Fe(II) E	760 1:8			768			774		
C	Fe(II) H	Fe(II) H	Fe(II) H	761 1:8			769			775		
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	762 1:8			769 dup	dup	dup	776		
E	Fe(III) A	Fe(III) A	Fe(III) A	763 1:8			770			777		
F	Fe(III) E	Fe(III) E	Fe(III) E	764			770 spk	spk	spk	778		
G	Fe(III) H	Fe(III) H	Fe(III) H	765			771			779		
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	766			772			780		

Ferrozine 1st Read Reducing Agent Buffer 2nd Read

20ul sample: 140ul DI

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Date: 4/25/24

Plate ID: Plate 2

35

Added 10 µl
Buffer
first on accident

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	781		*	789			795 1:8		
B	Fe(II) E	Fe(II) E	Fe(II) E	782			790			796 1:8		*
C	Fe(II) H	Fe(II) H	Fe(II) H	783			791 1:8			797 1:8		
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	784		*	791 1:8 dup	dup	dup	798 1:8		
E	Fe(III) A	Fe(III) A	Fe(III) A	785			792 1:8			799 1:8		
F	Fe(III) E	Fe(III) E	Fe(III) E	786			792 1:8 spk	spk	spk	800 1:8		
G	Fe(III) H	Fe(III) H	Fe(III) H	787		*	793 1:8			801 1:8		*
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	788			794 1:8			802 1:8		

☐ Ferrozine ☐ 1st Read ☐ Reducing Agent ☐ Buffer ☐ 2nd Read

GENX Organs/Compass FeII/III Microplate Template

Name: Melanie

Plate ID: plate 3

36

Date: 4/25/24

	1	2	3	4	5	6	7	8	9	10	11	12
A	Fe(II) A	Fe(II) A	Fe(II) A	803 1:8			811 1:8		★	817 1:8		★
B	Fe(II) E	Fe(II) E	Fe(II) E	804 1:8			812			818		
C	Fe(II) H	Fe(II) H	Fe(II) H	805 1:8			813			819		
D	0.5 M HCl	0.5 M HCl	0.5 M HCl	806 1:8		★	813 dup	dup	dup	820		
E	Fe(III) A	Fe(III) A	Fe(III) A	807 1:8			814			821		
F	Fe(III) E	Fe(III) E	Fe(III) E	808 1:8			814 spk	spk	spk	822		
G	Fe(III) H	Fe(III) H	Fe(III) H	809 1:8		★	815 1:8		0	823		
H	0.5 M HCl	0.5 M HCl	0.5 M HCl	810 1:8			816 1:8		★	824		

☐ Ferrozine
 ☐ 1st Read
 ☐ Reducing Agent
 ☐ Buffer
 ☐ 2nd Read