

COMPASS Sulfide September 2026

Name: Z. Read

Date: 9-21-2026

Plate ID: STDs

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0									
B	Std 1	Std 1	Std 1									
C	Std 2	Std 2	Std 2									
D	Std 3	Std 3	Std 3									
E	Std 4	Std 4	Std 4									
F	Std 5	Std 5	Std 5				dup	dup	dup			
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5									
H	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5				spk	spk	spk			

11:30-12:00

Name: Z. Read

Date: 9-21-2026

Plate ID: Plate 1

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	SWH-UP-A-	10		SWH-SWAMP-	A-10	SWH-SWAMP-	C-10		
B	Std 1	Std 1	Std 1	SWH-UP-A-	20		SWH-SWAMP-	A-20	SWH-SWAMP-	C-20		
C	Std 2	Std 2	Std 2	SWH-UP-A-	45		SWH-SWAMP-	A-45	SWH-SWAMP-	C-45		*
D	Std 3	Std 3	Std 3	SWH-UP-B-	10		SWH-SWAMP-	B-10	SWH-TR-	A-10		
E	Std 4	Std 4	Std 4	SWH-UP-B-	20		SWH-SWAMP-	B-20	SWH-TR-	A-20		*
F	Std 5	Std 5	Std 5	SWH-UP-B-	45		SWH-SWAMP-	B-45	SWH-TR-	A-45		*
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	SWH-UP-C-	20		SWH-SWAMP-	B-45	SWH-TR-	B-10		
H	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	SWH-UP-C-	45		SWH-SWAMP-	B-45	SWH-TR-	B-20		

dup → spk → spk → spk →

12:36 - 1:06

* need to dilute

Name: Z. Read

Date: 9-21-2026

Plate ID: Plate 2

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	SWH-	TR-B-45*	SWH-	WC-B-45	GW1-	UP-A-10			
B	Std 1	Std 1	Std 1	SWH-	TR-C-10	SWH-	WC-C-10*	GW1-	UP-A-20			
C	Std 2	Std 2	Std 2	SWH-	TR-C-20	SWH-	WC-C-45	GW1-	UP-B-10			
D	Std 3	Std 3	Std 3	SWH-	TR-C-45*	SWH-	SW-B-A	GW1-	UP-B-45			
E	Std 4	Std 4	Std 4	SWH-	WC-A-10*	SWH-	SW-B	GW1-	UP-C-20			
F	Std 5	Std 5	Std 5	SWH-	WC-A-45	SWH-	SW-B	GW1-	UP-C-45			
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	SWH-	WC-B-10	SWH-	SW-C	GW1-	TR-A-10			
H	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	SWH-	WC-B-20	SWH-	SW-C	GW1-	TR-A-20			

dup →

1:03 - 1:33
YAMNAKE std 4

Name: Z. Read

Date: 9-21-2026

Plate ID: Plate 3

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	GW1-	TR-B-10		GW1-WC-B-10			GW1-SW-A		
B	Std 1	Std 1	Std 1	GW1-	TR-B- 10 45		GW1-WC-B-20			GW1-SW-B		
C	Std 2	Std 2	Std 2	GW1-	TR-C-10		GW1-WC-B-45			GW1-SW-C		
D	Std 3	Std 3	Std 3	GW1-	TR-C-20		GW1-WC-C-10			SWH-SWHMP-C-45		x5
E	Std 4	Std 4	Std 4	GW1-	TR-C-45		GW1-WC-C-20			SWH-TR-A-20		x5
F	Std 5	Std 5	Std 5	GW1-	WC-A-10		dup	dup	dup	SWH-TR-A-45		x10
G	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	GW1-	WC-A-20		GW1-WC-C-45			SWH-TR-B-45		x5
H	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	GW1-	WC-A-45		spk	spk	spk	SWH-TR-C-45		x10

2:17 - 2:47

spk

Name: Z. Read

Date: 9-21-2026

Plate ID: Plate 4

	1	2	3	4	5	6	7	8	9	10	11	12
A	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0	Std 0
B	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1	Std 1
C	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2	Std 2
D	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3	Std 3
E	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4	Std 4
F	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5	Std 5
G	MC: 10ppt SG	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5	MC: 10ppt S5
H	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5	MC: 20ppt S5

10 spk

3:00 - 3:30