

Synoptic CB: Porewater Sulfide

July 2026 Samples Ran on 20260720, 20260724

2026-07-27

Run Information

###things that need to be changed

Date_Run = "20260720, 20260724"

Month = "July"

Year = "2026"

Sample_Month_Year = "202607"

Run_by = "Zoe Read" #Instrument user

Script_run_by = "Zoe Read" #Code user

Project = "COMPASS"


Run_notes="Used std curve from Plate 1. MC 20 from the first day were bad. 2/6 dups were bad. 5/6 spikes w

#Stds that should be excluded

stds_to_remove<-data.frame(Plate=c("Plate6"),IDs=c("Std 3"))

stds_to_remove<-NA

STD Curves



Checking STD Data against QAQC file






Table 1: Best std curve to use:

Date	Project	R2	Slope	Intercept	Top_STD	Plate
20260720	COMPASS	0.9886374	0.0122443	0.0701779	100	20260720_Plate1

Matrix Check QAQC




Sample triplicate means and sd dev before bad reps removed




Remove bad reps

Sample triplicate means and sd dev after bad reps removed




Check the dups for QAQC



```
## [1] ">60% of Duplicates are within <10%"
```

Check the spks for QAQC




```
## [1] "<60% of Spikes are out of range - REASSESS"
```

Check to see if samples run match metadata & merge info

```
## ***All sample IDs are present in metadata.***
```

Visualize Data by Plot



###END