

Synoptic CB: Soil Fluxes

2022 Samples

2026-04-02

Contents

0.1	Write out files	2
0.2	All Data by Year, Site and Zone	2
0.3	Boxplot summary by Date	3
0.4	Boxplot summary by Site	4
0.5	Summary Tables	5

#Read in and collate all the files in the Processed Data folder

##Remove bad fluxes and calculate how many there were

##Remove any samples with "remove" in the qaqc_flag columns

```
final_dat <- all_dat %>%
```



```
  filter(!grepl("remove", ch4_qaqc_flag, ignore.case = TRUE)) %>%
```

```
  filter(!grepl("remove", co2_qaqc_flag, ignore.case = TRUE))
```



##Removed fluxes in the CH4 and CO2 flux processing Rmd code, removed all fluxes with R squared < 0.9 a

0.1 Write out files



0.2 All Data by Year, Site and Zone



0.3 Boxplot summary by Date



0.4 Boxplot summary by Site



##Calculate summary metrics

0.5 Summary Tables

Table 1: Summary Statistics

Site	Zone_1	min_ch4	max_ch4	mean_ch4	min_co2	max_co2	mean_co2
GCW	Upland	-0.5435928	-0.2952349	-0.4194139	0.9496153	1.171283	1.060449
GCW	Transition	-0.4855233	58.4989844	13.3233368	1.3502484	3.094366	2.123066
MSM	Upland	-0.5915582	8.5477515	0.7020845	0.9523939	19.050086	6.672065
MSM	Transition	-0.2909035	3.3036102	0.4126571	1.1500012	7.281319	3.930089
GWI	Upland	-0.5538857	0.6832648	0.0620334	1.9815243	10.883121	5.402414
GWI	Transition	-0.7152325	1.7655294	0.2498597	0.5332847	9.000669	3.852100