

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2026-03-30 15:18:45-04:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files

GWI: found 2 files


MSM: found 2 files

GCW: found 1 file


Total: 20897 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.596	0.090	0.377-0.767	15,600	10,400
GWI	UP	9	0.541	0.055	0.385-0.652	15,576	10,384
	TR	9	0.616	0.099	0.445-0.828	15,576	10,771
MSM	UP	12	0.611	0.063	0.44-0.718	15,600	7,800
	TR	12	0.697	0.073	0.536-0.953	15,600	9,100
SWH	SWAMP	12	0.372	0.052	0.269-0.458	15,600	7,800
	TR	12	0.435	0.066	0.302-0.611	15,624	7,812

TEROS


SWH: found 6 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 35318 data rows




GWJ TEROs



MSM TEROs





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	395.1	210.0	150-871	11,700	7,800
	TR	Temp	6	8.9	0.5	7.8-10.5	11,700	7,800
	TR	VWC	6	3,221.7	356.7	2986.7-4013.6	11,700	7,800
	W	EC	6	7,538.6	1,555.9	5665-10878	11,700	9,100
	W	Temp	6	7.2	1.1	4.3-9.9	11,700	9,100
	W	VWC	6	3,315.2	16.2	3286.5-3341.7	11,700	9,100
GWI	UP	EC	6	683.1	683.6	27-2312	11,682	7,788
	UP	Temp	6	12.6	0.4	11.7-13.9	11,682	7,788
	UP	VWC	6	2,602.1	114.4	2377.5-2758.4	11,682	7,788
	TR	EC	6	4,564.0	641.4	3420-7713	11,682	7,788
	TR	Temp	6	11.7	0.9	9.8-14.4	11,682	7,788

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,062.1	60.2	2967.2-3181	11,682	7,788
	W	EC	6	6,351.3	4,482.1	0-21183	11,718	8,160
	W	Temp	6	8.6	5.3	0-14.7	11,718	8,160
	W	VWC	6	2,329.2	1,418.8	0-3412.4	11,718	8,160
MSM	UP	EC	6	1,249.5	320.2	0-2097	11,700	7,800
	UP	Temp	6	10.6	0.7	0-12.1	11,700	7,800
	UP	VWC	6	2,851.9	127.7	0-2936.4	11,700	7,800
	TR	EC	6	3,857.9	600.6	0-5371	11,700	7,800
	TR	Temp	6	10.9	0.7	0-12.8	11,700	7,800
	TR	VWC	6	3,011.0	156.1	0-3234.6	11,700	7,800
	W	EC	6	6,405.4	4,227.8	0-16438	11,718	8,162
	W	Temp	6	6.9	4.2	0-11.6	11,718	8,162
	W	VWC	6	2,391.6	1,452.5	0-3419.5	11,718	8,162
SWH	UP	EC	6	32.0	16.9	0-88	11,718	7,818
	UP	Temp	6	11.8	0.8	0-13.7	11,718	7,818
	UP	VWC	6	3,078.0	133.7	0-3187.2	11,718	7,818
	SWAMP	EC	6	89.6	26.4	37-176	11,700	7,800
	SWAMP	Temp	6	11.5	1.7	7.1-16.5	11,700	7,800
	SWAMP	VWC	6	3,355.5	65.7	3216-3438.3	11,700	7,800
	TR	EC	6	536.7	446.8	0-1671	11,718	7,812
	TR	Temp	6	11.9	1.9	0-18	11,718	7,812
	TR	VWC	6	2,872.0	480.4	0-3391.9	11,718	7,812
	W	EC	6	724.1	572.2	0-2208	9,036	6,024
	W	Temp	6	8.6	6.2	0-17.2	9,036	6,024

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	2,161.5	1,529.0	0-3299.6	9,036	6,024

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 41136 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.9	0.0	0.863-0.881	1,950	1,300
	TR	RDO_concen	1	0.0	0.0	0-0	1,950	1,300
	TR	Salinity	1	3.0	0.0	2.98-3.05	1,950	1,300
	TR	Temperature	1	8.4	0.2	8.05-8.61	1,950	1,300
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,950	1,300
	TR	pH	1	2.6	0.2	2.01-3.05	1,950	1,300
	W	Pressure	1	1.0	0.1	0.955-1.304	1,950	1,300
	W	RDO_concen	1	NaN	NA	-	1,950	1,950
	W	Salinity	1	12.5	0.1	12.15-12.68	1,950	1,300
	W	Temperature	1	6.9	0.1	6.73-7.14	1,950	1,300
	W	Water_Density	1	1.0	0.0	1.009-1.01	1,950	1,300
	W	pH	1	6.7	0.0	6.64-6.69	1,950	1,300
GWI	UP	Pressure	1	0.8	0.0	0.591-0.857	1,947	1,476
	UP	RDO_concen	1	0.0	0.0	0-0.18	1,947	1,476
	UP	Salinity	1	7.1	0.2	6.89-9.35	1,947	1,303
	UP	Temperature	1	12.5	0.5	12.28-21.51	1,947	1,303
	UP	Water_Density	1	1.0	0.0	1.005-1.005	1,947	1,303
	UP	pH	1	4.7	0.1	4.48-4.92	1,947	1,303
	TR	Pressure	1	0.7	0.1	0.587-0.837	1,947	1,305
	TR	RDO_concen	1	0.1	0.3	0-1.75	1,947	1,305
	TR	Salinity	1	9.8	6.1	0-16.66	1,947	1,305
	TR	Temperature	1	8.6	5.2	0-14.02	1,947	1,305
	TR	Water_Density	1	0.7	0.4	0-1.012	1,947	1,305
	TR	pH	1	4.2	2.6	0-6.06	1,947	1,305

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.1	-0.33-0.718	1,953	1,305
	W	RDO_concen	1	0.0	0.1	0-1.2	1,953	1,305
	W	Salinity	1	19.3	0.6	17.9-20.12	1,953	1,305
	W	Temperature	1	11.3	0.3	10.84-11.93	1,953	1,305
	W	Water_Density	1	1.0	0.0	1.013-1.015	1,953	1,305
	W	pH	1	6.5	0.1	6.36-6.65	1,953	1,305
MSM	UP	Pressure	1	0.7	0.0	0.681-0.796	1,950	1,300
	UP	RDO_concen	1	0.0	0.0	0-0	1,950	1,300
	UP	Salinity	1	3.9	0.0	3.83-3.93	1,950	1,300
	UP	Temperature	1	10.5	0.2	10.18-10.72	1,950	1,300
	UP	Water_Density	1	1.0	0.0	1.003-1.003	1,950	1,300
	UP	pH	1	4.4	0.0	4.37-4.55	1,950	1,300
	TR	Pressure	1	1.1	0.1	0-1.248	1,950	1,300
	TR	RDO_concen	1	0.0	0.0	0-0	1,950	1,300
	TR	Salinity	1	11.2	0.4	0-11.34	1,950	1,300
	TR	Temperature	1	10.9	0.5	0-11.15	1,950	1,300
	TR	Water_Density	1	1.0	0.0	0-1.008	1,950	1,300
	TR	pH	1	5.5	0.2	0-5.58	1,950	1,300
	W	Pressure	1	0.7	0.1	0-1.044	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	12.8	0.5	0-12.9	1,953	1,302
	W	Temperature	1	11.2	0.5	0-11.45	1,953	1,302
	W	Water_Density	1	1.0	0.0	0-1.01	1,953	1,302
	W	pH	1	6.2	0.2	0-6.32	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.7	0.0	0-0.75	1,953	1,307
	UP	RDO_concen	1	0.1	0.4	0-9.27	1,953	1,307
	UP	Salinity	1	0.1	0.5	0-9.59	1,953	1,307
	UP	Temperature	1	11.4	0.7	0-20.79	1,953	1,307
	UP	Water_Density	1	1.0	0.0	0-1.005	1,953	1,307
	UP	pH	1	5.0	0.2	0-5.16	1,953	1,307
	SWAMP	Pressure	1	1.2	0.1	0.011-1.22	1,950	1,303
	SWAMP	RDO_concen	1	0.0	0.0	0-1.01	1,950	1,303
	SWAMP	Salinity	1	0.2	0.7	0.07-8.88	1,950	1,303
	SWAMP	Temperature	1	10.7	0.6	10.39-18.69	1,950	1,303
	SWAMP	Water_Density	1	1.0	0.0	1-1.005	1,950	1,303
	SWAMP	pH	1	6.0	0.1	5.53-6.12	1,950	1,303
	TR	Pressure	1	1.2	0.1	-0.001-1.47	1,953	1,307
	TR	RDO_concen	1	0.0	0.1	0-1.79	1,953	1,307
	TR	Salinity	1	1.4	0.5	0-9.31	1,953	1,307
	TR	Temperature	1	10.4	0.4	0-10.62	1,953	1,307
	TR	Water_Density	1	1.0	0.0	0-1.007	1,953	1,307
	TR	pH	1	5.9	0.2	0-6.06	1,953	1,307
	W	Pressure	1	1.2	0.1	0-1.509	1,506	1,025
	W	RDO_concen	1	0.0	0.0	0-0	1,506	1,025
	W	Salinity	1	3.5	23.5	1.17-271.8	1,506	1,008
	W	Temperature	1	10.2	1.2	0-16.62	1,506	1,008
	W	Water_Density	1	1.1	1.0	1.001-13.3	1,506	1,008
	W	pH	1	7.4	8.6	6.13-103.04	1,506	1,008

Redox


SWH: found 8 files


GWI: found 6 files


MSM: found 6 files


GCW: found 5 files

Total: 136071 data rows









	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	100.916	253.508	-411.932-642.831	15,600	0
	W	12	-328.413	195.111	-500.5-500.681	15,600	0
GWI	UP	12	340.306	373.742	-358.762-1128.006	15,576	0
	TR	12	-33.440	284.952	-326.434-756.556	15,576	0
	W	12	-284.786	54.173	-414.842--162.946	15,624	0
MSM	UP	12	24.211	243.014	-359.109-389.608	15,600	0
	TR	12	-151.924	77.372	-336.969-23.729	15,600	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	-312.092	68.932	-392.952-0	15,624	0
SWH	UP	12	75.676	330.208	-292.265-1326.42	15,624	0
	SWAMP	12	-234.723	67.929	-343.584-516.847	15,600	0
	TR	12	-94.968	382.727	-632.052-1366.352	15,600	0
	W	12	-204.986	103.349	-358.098-226.653	12,048	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 4572 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	0.0	0.0	0-0	651	0
	Cable_v	12.2	0.5	11.62-13.44	651	0
	Conductivity	20.5	0.8	19.282-22.272	651	0
	Depth_m	0.9	0.1	0.704-1.018	651	0
	FDOM_QSU	24.4	3.3	18.01-33.82	651	0

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	8.1	1.2	5.86-11.4	651	0
	NLF_conductivity	27.2	0.2	26.54-27.74	651	0
	ODO_MgL	8.9	0.5	7.51-9.77	651	0
	ODO_local	92.5	4.9	77.12-103.04	651	0
	ODO_sat	92.5	4.9	77.12-103.04	651	0
	ORP_mv	0.0	0.0	0-0	651	0
	Pressure_psia	-5.2	2.4	-14.77-1.25	651	0
	Salinity_PPT	16.4	0.1	15.96-16.82	651	0
	Specific_Conductivity_uScm	26.7	0.2	26.086-27.323	651	0
	TDS_mg_L	17,373.1	125.0	16954.53-17760.71	651	0
	TSS_MgL	0.0	0.0	0-0	651	0
	Temp_C	12.7	1.5	10.355-16.079	651	0
	Turbidity_FNU	10.2	5.6	5.69-62.23	651	0
	Turbidity_Raw	0.2	0.2	0.13-1.68	651	0
	Vertical_Position_m	0.9	0.1	0.705-1.019	651	0
	Wiper_Current_ma	64.5	2.5	43.25-67.81	651	0
	Wiper_Position_mv	1.2	0.0	0.93-1.22	651	0
	pH	7.6	0.1	7.43-7.76	651	0
	pH_mv	-43.2	3.4	-50.82--32.6	651	0