

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-10-10 14:08:25-04:00

Sites: SWH, GWI, MSM, GCW, TMP

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow

SWH: found 2 files


GWI: found 2 files

MSM: found 2 files


GCW: found 1 file

TMP: found 9 files


Total: 44103 data rows





GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.359	0.272	0-0.717	34,808	23,816
GWI	UP	9	0.543	0.060	0.406-0.647	34,770	27,450
	TR	9	0.667	0.096	0.419-0.976	1,153,984	911,040

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
MSM	UP	13	0.572	0.078	0.371-0.707	34,770	23,790
	TR	13	0.686	0.085	0.524-0.954	34,770	24,705
SWH	UP	13	0.327	0.066	0.183-0.45	34,770	23,790
	TR	13	0.427	0.070	0.259-0.611	34,770	23,790
TMP	C	23	0.391	0.333	0-1.172	104,424	73,280
	F	24	0.315	0.260	-0.014-0.701	104,424	73,280
	S	24	0.338	0.255	0-0.719	104,424	72,364

TEROS

SWH: found 4 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


TMP: found 9 files

Total: 48692 data rows


SWH Teros




GWI Teros




MSM TEROS



GCW TEROS



TMP TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	3,950.6	48.6	3898.8-4001.1	22,008	20,174
	TR	Temp	6	18.3	0.7	16.5-20.3	22,008	16,506
	TR	VWC	6	53,813.5	115,997.1	954-947181	22,008	16,506
	W	EC	4	3,362.4	15.4	3338.2-3386.6	14,656	10,993
	W	Temp	4	18.0	1.4	14-20.3	14,656	10,993
	W	VWC	4	8,124.3	1,153.8	6178-10644	14,656	10,993
GWI	UP	EC	6	2,625.6	116.8	2359-2831.3	21,984	16,488
	UP	Temp	6	20.7	0.3	19.8-21.6	21,984	16,488
	UP	VWC	6	683.1	635.0	20-2262	21,984	16,488
	TR	EC	6	3,209.1	86.9	3084.6-3377.6	728,856	721,584
	TR	Temp	6	20.9	0.8	18.9-22.8	728,856	721,584

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	7,569.6	3,640.1	3666-30036	728,856	721,584
	W	EC	4	3,259.5	150.0	3055.4-3441	14,672	11,004
	W	Temp	4	20.8	0.8	18.8-22.3	14,672	11,004
	W	VWC	4	10,171.6	4,134.5	4468-26909	14,672	11,004
MSM	UP	EC	5	2,786.9	65.6	2674.5-2907.8	18,320	13,740
	UP	Temp	5	19.9	0.5	18-21	18,320	13,740
	UP	VWC	5	1,085.8	337.5	621-1885	18,320	13,740
	TR	EC	6	3,176.2	119.6	2992.6-3384	21,984	16,488
	TR	Temp	6	20.0	0.6	16.6-21.6	21,984	16,488
	TR	VWC	6	7,171.4	2,668.8	3392-12159	21,984	16,488
	W	EC	4	3,306.4	133.9	3078.9-3435.4	14,672	11,004
	W	Temp	4	19.7	1.1	15.5-21.4	14,672	11,004
	W	VWC	4	9,101.4	2,770.0	5066-20223	14,672	11,004
SWH	UP	EC	6	3,119.1	145.2	2830.4-3393.5	43,968	32,976
	UP	Temp	6	18.9	0.8	16.2-20.7	43,968	32,976
	UP	VWC	6	163.2	145.6	6-747	43,968	32,976
	TR	EC	6	1,768.8	1,484.0	0-3246.4	21,984	16,488
	TR	Temp	6	12.3	10.1	0-24.8	21,984	16,488
	TR	VWC	6	1,060.1	1,140.8	0-5191	21,984	16,488
	W	EC	4	3,201.3	11.8	3189.6-3226.6	14,656	10,992
	W	Temp	4	21.9	0.9	19.4-23.8	14,656	10,992
	W	VWC	4	2,548.9	590.0	1326-3866	14,656	10,992
TMP	C	EC	22	3,280.7	769.1	0-4134.5	88,852	57,894
	C	Temp	22	18.5	1.0	15-27.8	88,852	57,570

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	C	VWC	22	88.0	360.7	0-2216	88,852	57,570
	F	EC	22	3,621.8	540.6	2158.3-4066.2	88,852	46,796
	F	Temp	22	18.1	1.2	15-33	88,852	46,753
	F	VWC	22	39.1	22.1	0-130	88,852	46,753
	S	EC	22	2,537.3	443.6	2176.4-4093.2	88,852	46,850
	S	Temp	22	19.4	9.4	14.9-90.8	88,852	46,850
	S	VWC	22	79.0	38.0	13-200	88,852	46,850

AquaTROLL

SWH: found 4 files


GWI: found 3 files




MSM: found 3 files




GCW: found 2 files

TMP: found 7 files

Total: 46860 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.7	0.1	0.532-1.14	4,585	3,668
	TR	RDO_concen	1	0.0	0.0	0-0	3,668	2,751
	TR	Salinity	1	3.3	0.2	2.78-3.75	4,585	3,668
	TR	Temperature	1	18.1	0.3	17.72-18.54	4,585	3,668
	TR	Water_Density	1	1.0	0.0	1.001-1.001	4,585	3,668
	TR	pH	1	6.3	0.0	6.21-6.41	3,668	2,751
	W	Pressure	1	1.2	0.2	1.083-1.842	4,580	3,664
	W	RDO_concen	1	0.0	0.0	0.05-0.05	3,664	2,748
	W	Salinity	1	11.2	0.1	10.95-11.32	4,580	3,664
	W	Temperature	1	17.9	0.1	17.73-17.93	4,580	3,664
	W	Water_Density	1	1.0	0.0	1.007-1.007	4,580	3,664
	W	pH	1	6.6	0.0	6.61-6.66	3,664	2,748
GWI	UP	Pressure	1	1.0	0.1	0.829-1.139	4,580	3,805
	UP	RDO_concen	1	0.0	0.0	0-0	3,664	2,889
	UP	Salinity	1	3.1	0.3	2.46-3.52	4,580	3,805
	UP	Temperature	1	20.2	0.1	20.04-20.33	4,580	3,805
	UP	Water_Density	1	1.0	0.0	1-1.001	4,580	3,805
	UP	pH	1	4.4	0.1	4.33-4.52	3,664	2,889
	TR	Pressure	1	0.6	0.2	0.023-1.282	151,845	138,791
	TR	RDO_concen	1	0.0	0.1	0-1.6	121,476	108,472
	TR	Salinity	1	15.6	1.5	0-19.56	151,845	138,708
	TR	Temperature	1	18.1	5.0	0-24.28	151,845	138,692
	TR	Water_Density	1	1.0	0.0	1-1.015	151,845	139,296
	TR	pH	1	5.4	0.3	0-5.98	121,476	108,304

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.6	0.1	0.516-1.009	4,585	3,668
	W	RDO_concen	1	0.0	0.0	0-0	3,668	2,751
	W	Salinity	1	22.7	0.0	22.61-22.75	4,585	3,668
	W	Temperature	1	21.2	0.4	20.55-22.03	4,585	3,668
	W	Water_Density	1	1.0	0.0	1.015-1.015	4,585	3,668
	W	pH	1	6.3	0.0	6.34-6.36	3,668	2,751
MSM	UP	Pressure	1	0.4	0.0	0.277-0.515	4,580	3,664
	UP	RDO_concen	1	0.0	0.0	0-0	3,664	2,748
	UP	Salinity	1	3.8	0.0	3.81-3.86	4,580	3,664
	UP	Temperature	1	19.7	0.2	19.47-20.12	4,580	3,664
	UP	Water_Density	1	1.0	0.0	1.001-1.001	4,580	3,664
	UP	pH	1	4.1	0.0	4.07-4.13	3,664	2,748
	TR	Pressure	1	1.2	0.1	1.084-1.563	4,580	3,664
	TR	RDO_concen	1	0.0	0.0	0-0	3,664	2,748
	TR	Salinity	1	11.8	0.9	11.54-38.9	4,580	3,664
	TR	Temperature	1	20.5	1.4	-17.67-21.77	4,580	3,664
	TR	Water_Density	1	1.0	0.0	1.007-1.03	4,580	3,664
	TR	pH	1	4.9	0.1	4.73-5.08	3,664	2,748
	W	Pressure	1	0.9	0.2	0.676-1.424	4,585	3,668
	W	RDO_concen	1	0.0	0.0	0-0	3,668	2,751
	W	Salinity	1	13.5	0.0	13.39-13.49	4,585	3,668
	W	Temperature	1	19.9	0.3	19.44-20.34	4,585	3,668
	W	Water_Density	1	1.0	0.0	1.008-1.009	4,585	3,668
	W	pH	1	6.1	0.1	5.99-6.33	3,668	2,751

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.9	0.3	0.488-1.499	9,160	7,328
	UP	RDO_concen	2	0.0	0.0	0-0	7,328	5,496
	UP	Salinity	2	0.2	0.1	0.05-0.24	9,160	7,328
	UP	Temperature	2	18.5	0.6	17.84-19.29	9,160	7,328
	UP	Water_Density	2	1.0	0.0	0.998-0.999	9,160	7,328
	UP	pH	2	5.5	0.4	4.93-5.88	7,328	5,496
	TR	Pressure	1	1.3	0.1	1.179-1.751	4,580	4,034
	TR	RDO_concen	1	0.0	0.0	0-0	3,664	3,118
	TR	Salinity	1	1.6	0.0	1.57-1.59	4,580	4,034
	TR	Temperature	1	19.7	0.0	19.53-19.72	4,580	4,034
	TR	Water_Density	1	1.0	0.0	0.999-1	4,580	4,034
	TR	pH	1	5.9	0.0	5.91-5.96	3,664	3,118
	W	Pressure	1	1.5	0.3	1.183-2.151	4,580	3,664
	W	RDO_concen	1	0.0	0.0	0-0	3,664	2,748
	W	Salinity	1	2.0	0.1	1.91-2.12	4,580	3,664
	W	Temperature	1	21.6	0.1	21.36-21.65	4,580	3,664
	W	Water_Density	1	1.0	0.0	0.999-1	4,580	3,664
	W	pH	1	6.1	0.0	6.1-6.18	3,664	2,748
TMP	C	Pressure	2	7.4	7.4	-0.156-14.964	9,160	7,328
	C	RDO_concen	2	2.5	0.1	2.37-2.7	7,328	6,412
	C	Salinity	2	0.0	0.0	0-0.06	9,160	7,328
	C	Temperature	2	14.5	0.3	14.19-14.809	9,160	7,328
	C	Water_Density	2	1.0	0.0	0.999-0.999	9,160	7,328
	C	pH	2	4.8	0.0	4.74-4.84	7,328	6,412

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	F	Pressure	3	10.2	6.8	0.601-15.151	13,740	10,992
	F	RDO_concen	3	0.7	0.4	0.19-1.86	10,992	10,076
	F	Salinity	3	0.1	0.0	0.04-0.136	13,740	10,992
	F	Temperature	3	15.9	1.3	13.98-17.26	13,740	10,992
	F	Water_Density	3	1.0	0.0	0.999-0.999	13,740	10,992
	F	pH	3	4.5	0.0	4.52-4.57	10,992	10,076
	S	Pressure	2	8.3	6.6	1.523-14.974	9,160	7,329
	S	RDO_concen	2	0.0	0.0	0-0	7,328	6,413
	S	Salinity	2	0.3	0.3	0-0.68	9,160	7,329
	S	Temperature	2	15.3	1.0	14.27-16.264	9,160	7,329
	S	Water_Density	2	1.0	0.0	0.999-1	9,160	7,329
	S	pH	2	3.9	0.0	3.74-3.93	7,328	6,413

Redox