

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2026-04-03 08:01:26-04:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/readz/Smithsonian Dropbox/Zoe Read

Sapflow


SWH: found 3 files

GWI: found 2 files


MSM: found 2 files

GCW: found 1 file


Total: 2552 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.598	0.088	0.379-0.763	5,256	3,504
GWI	UP	9	0.544	0.059	0.394-0.654	5,256	3,504
	TR	9	0.616	0.103	0.451-0.829	5,256	3,723
MSM	UP	12	0.611	0.061	0.438-0.715	5,256	2,628
	TR	12	0.690	0.066	0.538-0.927	5,256	3,066
SWH	SWAMP	12	0.342	0.063	0.217-0.451	5,256	2,628
	TR	12	0.418	0.072	0.238-0.603	5,280	2,640

TEROS


SWH: found 6 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 4666 data rows




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	371.4	206.0	140-839	3,942	2,628
	TR	Temp	6	11.2	0.8	9.6-13.2	3,942	2,628
	TR	VWC	6	3,214.0	358.6	2989.2-4011.1	3,942	2,628
	W	EC	6	7,259.6	1,828.7	5350-11933	3,942	3,066
	W	Temp	6	10.1	1.1	7.7-12.1	3,942	3,066
	W	VWC	6	3,324.9	14.9	3299.5-3348.8	3,942	3,066
GWI	UP	EC	6	678.6	624.9	38-1896	3,942	2,628
	UP	Temp	6	13.9	0.6	12.8-14.9	3,942	2,628
	UP	VWC	6	2,577.5	112.6	2360.4-2737.9	3,942	2,628
	TR	EC	6	4,389.8	692.7	2908-7477	3,942	2,628
	TR	Temp	6	14.6	1.1	12.3-17.2	3,942	2,628

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,076.9	57.9	2993.8-3187.8	3,942	2,628
	W	EC	6	5,753.6	4,621.6	0-19052	3,960	2,640
	W	Temp	6	9.8	7.0	0-17.5	3,960	2,640
	W	VWC	6	2,132.2	1,515.2	0-3416.9	3,960	2,640
MSM	UP	EC	6	1,334.0	317.8	713-2103	3,942	2,628
	UP	Temp	6	12.8	0.7	11.3-14.2	3,942	2,628
	UP	VWC	6	2,853.2	62.1	2749.2-2937	3,942	2,628
	TR	EC	6	3,774.0	725.3	2205-5075	3,942	2,628
	TR	Temp	6	13.2	0.8	11.6-15.7	3,942	2,628
	TR	VWC	6	3,020.3	86.7	2946.5-3237.8	3,942	2,628
	W	EC	6	5,669.4	4,256.1	0-13550	3,960	2,640
	W	Temp	6	7.8	5.6	0-14	3,960	2,640
	W	VWC	6	2,181.8	1,548.6	0-3423.2	3,960	2,640
SWH	UP	EC	6	35.8	18.5	0-92	3,960	2,640
	UP	Temp	6	14.2	0.9	12.2-15.9	3,960	2,640
	UP	VWC	6	3,082.2	54.6	2974.3-3171.5	3,960	2,640
	SWAMP	EC	6	90.9	24.6	52-167	3,942	2,628
	SWAMP	Temp	6	16.2	1.7	12.8-20.8	3,942	2,628
	SWAMP	VWC	6	3,345.6	66.7	3208.4-3429	3,942	2,628
	TR	EC	6	524.3	436.6	6-1583	3,960	2,640
	TR	Temp	6	16.6	2.2	12.4-21.6	3,960	2,640
	TR	VWC	6	2,845.1	467.6	1893.2-3318.2	3,960	2,640
	W	EC	6	732.7	563.5	0-2238	3,906	2,604
	W	Temp	6	11.0	7.9	0-22.4	3,906	2,604

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	2,154.9	1,524.6	0-3280.3	3,906	2,604

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)

MSM: found 3 files


GCW: ignoring backup file(s)

GCW: found 2 files


Total: 10484 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.9	0.0	0.868-0.884	657	438
	TR	RDO_concen	1	0.0	0.0	0-0	657	438
	TR	Salinity	1	3.0	0.0	2.99-3.07	657	438
	TR	Temperature	1	8.9	0.2	8.64-9.25	657	438
	TR	Water_Density	1	1.0	0.0	1.002-1.002	657	438
	TR	pH	1	2.5	0.4	1.56-2.91	657	438
	W	Pressure	1	1.0	0.0	0.934-1.023	657	438
	W	RDO_concen	1	NaN	NA	-	657	657
	W	Salinity	1	12.6	0.1	12.53-12.72	657	438
	W	Temperature	1	7.3	0.0	7.23-7.36	657	438
	W	Water_Density	1	1.0	0.0	1.01-1.01	657	438
	W	pH	1	6.7	0.0	6.68-6.69	657	438
GWI	UP	Pressure	1	0.7	0.0	0.659-0.713	657	438
	UP	RDO_concen	1	0.0	0.0	0-0	657	438
	UP	Salinity	1	7.2	0.0	7.1-7.22	657	438
	UP	Temperature	1	12.7	0.1	12.65-12.85	657	438
	UP	Water_Density	1	1.0	0.0	1.005-1.005	657	438
	UP	pH	1	4.8	0.0	4.77-4.79	657	438
	TR	Pressure	1	0.6	0.0	0.571-0.601	657	438
	TR	RDO_concen	1	0.0	0.0	0-0	657	438
	TR	Salinity	1	14.1	0.1	13.91-14.32	657	438
	TR	Temperature	1	12.6	0.3	12-13.2	657	438
	TR	Water_Density	1	1.0	0.0	1.01-1.01	657	438
	TR	pH	1	5.7	0.0	5.69-5.73	657	438

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.4	0.0	0.38-0.436	660	440
	W	RDO_concen	1	0.0	0.0	0-0	660	440
	W	Salinity	1	19.4	0.1	19.26-19.45	660	440
	W	Temperature	1	12.5	0.5	11.69-13.24	660	440
	W	Water_Density	1	1.0	0.0	1.014-1.014	660	440
	W	pH	1	6.4	0.0	6.37-6.38	660	440
MSM	UP	Pressure	1	0.8	0.1	0.658-0.864	657	438
	UP	RDO_concen	1	0.0	0.0	0-0	657	438
	UP	Salinity	1	3.9	0.0	3.94-3.96	657	438
	UP	Temperature	1	11.0	0.2	10.73-11.4	657	438
	UP	Water_Density	1	1.0	0.0	1.003-1.003	657	438
	UP	pH	1	4.4	0.0	4.35-4.37	657	438
	TR	Pressure	1	1.0	0.1	0.88-1.12	657	438
	TR	RDO_concen	1	0.0	0.0	0-0	657	438
	TR	Salinity	1	11.4	0.0	11.36-11.39	657	438
	TR	Temperature	1	11.4	0.1	11.18-11.6	657	438
	TR	Water_Density	1	1.0	0.0	1.008-1.008	657	438
	TR	pH	1	5.4	0.0	5.38-5.51	657	438
	W	Pressure	1	0.7	0.1	0.559-0.837	660	440
	W	RDO_concen	1	0.0	0.0	0-0	660	440
	W	Salinity	1	12.9	0.0	12.91-12.96	660	440
	W	Temperature	1	11.6	0.2	11.37-11.86	660	440
	W	Water_Density	1	1.0	0.0	1.01-1.01	660	440
	W	pH	1	6.2	0.1	6.09-6.32	660	440

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.7	0.0	0.632-0.765	660	440
	UP	RDO_concen	1	0.0	0.0	0-0	660	440
	UP	Salinity	1	0.0	0.0	0.03-0.03	660	440
	UP	Temperature	1	11.7	0.1	11.6-11.93	660	440
	UP	Water_Density	1	1.0	0.0	1-1	660	440
	UP	pH	1	5.1	0.0	5.11-5.19	660	440
	SWAMP	Pressure	1	1.2	0.0	1.19-1.228	657	438
	SWAMP	RDO_concen	1	0.0	0.0	0-0	657	438
	SWAMP	Salinity	1	0.1	0.0	0.13-0.14	657	438
	SWAMP	Temperature	1	11.0	0.0	10.93-11.06	657	438
	SWAMP	Water_Density	1	1.0	0.0	1-1	657	438
	SWAMP	pH	1	6.0	0.0	6.02-6.03	657	438
	TR	Pressure	1	1.1	0.0	1.054-1.235	660	440
	TR	RDO_concen	1	0.0	0.0	0-0	660	440
	TR	Salinity	1	1.4	0.0	1.41-1.43	660	440
	TR	Temperature	1	10.8	0.0	10.7-10.83	660	440
	TR	Water_Density	1	1.0	0.0	1.001-1.001	660	440
	TR	pH	1	5.8	0.0	5.84-5.85	660	440
	W	Pressure	1	1.2	0.1	1.081-1.582	651	435
	W	RDO_concen	1	0.0	0.0	0-0	651	435
	W	Salinity	1	1.4	0.0	1.42-1.44	651	435
	W	Temperature	1	10.6	0.1	10.54-10.72	651	435
	W	Water_Density	1	1.0	0.0	1.001-1.001	651	435
	W	pH	1	6.6	0.0	6.53-6.63	651	435

Redox


SWH: found 8 files


GW1: found 6 files


MSM: found 6 files


GCW: found 5 files

Total: 13478 data rows









	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	25.246	220.835	-409.986-393.611	5,256	0
	W	12	-318.743	226.689	-522.185-452.232	5,256	0
GWI	UP	12	340.792	362.927	-265.849-733.105	5,256	0
	TR	12	-27.727	283.146	-301.931-718.898	5,256	0
	W	12	-290.281	44.339	-416.578--226.612	5,280	0
MSM	UP	12	19.061	242.857	-349.82-389.419	5,256	0
	TR	12	-161.351	81.166	-331.538-30.778	5,256	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	-289.330	136.664	-392.055-348.438	5,280	0
SWH	UP	12	25.698	288.523	-294.251-632.548	5,280	0
	SWAMP	12	-254.289	45.123	-341.484--166.939	5,256	0
	TR	12	-97.794	376.143	-413.797-650.58	5,280	0
	W	12	-200.813	95.910	-329.074-61.819	5,208	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 1950 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	0.0	0.0	0-0	219	0
	Cable_v	12.2	0.4	11.69-13.28	219	0
	Conductivity	21.8	1.2	19.298-24.361	219	0
	Depth_m	0.9	0.0	0.798-0.917	219	0
	FDOM_QSU	22.5	4.0	16.73-30.3	219	0

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	7.4	1.4	5.41-10.17	219	0
	NLF_conductivity	25.3	1.0	22.61-26.78	219	0
	ODO_MgL	7.8	0.5	6.49-8.93	219	0
	ODO_local	90.8	7.0	76.41-108.8	219	0
	ODO_sat	90.8	7.0	76.41-108.8	219	0
	ORP_mv	0.0	0.0	0-0	219	0
	Pressure_psia	-5.2	2.3	-6.82-1.31	219	0
	Salinity_PPT	15.3	0.7	13.56-16.23	219	0
	Specific_Conductivity_uScm	25.1	1.0	22.439-26.438	219	0
	TDS_mgL	16,278.5	686.0	13972.62-17182.77	219	0
	TSS_MgL	0.0	0.0	0-0	219	0
	Temp_C	18.2	1.5	15.687-21.208	219	0
	Turbidity_FNU	13.4	6.2	7.29-48.72	219	0
	Turbidity_Raw	0.3	0.2	0.17-1.31	219	0
	Vertical_Position_m	0.9	0.0	0.8-0.92	219	0
	Wiper_Current_ma	58.9	1.6	44.87-62.91	219	0
	Wiper_Position_mv	1.2	0.0	0.97-1.22	219	0
	pH	7.6	0.1	7.36-7.72	219	0
	pH_mv	-40.8	4.4	-49.83--29.38	219	0