

Current Dropbox data: LE

AUTHOR
COMPASS workflows team

PUBLISHED
2026-08-31 13:02:51-04:00

Sites: PTR, CRC, OWC

Data path: C:/Users/fsilva/Dropbox


Sapflow

PTR: found 4 files


CRC: found 2 files

OWC: found 2 files


Total: 21488 data rows



CRC



OWC



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	0.360	0.057	0.224-0.479	15,600	7,800
	TR	12	NaN	NA	-	15,576	15,576

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
OWC	UP	9	126.132	114.078	-23.89-801	11,880	9,850
	TR	9	NaN	NA	-	11,904	11,904
PTR	UP	12	21.774	121.247	-42.66-938	15,576	11,551
	TR	12	NaN	NA	-	15,552	15,552

TEROS


PTR: found 5 files

CRC: found 6 files


OWC: found 3 files

Total: 33068 data rows


Warning: Expected 2 pieces. Additional pieces discarded in 1587264 rows [55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, ...].



CRC TEROS



OWC TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	19	131.1	98.6	11-363	53,300	49,902
	UP	Temp	19	19.5	0.6	17.9-23.9	76,700	73,302
	UP	VWC	19	2,561.1	319.0	0-3901.1	76,700	73,952
	UP	NA	1	NaN	NA	-	42,900	42,900
	TR	EC	19	135.8	83.3	37-356	26,609	22,715
	TR	Temp	19	20.1	0.5	18.7-21.9	38,291	34,397
	TR	VWC	19	2,516.3	82.7	2389.5-2721.6	38,291	34,397
	TR	NA	1	NaN	NA	-	21,417	21,417
	W	EC	19	220.4	208.1	0-619	26,650	22,750
	W	Temp	19	12.9	9.1	0-20.8	38,350	34,450
	W	VWC	19	1,858.6	1,315.2	0-2948.6	38,350	34,450
	W	NA	1	NaN	NA	-	21,450	21,450
OWC	UP	EC	19	98.4	34.7	31-180	20,295	17,325
	UP	Temp	19	19.4	0.5	17.8-20.8	29,205	26,235
	UP	VWC	19	2,571.4	53.5	2431.2-2636.9	29,205	26,235
	UP	NA	1	NaN	NA	-	16,335	16,335
	TR	EC	19	295.9	47.7	189-396	20,336	17,360
	TR	Temp	19	19.3	0.3	18.6-20.3	29,264	26,288
	TR	VWC	19	2,773.9	81.1	2622.7-2918	29,264	26,288
	TR	NA	1	NaN	NA	-	16,368	16,368
	W	EC	19	177.3	171.3	0-507	20,295	17,325
	W	Temp	19	12.4	8.8	0-19.3	29,205	26,235
	W	VWC	19	1,978.1	1,400.2	0-3102.3	29,205	26,235
	W	NA	1	NaN	NA	-	16,335	16,335

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
PTR	UP	EC	19	32.0	28.1	0-114	26,609	22,715
	UP	Temp	19	19.5	0.7	17.6-21.4	38,291	34,397
	UP	VWC	19	2,223.8	105.4	2095.6-2408.6	38,291	34,397
	UP	NA	1	NaN	NA	-	21,417	21,417
	TR	EC	19	53.5	63.9	7-211	26,568	22,680
	TR	Temp	19	19.9	0.8	17.9-22.4	38,232	34,344
	TR	VWC	19	2,283.4	167.0	2067.8-2533	38,232	34,344
	TR	NA	1	NaN	NA	-	21,384	21,384
	W	EC	19	229.3	201.9	0-563	26,609	22,715
	W	Temp	19	12.7	9.0	0-20.5	38,291	34,397
	W	VWC	19	1,870.0	1,323.4	0-2921.1	38,291	34,397
	W	NA	1	NaN	NA	-	21,417	21,417

AquaTROLL

PTR: ignoring backup file(s)

PTR: found 5 files




CRC: ignoring backup file(s)

CRC: found 5 files


OWC: ignoring backup file(s)

OWC: found 6 files


Total: 38706 data rows




Water_Density




pH



RDO_concen





	Plot name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP Pressure	2	1.1	0.0	1.058-1.155	4,173	3,432
	UP RDO_concen	2	0.0	0.0	0-0	4,173	3,432
	UP Salinity	2	1.3	0.0	1.3-1.33	4,173	3,432
	UP Temperature	2	11.2	0.0	11.08-11.23	4,173	3,432
	UP Water_Density	2	1.0	0.0	1.001-1.001	4,173	3,432
	UP pH	2	7.3	0.0	7.25-7.27	4,173	3,432
	TR Pressure	1	0.0	0.0	-0.009--0.009	1,947	1,945
	TR RDO_concen	1	8.5	0.0	8.49-8.5	1,947	1,945
	TR Salinity	1	0.0	0.0	0-0	1,947	1,389
	TR Temperature	1	17.2	1.0	16.95-26.93	1,947	1,389
	TR Water_Density	1	1.0	0.0	0.997-0.999	1,947	1,389
	TR pH	1	8.8	1.6	5.87-12.1	1,947	1,470
	W Pressure	1	0.6	0.1	0.416-0.781	1,950	1,429
	W RDO_concen	1	6.1	3.8	0-8.64	1,950	1,429
	W Salinity	1	0.1	0.2	0-0.37	1,950	1,429

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Temperature	1	18.8	0.1	18.68-19.09	1,950	1,429
	W	Water_Density	1	1.0	0.0	0.998-0.999	1,950	1,429
	W	pH	1	8.0	1.5	6.64-11.5	1,950	1,429
OWC	UP	Pressure	1	0.0	0.0	0.001-0.105	1,485	990
	UP	RDO_concen	1	0.0	0.0	0-0	1,485	990
	UP	Salinity	1	0.3	0.0	0.32-0.32	1,485	990
	UP	Temperature	1	18.2	0.1	18.13-18.49	1,485	990
	UP	Water_Density	1	1.0	0.0	0.999-0.999	1,485	990
	UP	pH	1	7.6	0.0	7.57-7.65	1,485	990
	TR	Pressure	1	0.2	0.1	0.058-0.408	1,488	992
	TR	RDO_concen	1	0.0	0.0	0-0	1,488	992
	TR	Salinity	1	0.3	0.0	0.33-0.34	1,488	992
	TR	Temperature	1	17.6	0.1	17.55-17.74	1,488	992
	TR	Water_Density	1	1.0	0.0	0.999-0.999	1,488	992
	TR	pH	1	7.3	0.0	7.27-7.29	1,488	992
	W	Pressure	1	0.0	0.0	-0.021-0.066	1,485	990
	W	RDO_concen	1	0.0	0.0	0-0	1,485	990
	W	Salinity	1	0.3	0.0	0.21-0.27	1,485	990
	W	Temperature	1	18.0	0.1	17.79-18.22	1,485	990
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,485	990
	W	pH	1	6.6	0.0	6.51-6.64	1,485	990
PTR	UP	Pressure	1	3.1	0.1	2.991-3.207	1,947	1,298
	UP	RDO_concen	1	0.0	0.0	0-0	1,947	1,298
	UP	Salinity	1	2.9	0.0	2.78-2.92	1,947	1,298

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	Temperature	1	11.6	0.0	11.57-11.71	1,947	1,298
	UP	Water_Density	1	1.0	0.0	1.002-1.002	1,947	1,298
	UP	pH	1	6.8	0.0	6.76-6.81	1,947	1,298
	TR	Pressure	1	1.9	0.1	1.854-2.039	1,944	1,296
	TR	RDO_concen	1	0.0	0.0	0-0	1,944	1,296
	TR	Salinity	1	2.3	0.6	1.32-3.2	1,944	1,296
	TR	Temperature	1	13.8	0.1	13.64-13.87	1,944	1,296
	TR	Water_Density	1	1.0	0.0	1-1.002	1,944	1,296
	TR	pH	1	6.9	0.1	6.82-7.05	1,944	1,296
	W	Pressure	1	0.3	0.1	0.12-0.472	1,947	1,298
	W	RDO_concen	1	0.0	0.0	0-0	1,947	1,298
	W	Salinity	1	0.7	0.0	0.71-0.73	1,947	1,298
	W	Temperature	1	17.2	0.1	17.11-17.3	1,947	1,298
	W	Water_Density	1	1.0	0.0	0.999-0.999	1,947	1,298
	W	pH	1	6.8	0.0	6.84-6.85	1,947	1,298

Redox

PTR: found 6 files


CRC: ignoring backup file(s)

CRC: found 6 files


OWC: found 6 files

Total: 136637 data rows


PTR Redox



CRC Redox



OWC Redox



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	24	722.997	647.499	245.629-3754.056	31,200	0
	TR	24	690.000	198.736	222.954-1359.819	31,152	15,576
	W	24	10.925	361.002	-366.582-697.944	31,200	15,600
OWC	UP	24	661.110	55.856	536.601-794.23	23,760	11,880
	TR	24	198.726	375.343	-372.396-747.767	23,808	11,904
	W	24	-140.387	407.023	-422.046-599.656	23,808	11,904
PTR	UP	24	474.086	276.528	191.635-1663.367	31,152	15,576

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	24	1,245.504	388.260	712.869-2646.772	31,104	15,552
	W	24	706.257	381.990	136.432-1246.437	31,152	15,576

Sonde

PTR: found 1 file

CRC: ignoring backup file(s)


CRC: found 1 file

OWC: ignoring backup file(s)


OWC: found 2 files

Total: 10306 data rows

PTR



CRC



TIMESTAMP

OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	650	650
	BGA_PC_ugL	NaN	NA	-	650	650
	Battery_v	6.1	0.0	5.94-6.12	650	113
	Cable_v	12.7	0.4	12.26-13.6	650	113
	Chlorophyll_RFU	NaN	NA	-	650	650

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	650	650
	Chlorophyll_cellsmL	NaN	NA	-	650	650
	Chlorophyll_ugL	NaN	NA	-	650	650
	Conductivity	0.9	0.3	0.598-6.63	650	84
	Depth_m	1.3	0.4	-0.516-1.63	650	113
	FDOM_QSU	0.0	0.2	-1.85-3.82	650	84
	FDOM_RFU	0.0	0.9	0-20.986	650	84
	NLF_conductivity	1.0	0.1	0-1.531	650	86
	ODO_MgL	0.5	3.7	0.33-89.17	650	87
	ODO_local	3.8	0.4	3.8-13.22	650	87
	ODO_sat	3.8	0.2	0.46-6.08	650	86
	Pressure_psia	0.0	0.0	0-0	650	88
	Rhodamine_ugL	NaN	NA	-	650	650
	Salinity_PPT	0.5	0.1	0-0.58	650	88
	Specific_Conductivity_uScm	2.9	37.6	0.647-866	650	104
	TAL_PC_cellsmL	NaN	NA	-	650	650
	Temp_C	20.9	3.4	18.79-76.78	650	108
	Wiper_Current_ma	76.2	9.7	61.86-134.78	650	113
	Wiper_Position_mv	1.3	0.3	1.3-6.12	650	105
	pH	6.6	0.4	6.11-13.17	650	105
	pH_mv	1.5	7.8	-19.77-68.64	650	105
OWC	BGA_PC_Raw	NaN	NA	-	496	496
	BGA_PC_ugL	NaN	NA	-	496	496
	Battery_v	NaN	NA	-	496	496

	name	Mean	SD	Range	N_values	N_na
	Cable_v	NaN	NA	-	496	496
	Chlorophyll_RFU	NaN	NA	-	496	496
	Chlorophyll_Raw	NaN	NA	-	496	496
	Chlorophyll_cellsmL	NaN	NA	-	496	496
	Chlorophyll_ugL	NaN	NA	-	496	496
	Conductivity	NaN	NA	-	496	496
	Depth_m	NaN	NA	-	496	496
	FDOM_QSU	NaN	NA	-	496	496
	FDOM_RFU	NaN	NA	-	496	496
	NLF_conductivity	NaN	NA	-	496	496
	ODO_MgL	NaN	NA	-	496	496
	ODO_local	NaN	NA	-	496	496
	ODO_sat	NaN	NA	-	496	496
	Pressure_psia	NaN	NA	-	496	496
	Rhodamine_ugL	NaN	NA	-	496	496
	Salinity_PPT	NaN	NA	-	496	496
	Specific_Conductivity_uScm	NaN	NA	-	496	496
	TAL_PC_cellsmL	NaN	NA	-	496	496
	Temp_C	NaN	NA	-	496	496
	Wiper_Current_ma	NaN	NA	-	496	496
	Wiper_Position_mv	NaN	NA	-	496	496
	pH	NaN	NA	-	496	496
	pH_mv	NaN	NA	-	496	496
PTR	BGA_PC_Raw	NaN	NA	-	649	649

	name	Mean	SD	Range	N_values	N_na
	BGA_PC_ugL	NaN	NA	-	649	649
	Battery_v	NaN	NA	-	649	649
	Cable_v	NaN	NA	-	649	649
	Chlorophyll_RFU	NaN	NA	-	649	649
	Chlorophyll_Raw	NaN	NA	-	649	649
	Chlorophyll_cellsmL	NaN	NA	-	649	649
	Chlorophyll_ugL	NaN	NA	-	649	649
	Conductivity	NaN	NA	-	649	649
	Depth_m	NaN	NA	-	649	649
	FDOM_QSU	NaN	NA	-	649	649
	FDOM_RFU	NaN	NA	-	649	649
	NLF_conductivity	NaN	NA	-	649	649
	ODO_MgL	NaN	NA	-	649	649
	ODO_local	NaN	NA	-	649	649
	ODO_sat	NaN	NA	-	649	649
	Pressure_psia	NaN	NA	-	649	649
	Rhodamine_ugL	NaN	NA	-	649	649
	Salinity_PPT	NaN	NA	-	649	649
	Specific_Conductivity_uScm	NaN	NA	-	649	649
	TAL_PC_cellsmL	NaN	NA	-	649	649
Temp_C	NaN	NA	-	649	649	
Wiper_Current_ma	NaN	NA	-	649	649	
Wiper_Position_mv	NaN	NA	-	649	649	
pH	NaN	NA	-	649	649	

name		Mean	SD	Range	N_values	N_na
	pH_mv	NaN	NA	-	649	649