

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-12-15 13:59:13-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files

GWI: found 4 files


MSM: found 2 files

GCW: found 1 file


Total: 13487 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	NaN	NA	-	55,104	55,104
GWI	UP	9	0.576	0.042	0.451-0.657	54,912	36,608
	TR	9	0.623	0.093	0.451-0.872	54,912	36,608
MSM	UP	12	0.610	0.057	0.452-0.712	33,576	16,788
	TR	12	0.698	0.086	0.558-1.001	33,576	18,187
SWH	UP	12	0.361	0.051	0.234-0.452	24,432	12,216
	SWAMP	12	0.368	0.052	0.225-0.469	33,576	16,788
	TR	12	0.441	0.060	0.316-0.627	33,600	16,800

TEROS


SWH: found 6 files

GWI: found 4 files


MSM: found 3 files

GCW: found 3 files


Total: 21503 data rows




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	10,460.7	51,473.6	0-390384	41,328	27,552
	TR	Temp	6	8.9	2.0	0-12.4	41,328	27,552
	TR	VWC	6	3,228.7	405.8	0-4016.3	41,328	28,672
	W	EC	6	8,197.6	2,054.2	5497-12812	41,184	32,032
	W	Temp	6	3.7	1.3	1.4-6.5	41,184	32,032
	W	VWC	6	3,335.0	12.7	3311.6-3368.6	41,184	32,032
GWI	UP	EC	6	NaN	NA	-	25,182	25,182
	UP	Temp	6	NaN	NA	-	25,182	25,182
	UP	VWC	6	NaN	NA	-	25,182	25,182
	TR	EC	6	9,424.5	4,070.3	4673-28136	41,184	27,456
	TR	Temp	6	9.9	1.2	5.5-12.5	41,184	27,456

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,188.9	129.4	2973.6-3375.6	41,184	27,456
	W	EC	6	10,660.9	4,739.6	4476-32993	25,200	19,600
	W	Temp	6	8.6	1.6	4-11.7	25,200	19,600
	W	VWC	6	3,182.4	199.1	2905.4-3429.1	25,200	19,600
MSM	UP	EC	6	3,402.1	750.7	1773-6417	25,182	16,788
	UP	Temp	6	10.1	1.1	7.5-12.7	25,182	16,788
	UP	VWC	6	2,984.5	65.3	2873.9-3102.9	25,182	16,788
	TR	EC	6	6,551.1	2,128.9	3782-11231	25,182	16,788
	TR	Temp	6	10.0	1.1	7-12.7	25,182	16,788
	TR	VWC	6	3,129.5	124.8	2931.9-3361.5	25,182	16,788
	W	EC	6	9,081.7	2,291.5	5736-16258	25,200	19,600
	W	Temp	6	7.8	2.2	3-11.6	25,200	19,600
	W	VWC	6	3,269.9	159.6	2989.8-3427.3	25,200	19,600
SWH	UP	EC	6	211.6	248.8	0-1940	61,848	41,238
	UP	Temp	6	12.3	2.6	6-16.5	61,848	41,238
	UP	VWC	6	3,089.9	124.9	2824.5-3397.7	61,848	41,238
	SWAMP	EC	6	245.7	189.0	48-841	25,182	16,788
	SWAMP	Temp	6	5.2	1.6	1.4-8.9	25,182	16,788
	SWAMP	VWC	6	3,301.1	75.4	3209-3442.5	25,182	16,788
	TR	EC	6	1,212.4	914.3	18-4683	25,200	16,800
	TR	Temp	6	5.8	1.9	0.1-10.7	25,200	16,800
	TR	VWC	6	2,886.3	432.6	1908.8-3435.6	25,200	16,800
	W	EC	6	3,512.0	509.7	2409-6057	25,182	19,586
	W	Temp	6	6.7	1.4	1.6-9	25,182	19,586

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,217.8	10.1	3200.9-3236	25,182	19,586

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)

MSM: found 3 files


GCW: ignoring backup file(s)

GCW: found 2 files


Total: 20615 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.0	0-1.063	6,888	4,600
	TR	RDO_concen	1	0.0	0.0	0-2.03	6,888	4,600
	TR	Salinity	1	3.3	0.1	0-3.53	6,888	4,600
	TR	Temperature	1	11.5	1.0	0-12.68	6,888	4,600
	TR	Water_Density	1	1.0	0.0	0-1.002	6,888	4,600
	TR	pH	1	6.2	0.2	0-6.37	6,888	4,600
	W	Pressure	1	1.0	0.0	0.941-1.137	4,197	2,803
	W	RDO_concen	1	0.0	0.0	0-0.11	4,197	2,803
	W	Salinity	1	11.6	0.7	10.78-12.45	4,197	2,803
	W	Temperature	1	12.2	0.5	9.58-13.09	4,197	2,803
	W	Water_Density	1	1.0	0.0	1.008-1.009	4,197	2,803
	W	pH	1	6.7	0.3	6.49-7.09	4,197	2,803
GWI	UP	Pressure	1	NaN	NA	-	4,197	4,197
	UP	RDO_concen	1	NaN	NA	-	4,197	4,197
	UP	Salinity	1	NaN	NA	-	4,197	4,197
	UP	Temperature	1	NaN	NA	-	4,197	4,197
	UP	Water_Density	1	NaN	NA	-	4,197	4,197
	UP	pH	1	NaN	NA	-	4,197	4,197
	TR	Pressure	1	0.8	0.0	0.784-0.891	6,864	4,576
	TR	RDO_concen	1	0.0	0.0	0-0	6,864	4,576
	TR	Salinity	1	18.3	0.2	17.98-18.58	6,864	4,576
	TR	Temperature	1	12.4	0.8	10.79-13.73	6,864	4,576
	TR	Water_Density	1	1.0	0.0	1.014-1.014	6,864	4,576
	TR	pH	1	6.0	0.0	5.93-6.01	6,864	4,576

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.481-0.774	4,200	2,800
	W	RDO_concen	1	0.0	0.0	0-0	4,200	2,800
	W	Salinity	1	20.3	0.0	20.24-20.36	4,200	2,800
	W	Temperature	1	10.9	1.0	9.27-12.56	4,200	2,800
	W	Water_Density	1	1.0	0.0	1.015-1.016	4,200	2,800
	W	pH	1	6.4	0.0	6.31-6.48	4,200	2,800
MSM	UP	Pressure	1	0.7	0.1	0.586-0.829	4,197	2,798
	UP	RDO_concen	1	0.0	0.0	0-0	4,197	2,798
	UP	Salinity	1	5.3	0.1	5.18-5.42	4,197	2,798
	UP	Temperature	1	13.0	0.7	11.93-14.31	4,197	2,798
	UP	Water_Density	1	1.0	0.0	1.003-1.004	4,197	2,798
	UP	pH	1	4.4	0.0	4.4-4.43	4,197	2,798
	TR	Pressure	1	1.1	0.0	1.027-1.192	4,197	2,798
	TR	RDO_concen	1	0.0	0.0	0-0	4,197	2,798
	TR	Salinity	1	11.9	0.1	11.67-12.06	4,197	2,798
	TR	Temperature	1	14.0	0.6	12.93-15.06	4,197	2,798
	TR	Water_Density	1	1.0	0.0	1.008-1.008	4,197	2,798
	TR	pH	1	4.9	0.1	4.72-5.11	4,197	2,798
	W	Pressure	1	0.6	0.1	0.532-0.89	4,203	2,802
	W	RDO_concen	1	0.0	0.0	0-0	4,203	2,802
	W	Salinity	1	15.0	0.1	14.77-15.07	4,203	2,802
	W	Temperature	1	12.0	0.7	10.9-13.44	4,203	2,802
	W	Water_Density	1	1.0	0.0	1.011-1.011	4,203	2,802
	W	pH	1	6.4	0.1	6.28-8.96	4,203	2,802

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.8	0.3	0.497-1.592	10,308	6,873
	UP	RDO_concen	2	0.0	0.1	0-1.12	10,308	6,873
	UP	Salinity	2	0.2	0.2	0.04-0.53	10,308	6,873
	UP	Temperature	2	15.6	1.5	12.88-17.73	10,308	6,873
	UP	Water_Density	2	1.0	0.0	0.999-0.999	10,308	6,873
	UP	pH	2	5.3	0.4	4.29-5.96	10,308	6,873
	SWAMP	Pressure	1	1.2	0.0	1.171-1.249	4,197	2,798
	SWAMP	RDO_concen	1	0.0	0.0	0-0	4,197	2,798
	SWAMP	Salinity	1	0.3	0.0	0.24-0.27	4,197	2,798
	SWAMP	Temperature	1	12.9	0.6	11.99-13.85	4,197	2,798
	SWAMP	Water_Density	1	1.0	0.0	0.999-1	4,197	2,798
	SWAMP	pH	1	6.1	0.0	6.07-6.1	4,197	2,798
	TR	Pressure	1	1.2	0.1	1.008-1.541	4,200	2,800
	TR	RDO_concen	1	0.0	0.0	0-0	4,200	2,800
	TR	Salinity	1	1.7	0.0	1.6-1.73	4,200	2,800
	TR	Temperature	1	13.8	0.6	12.82-14.9	4,200	2,800
	TR	Water_Density	1	1.0	0.0	1-1.001	4,200	2,800
	TR	pH	1	6.0	0.0	5.96-6.04	4,200	2,800
	W	Pressure	1	0.0	0.0	0-0	4,197	3,831
	W	RDO_concen	1	3.1	3.4	-2.8-10.2	4,197	3,831
	W	Salinity	1	1.4	1.0	0.03-5.99	4,197	3,831
	W	Temperature	1	0.0	0.0	0-0	4,197	3,831
	W	Water_Density	1	1.4	1.0	0.03-5.99	4,197	3,831
	W	pH	1	0.6	0.1	0.46-0.91	4,197	3,831

Redox


SWH: found 8 files


GWI: found 10 files


MSM: found 0 files

GCW: found 6 files

Total: 69109 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	68.402	330.293	-439.034-4662.998	55,128	0
	W	12	-406.689	175.438	-663.853-180.314	33,576	0
GWI	UP	12	4,539.954	19.127	4146.988-4563.024	54,912	478
	TR	12	-76.499	235.720	-379.002-738.597	54,912	0
	W	12	-243.408	73.508	-470.008--75.758	33,600	0
SWH	UP	12	99.641	339.587	-427.632-725.065	33,600	0
	SWAMP	12	-122.858	103.998	-423.552-182.376	33,576	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	12	-97.335	394.771	-586.451-786.765	33,600	0
	W	12	-140.417	131.816	-356.231-240.453	33,576	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files


GCW: found 0 files

Total: 3130 data rows

GW1



MSM



	Plot name	Mean	SD	Range	N_values	N_na
GWI	W Battery_v	NaN	NA	-	528	528
	W Cable_v	NaN	NA	-	528	528
	W Conductivity	NaN	NA	-	528	528
	W Depth_m	NaN	NA	-	528	528
	W FDOM_QSU	NaN	NA	-	528	528

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	528	528
	W NLF_conductivity	NaN	NA	-	528	528
	W ODO_MgL	NaN	NA	-	528	528
	W ODO_local	NaN	NA	-	528	528
	W ODO_sat	NaN	NA	-	528	528
	W ORP_mv	NaN	NA	-	528	528
	W Pressure_psia	NaN	NA	-	528	528
	W Salinity_PPT	NaN	NA	-	528	528
	W Specific_Conductivity_uScm	NaN	NA	-	528	528
	W TDS_mg_L	NaN	NA	-	528	528
	W TSS_MgL	NaN	NA	-	528	528
	W Temp_C	NaN	NA	-	528	528
	W Turbidity_FNU	NaN	NA	-	528	528
	W Turbidity_Raw	NaN	NA	-	528	528
	W Vertical_Position_m	NaN	NA	-	528	528
	W Wiper_Current_ma	NaN	NA	-	528	528
	W Wiper_Position_mv	NaN	NA	-	528	528
	W pH	NaN	NA	-	528	528
	W pH_mv	NaN	NA	-	528	528
MSM	W Battery_v	NaN	NA	-	1,203	1,203
	W Cable_v	NaN	NA	-	1,203	1,203
	W Conductivity	NaN	NA	-	1,203	1,203
	W Depth_m	NaN	NA	-	1,203	1,203
	W FDOM_QSU	NaN	NA	-	1,203	1,203

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	1,203	1,203
	W NLF_conductivity	NaN	NA	-	1,203	1,203
	W ODO_MgL	NaN	NA	-	1,203	1,203
	W ODO_local	NaN	NA	-	1,203	1,203
	W ODO_sat	NaN	NA	-	1,203	1,203
	W ORP_mv	NaN	NA	-	1,203	1,203
	W Pressure_psia	NaN	NA	-	1,203	1,203
	W Salinity_PPT	NaN	NA	-	1,203	1,203
	W Specific_Conductivity_uScm	NaN	NA	-	1,203	1,203
	W TDS_mg_L	NaN	NA	-	1,203	1,203
	W TSS_MgL	NaN	NA	-	1,203	1,203
	W Temp_C	NaN	NA	-	1,203	1,203
	W Turbidity_FNU	NaN	NA	-	1,203	1,203
	W Turbidity_Raw	NaN	NA	-	1,203	1,203
	W Vertical_Position_m	NaN	NA	-	1,203	1,203
	W Wiper_Current_ma	NaN	NA	-	1,203	1,203
	W Wiper_Position_mv	NaN	NA	-	1,203	1,203
	W pH	NaN	NA	-	1,203	1,203
	W pH_mv	NaN	NA	-	1,203	1,203
	NA Battery_v	6.4	0.0	6.41-6.42	1,399	0
	NA Cable_v	12.2	0.6	11.54-13.65	1,399	0
	NA Conductivity	16.6	0.8	5.664-18.264	1,399	0
	NA Depth_m	1.2	0.1	0.951-1.708	1,399	0
	NA FDOM_QSU	24.7	4.0	16.41-45.05	1,399	0

	Plot name	Mean	SD	Range	N_values	N_na
	NA FDOM_RFU	7.8	1.3	5.13-14.48	1,399	0
	NA NLF_conductivity	29.0	0.7	9.99-30.51	1,399	0
	NA ODO_MgL	12.7	0.7	10.25-14.93	1,399	0
	NA ODO_local	106.0	3.6	83.05-115.04	1,399	0
	NA ODO_sat	106.0	3.6	83.05-115.04	1,399	0
	NA ORP_mv	173.2	7.9	155.89-213.68	1,399	0
	NA Pressure_psia	0.0	0.0	0-0	1,399	0
	NA Salinity_PPT	17.3	0.4	5.48-18.07	1,399	0
	NA Specific_Conductivity_uScm	28.7	0.7	9.89-30.518	1,399	0
	NA TDS_mgL	18,648.3	477.4	6428.71-19837.98	1,399	0
	NA TSS_MgL	0.0	0.0	0-0	1,399	0
	NA Temp_C	3.0	1.4	-1.123-5.381	1,399	0
	NA Turbidity_FNU	11.1	16.4	4.17-173.51	1,399	0
	NA Turbidity_Raw	0.2	0.3	0.08-3.3	1,399	0
	NA Vertical_Position_m	1.2	0.1	0.951-1.71	1,399	0
	NA Wiper_Current_ma	48.5	2.7	0-57.7	1,399	0
	NA Wiper_Position_mv	1.2	0.0	0.93-1.37	1,399	0
	NA pH	7.6	0.1	7.44-7.86	1,399	0
	NA pH_mv	-72.8	2.9	-85.46--62.45	1,399	0