

Current Dropbox data: TMP

AUTHOR

COMPASS workflows team

PUBLISHED

2026-04-03 08:04:28-04:00


Sites: TMP

Data path: C:/Users/readz/Smithsonian Dropbox/Zoe Read

Sapflow

TMP: found 9 files

Total: 1976 data rows




	Plot	N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	23	1.110	6.063	0-112.8	9,184	2,052
	F	24	0.377	0.313	0-1.299	9,240	1,760
	S	24	0.383	0.284	0-0.736	9,240	1,540

TEROS

TMP: found 9 files

Total: 1976 data rows

Warning: Expected 2 pieces. Additional pieces discarded in 130416 rows [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, ...].




	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	EC	1	1,107.7	1,521.7	11.1-3988.7	1,968	0
	C	Temp	1	1,341.9	1,809.5	10.4-4142.6	1,968	3
	C	VWC	1	1,036.8	1,454.5	11.1-3926.1	1,968	0
	C	NA	1	1,161.1	1,613.4	9.6-4108.7	37,392	13,174
	F	EC	1	1,162.5	1,629.8	11.5-3860.4	1,980	3
	F	Temp	1	1,311.9	1,785.6	11.4-3913.5	1,980	12

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	F	VWC	1	1,078.5	1,473.3	11.2-3772.8	1,980	3
	F	NA	1	1,252.8	1,727.5	8.8-4023.1	37,620	13,248
	S	EC	1	923.5	1,242.6	11.5-2738.6	1,980	3
	S	Temp	1	927.2	1,233.8	11.8-2791.4	1,980	0
	S	VWC	1	1,214.6	1,666.4	10.5-4125.5	1,980	12
	S	NA	1	972.8	1,310.2	10.1-4006.1	37,620	13,254


AquaTROLL

TMP: found 7 files


Total: 1536 data rows




Temperature






Salinity



Water_Density






	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	Pressure	2	7.6	7.2	0.314-14.901	872	436
	C	RDO_concen	2	0.0	0.0	0-0	436	216
	C	Salinity	2	0.0	0.0	0-0.06	872	436
	C	Temperature	2	12.5	0.5	12.033-12.99	872	436
	C	Water_Density	2	1.0	0.0	0.999-0.999	872	436
	C	pH	2	4.3	0.0	4.29-4.34	436	216
	F	Pressure	3	10.6	6.9	0.835-15.902	1,320	661
	F	RDO_concen	3	0.1	0.0	0.13-0.13	660	441
	F	Salinity	3	0.0	0.0	0.033-0.068	1,320	661
	F	Temperature	3	10.7	1.7	9.343-13.12	1,320	661
	F	Water_Density	3	1.0	0.0	0.999-1	1,320	661
	F	pH	3	4.7	0.0	4.67-4.68	660	441
	S	Pressure	2	9.8	5.6	4.071-15.505	880	442
	S	RDO_concen	2	3.1	0.4	2.25-4.22	440	221
	S	Salinity	2	0.6	0.2	0.378-0.88	880	442
	S	Temperature	2	11.0	1.2	9.801-12.2	880	442
	S	Water_Density	2	1.0	0.0	1-1	880	442
	S	pH	2	3.6	0.0	3.55-3.62	440	221

Redox

TMP: found 6 files

Warning: Expected 2 pieces. Additional pieces discarded in 2644 rows [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, ...].

Total: 2644 data rows



	Plot	N_sensor	Mean	SD	Range	N_values	N_na
TMP	NA	20	615.866	117.649	310.169-902.49	26,440	0

Sonde

TMP: found 0 files

Total: 0 data rows

No Data
No data files were found for Exo

