

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-10-09 12:31:24-04:00

Sites: SWH, GWI, MSM, GCW, TMP

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow

SWH: found 2 files


GWI: found 2 files

MSM: found 2 files


GCW: found 1 file

TMP: found 9 files


Total: 13010 data rows





GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.359	0.272	0-0.717	30,932	21,164
GWI	UP	9	0.544	0.060	0.406-0.647	30,894	24,390
	TR	9	0.650	0.090	0.457-0.876	30,894	24,390

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
MSM	UP	13	0.572	0.078	0.371-0.707	30,894	21,138
	TR	13	0.686	0.085	0.524-0.954	30,894	21,951
SWH	UP	13	0.328	0.066	0.183-0.45	30,894	21,138
	TR	13	0.426	0.071	0.259-0.611	30,932	21,164
TMP	C	23	0.391	0.333	0-1.169	92,682	65,040
	F	24	0.315	0.260	-0.014-0.701	92,682	65,040
	S	24	0.338	0.255	0-0.719	92,682	64,227

TEROS

SWH: found 4 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


TMP: found 9 files

Total: 17077 data rows


SWH TEROS




GWI TEROS




MSM TEROS



GCW TEROS





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	3,950.5	48.7	3898.8-4001.1	19,536	17,908
	TR	Temp	6	18.4	0.6	17.2-20.3	19,536	14,652
	TR	VWC	6	53,820.3	116,033.3	954-947181	19,536	14,652
	W	EC	4	3,362.6	15.3	3338.2-3386.6	13,008	9,757
	W	Temp	4	18.2	1.4	15-20.3	13,008	9,757
	W	VWC	4	8,120.2	1,159.8	6178-10644	13,008	9,757
GWI	UP	EC	6	2,631.3	116.1	2369.6-2831.3	19,512	14,634
	UP	Temp	6	20.7	0.3	20.1-21.6	19,512	14,634
	UP	VWC	6	697.7	650.8	20-2262	19,512	14,634
	TR	EC	6	3,215.1	90.3	3089.2-3362.9	19,512	16,842
	TR	Temp	6	20.7	0.6	19.3-21.8	19,512	16,842

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	7,917.6	3,801.3	3712-30036	19,512	16,842
	W	EC	4	3,259.9	149.8	3055.4-3441	13,024	9,768
	W	Temp	4	20.9	0.8	18.8-22.3	13,024	9,768
	W	VWC	4	10,172.8	4,139.3	4468-26909	13,024	9,768
MSM	UP	EC	5	2,788.3	66.1	2674.5-2907.8	16,260	12,195
	UP	Temp	5	20.0	0.4	18.8-21	16,260	12,195
	UP	VWC	5	1,082.3	339.0	621-1885	16,260	12,195
	TR	EC	6	3,176.2	119.4	2992.6-3384	19,512	14,634
	TR	Temp	6	20.1	0.6	16.6-21.6	19,512	14,634
	TR	VWC	6	7,226.1	2,707.7	3392-12159	19,512	14,634
	W	EC	4	3,306.7	133.9	3078.9-3429.9	13,024	9,768
	W	Temp	4	19.8	1.0	17-21.4	13,024	9,768
	W	VWC	4	9,109.4	2,774.9	5066-20223	13,024	9,768
SWH	UP	EC	6	3,119.2	144.6	2830.4-3393.5	39,024	29,268
	UP	Temp	6	19.0	0.7	16.8-20.7	39,024	29,268
	UP	VWC	6	163.8	146.4	6-747	39,024	29,268
	TR	EC	6	1,622.2	1,502.3	0-3242.3	19,536	14,652
	TR	Temp	6	11.4	10.4	0-24.8	19,536	14,652
	TR	VWC	6	959.6	1,110.4	0-5191	19,536	14,652
	W	EC	4	3,201.3	12.0	3189.6-3226.6	13,008	9,756
	W	Temp	4	22.1	0.8	19.4-23.8	13,008	9,756
	W	VWC	4	2,547.4	597.5	1326-3866	13,008	9,756
TMP	C	EC	22	3,282.8	767.5	0-4133.2	78,861	51,050
	C	Temp	22	18.7	0.9	15.6-27.8	78,861	50,813

AquaTROLL


GWI: found 3 files


MSM: found 3 files




GCW: found 2 files

TMP: found 7 files

Total: 15451 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.1	0.56-1.14	4,070	3,256
	TR	RDO_concen	1	0.0	0.0	0-0	3,256	2,442
	TR	Salinity	1	3.3	0.2	2.78-3.75	4,070	3,256
	TR	Temperature	1	18.1	0.3	17.8-18.54	4,070	3,256
	TR	Water_Density	1	1.0	0.0	1.001-1.001	4,070	3,256
	TR	pH	1	6.3	0.0	6.21-6.41	3,256	2,442
	W	Pressure	1	1.2	0.2	1.083-1.842	4,065	3,252
	W	RDO_concen	1	0.0	0.0	0.05-0.05	3,252	2,439
	W	Salinity	1	11.2	0.1	10.95-11.32	4,065	3,252
	W	Temperature	1	17.9	0.0	17.78-17.93	4,065	3,252
	W	Water_Density	1	1.0	0.0	1.007-1.007	4,065	3,252
	W	pH	1	6.6	0.0	6.61-6.65	3,252	2,439
GWI	UP	Pressure	1	1.0	0.1	0.829-1.139	4,065	3,393
	UP	RDO_concen	1	0.0	0.0	0-0	3,252	2,580
	UP	Salinity	1	3.1	0.2	2.46-3.45	4,065	3,393
	UP	Temperature	1	20.2	0.1	20.04-20.33	4,065	3,393
	UP	Water_Density	1	1.0	0.0	1-1.001	4,065	3,393
	UP	pH	1	4.4	0.1	4.33-4.51	3,252	2,580
	TR	Pressure	1	0.9	0.0	0.815-1.113	4,065	3,620
	TR	RDO_concen	1	0.0	0.0	0-0	3,252	2,807
	TR	Salinity	1	16.1	0.1	16.06-16.22	4,065	3,620
	TR	Temperature	1	20.8	0.4	20.4-21.43	4,065	3,620
	TR	Water_Density	1	1.0	0.0	1.01-1.01	4,065	3,620
	TR	pH	1	5.2	0.0	5.14-5.23	3,252	2,807

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.6	0.1	0.516-1.009	4,070	3,256
	W	RDO_concen	1	0.0	0.0	0-0	3,256	2,442
	W	Salinity	1	22.7	0.0	22.61-22.75	4,070	3,256
	W	Temperature	1	21.2	0.4	20.72-22.03	4,070	3,256
	W	Water_Density	1	1.0	0.0	1.015-1.015	4,070	3,256
	W	pH	1	6.3	0.0	6.34-6.36	3,256	2,442
MSM	UP	Pressure	1	0.4	0.0	0.291-0.515	4,065	3,252
	UP	RDO_concen	1	0.0	0.0	0-0	3,252	2,439
	UP	Salinity	1	3.8	0.0	3.81-3.86	4,065	3,252
	UP	Temperature	1	19.7	0.2	19.49-20.12	4,065	3,252
	UP	Water_Density	1	1.0	0.0	1.001-1.001	4,065	3,252
	UP	pH	1	4.1	0.0	4.07-4.12	3,252	2,439
	TR	Pressure	1	1.2	0.1	1.084-1.563	4,065	3,252
	TR	RDO_concen	1	0.0	0.0	0-0	3,252	2,439
	TR	Salinity	1	11.8	1.0	11.54-38.9	4,065	3,252
	TR	Temperature	1	20.5	1.5	-17.67-21.77	4,065	3,252
	TR	Water_Density	1	1.0	0.0	1.007-1.03	4,065	3,252
	TR	pH	1	4.9	0.1	4.73-5.08	3,252	2,439
	W	Pressure	1	0.9	0.2	0.717-1.424	4,070	3,256
	W	RDO_concen	1	0.0	0.0	0-0	3,256	2,442
	W	Salinity	1	13.5	0.0	13.39-13.49	4,070	3,256
	W	Temperature	1	19.9	0.3	19.52-20.34	4,070	3,256
	W	Water_Density	1	1.0	0.0	1.008-1.009	4,070	3,256
	W	pH	1	6.1	0.1	5.99-6.33	3,256	2,442

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.9	0.3	0.49-1.499	8,130	6,504
	UP	RDO_concen	2	0.0	0.0	0-0	6,504	4,878
	UP	Salinity	2	0.2	0.1	0.05-0.24	8,130	6,504
	UP	Temperature	2	18.5	0.6	17.88-19.29	8,130	6,504
	UP	Water_Density	2	1.0	0.0	0.998-0.999	8,130	6,504
	UP	pH	2	5.5	0.4	4.93-5.88	6,504	4,878
	TR	Pressure	1	1.3	0.1	1.179-1.751	4,070	3,625
	TR	RDO_concen	1	0.0	0.0	0-0	3,256	2,811
	TR	Salinity	1	1.6	0.0	1.58-1.59	4,070	3,625
	TR	Temperature	1	19.7	0.0	19.64-19.72	4,070	3,625
	TR	Water_Density	1	1.0	0.0	0.999-0.999	4,070	3,625
	TR	pH	1	5.9	0.0	5.91-5.96	3,256	2,811
	W	Pressure	1	1.5	0.3	1.183-2.151	4,065	3,252
	W	RDO_concen	1	0.0	0.0	0-0	3,252	2,439
	W	Salinity	1	2.0	0.0	1.91-2.01	4,065	3,252
	W	Temperature	1	21.6	0.1	21.43-21.65	4,065	3,252
	W	Water_Density	1	1.0	0.0	0.999-0.999	4,065	3,252
	W	pH	1	6.1	0.0	6.11-6.18	3,252	2,439
TMP	C	Pressure	2	7.4	7.4	-0.156-14.958	8,130	6,504
	C	RDO_concen	2	2.5	0.1	2.38-2.7	6,504	5,691
	C	Salinity	2	0.0	0.0	0-0.06	8,130	6,504
	C	Temperature	2	14.5	0.3	14.19-14.798	8,130	6,504
	C	Water_Density	2	1.0	0.0	0.999-0.999	8,130	6,504
	C	pH	2	4.8	0.0	4.74-4.83	6,504	5,691

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	F	Pressure	3	10.2	6.8	0.603-15.145	12,195	9,756
	F	RDO_concen	3	0.7	0.4	0.25-1.86	9,756	8,943
	F	Salinity	3	0.1	0.0	0.04-0.136	12,195	9,756
	F	Temperature	3	15.9	1.3	13.98-17.26	12,195	9,756
	F	Water_Density	3	1.0	0.0	0.999-0.999	12,195	9,756
	F	pH	3	4.5	0.0	4.52-4.57	9,756	8,943
	S	Pressure	2	8.3	6.6	1.523-14.969	8,130	6,504
	S	RDO_concen	2	0.0	0.0	0-0	6,504	5,691
	S	Salinity	2	0.3	0.3	0-0.67	8,130	6,504
	S	Temperature	2	15.3	1.0	14.27-16.26	8,130	6,504
	S	Water_Density	2	1.0	0.0	0.999-1	8,130	6,504
	S	pH	2	3.9	0.0	3.76-3.93	6,504	5,691

Redox