

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-10-23 12:24:58-04:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 2 files

GWI: found 2 files


MSM: found 2 files

GCW: found 1 file

Total: 44552 data rows




GW



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.363	0.274	0-0.717	51,768	25,884
GWI	UP	9	0.368	0.745	-8.2-0.654	51,768	34,512
	TR	9	0.665	0.096	0.419-0.976	758,640	505,760
MSM	UP	12	0.578	0.075	0.371-0.707	51,768	25,884
	TR	12	0.688	0.084	0.524-0.96	51,768	28,041
SWH	UP	12	0.333	0.064	0.183-0.452	51,768	25,884
	TR	12	0.432	0.067	0.259-0.618	51,768	25,884

TEROS


SWH: found 4 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 55339 data rows




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	55,907.3	120,520.0	954-1148732	38,826	25,884
	TR	Temp	6	17.1	1.2	13.9-20.3	38,826	25,884
	TR	VWC	6	3,951.6	48.3	3898.8-4003.4	38,826	34,512
	W	EC	4	8,364.5	1,281.9	6178-11951	25,884	17,257
	W	Temp	4	16.5	1.9	11.4-20.3	25,884	17,257
	W	VWC	4	3,361.8	14.9	3335.4-3386.6	25,884	17,257
GWI	UP	EC	6	1,827.0	2,470.8	20-136819	38,826	25,884
	UP	Temp	6	20.0	0.8	18.2-21.6	38,826	25,884
	UP	VWC	6	2,752.8	199.8	2354.3-3388.3	38,826	25,884
	TR	EC	6	8,909.9	5,133.1	3666-53094	568,980	554,262
	TR	Temp	6	19.7	1.4	16.2-22.8	568,980	554,262

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,222.4	102.4	3065.1-3396.9	568,980	554,262
	W	EC	4	10,135.7	4,127.2	4303-33892	25,896	17,264
	W	Temp	4	19.5	1.5	15.6-22.3	25,896	17,264
	W	VWC	4	3,252.6	154.1	3028.5-3441	25,896	17,264
MSM	UP	EC	5	1,106.2	327.0	621-2068	32,355	21,570
	UP	Temp	5	19.0	1.0	16.6-21	32,355	21,570
	UP	VWC	5	2,783.5	68.9	2674.5-2932.6	32,355	21,570
	TR	EC	6	7,546.8	2,915.1	3392-13667	38,826	25,884
	TR	Temp	6	18.9	1.2	16.3-21.6	38,826	25,884
	TR	VWC	6	3,175.3	122.7	2979.8-3384	38,826	25,884
	W	EC	4	9,268.8	2,894.8	5066-20592	25,896	17,264
	W	Temp	4	18.3	1.7	12.5-21.4	25,896	17,264
	W	VWC	4	3,302.6	135.3	3067.2-3435.4	25,896	17,264
SWH	UP	EC	6	226.0	228.5	6-1846	77,652	51,768
	UP	Temp	6	17.8	1.4	13.6-20.7	77,652	51,768
	UP	VWC	6	3,116.0	144.6	2817.3-3393.5	77,652	51,768
	TR	EC	6	1,766.8	1,434.3	0-9155	38,826	25,884
	TR	Temp	6	15.4	7.2	0-24.8	38,826	25,884
	TR	VWC	6	2,462.5	1,174.8	0-3322.8	38,826	25,884
	W	EC	4	2,734.9	726.9	1326-5836	25,884	17,256
	W	Temp	4	20.3	1.8	14.8-23.8	25,884	17,256
	W	VWC	4	3,205.2	14.7	3189.1-3250.8	25,884	17,256


SWH: found 4 files




GWI: found 3 files



MSM: found 3 files

GCW: found 2 files

Total: 55339 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.1	0.512-1.14	6,471	4,314
	TR	RDO_concen	1	0.0	0.0	0-0	6,471	4,314
	TR	Salinity	1	3.6	0.5	2.78-4.64	6,471	4,314
	TR	Temperature	1	17.4	0.8	15.95-18.54	6,471	4,314
	TR	Water_Density	1	1.0	0.0	1.001-1.002	6,471	4,314
	TR	pH	1	6.3	0.0	6.2-6.41	6,471	4,314
	W	Pressure	1	1.2	0.1	1.073-1.842	6,471	4,314

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	RDO_concen	1	0.0	0.0	0.04-0.05	6,471	4,314
	W	Salinity	1	11.3	0.2	10.95-11.58	6,471	4,314
	W	Temperature	1	17.6	0.3	16.91-17.93	6,471	4,314
	W	Water_Density	1	1.0	0.0	1.007-1.008	6,471	4,314
	W	pH	1	6.7	0.0	6.61-6.72	6,471	4,314
GWI	UP	Pressure	1	1.0	0.1	0.721-1.604	6,471	4,455
	UP	RDO_concen	1	0.0	0.2	0-2.12	6,471	4,455
	UP	Salinity	1	5.8	2.5	2.46-8.67	6,471	4,455
	UP	Temperature	1	19.9	0.3	19.2-20.33	6,471	4,455
	UP	Water_Density	1	1.0	0.0	1-1.005	6,471	4,455
	UP	pH	1	4.3	0.2	3.92-4.53	6,471	4,455
	TR	Pressure	1	0.6	0.2	0.023-1.74	94,830	80,543
	TR	RDO_concen	1	0.0	0.1	0-1.6	94,830	80,593
	TR	Salinity	1	15.7	1.4	0-19.56	94,830	80,460
	TR	Temperature	1	18.2	4.8	0-24.28	94,830	80,444
	TR	Water_Density	1	1.0	0.0	1-1.015	94,830	81,048
	TR	pH	1	5.4	0.3	0-5.98	94,830	80,425
	W	Pressure	1	0.6	0.1	0.453-1.578	6,474	4,316
	W	RDO_concen	1	0.0	0.0	0-0	6,474	4,316
	W	Salinity	1	22.6	0.1	22.48-22.75	6,474	4,316
	W	Temperature	1	20.2	1.1	18.31-22.03	6,474	4,316
	W	Water_Density	1	1.0	0.0	1.015-1.016	6,474	4,316
	W	pH	1	6.4	0.0	6.34-6.39	6,474	4,316
MSM	UP	Pressure	1	0.3	0.1	0.154-0.653	6,471	4,314

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	UP	RDO_concen	1	0.0	0.0	0-0	6,471	4,314
	UP	Salinity	1	3.8	0.0	3.77-3.86	6,471	4,314
	UP	Temperature	1	19.1	0.6	18.1-20.12	6,471	4,314
	UP	Water_Density	1	1.0	0.0	1.001-1.002	6,471	4,314
	UP	pH	1	4.1	0.0	4.07-4.13	6,471	4,314
	TR	Pressure	1	1.2	0.1	1.084-1.563	6,471	4,314
	TR	RDO_concen	1	0.0	0.0	0-0	6,471	4,314
	TR	Salinity	1	11.7	0.6	11.54-38.9	6,471	4,314
	TR	Temperature	1	19.8	1.1	-17.67-21.77	6,471	4,314
	TR	Water_Density	1	1.0	0.0	1.007-1.03	6,471	4,314
	TR	pH	1	4.9	0.1	4.73-5.13	6,471	4,314
	W	Pressure	1	0.9	0.1	0.676-1.424	6,474	4,316
	W	RDO_concen	1	0.0	0.0	0-0	6,474	4,316
	W	Salinity	1	13.7	0.2	13.39-14.24	6,474	4,316
	W	Temperature	1	19.1	0.8	17.77-20.34	6,474	4,316
	W	Water_Density	1	1.0	0.0	1.008-1.009	6,474	4,316
	W	pH	1	6.3	0.2	5.99-6.45	6,474	4,316
SWH	UP	Pressure	2	0.9	0.3	0.488-1.854	12,942	8,628
	UP	RDO_concen	2	0.0	0.0	0-0.68	12,942	8,628
	UP	Salinity	2	0.2	0.2	0.05-0.63	12,942	8,628
	UP	Temperature	2	18.2	0.6	17.07-19.29	12,942	8,628
	UP	Water_Density	2	1.0	0.0	0.998-0.999	12,942	8,628
	UP	pH	2	5.5	0.4	4.66-5.92	12,942	8,628
	TR	Pressure	1	1.3	0.2	1.163-2.135	6,471	4,684

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	RDO_concen	1	0.0	0.0	0-0	6,471	4,684
	TR	Salinity	1	1.6	0.0	1.57-1.68	6,471	4,684
	TR	Temperature	1	19.2	0.4	18.41-19.72	6,471	4,684
	TR	Water_Density	1	1.0	0.0	0.999-1	6,471	4,684
	TR	pH	1	6.0	0.1	5.91-6.14	6,471	4,684
	W	Pressure	1	1.5	0.3	1.175-2.506	6,471	4,314
	W	RDO_concen	1	0.0	0.0	0-0	6,471	4,314
	W	Salinity	1	2.2	0.2	1.91-2.62	6,471	4,314
	W	Temperature	1	21.1	0.5	20.11-21.65	6,471	4,314
	W	Water_Density	1	1.0	0.0	0.999-1	6,471	4,314
	W	pH	1	6.1	0.0	6.1-6.19	6,471	4,314

Redox