

Current Dropbox data: LE

AUTHOR

COMPASS workflows team

PUBLISHED

2026-02-12 13:11:24-05:00

Sites: PTR, CRC, OWC

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson


Sapflow



PTR: found 2 files

CRC: found 2 files

OWC: found 2 files

Total: 6649 data rows





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	1	59.176	197.199	-0.012-940	15,624	8,497
	TR	12	NaN	NA	-	15,624	15,624
OWC	UP	9	-0.709	40.454	-64.99-824	15,624	13,491

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
PTR	TR	9	0.001	0.010	-0.048-0.038	15,624	11,718
	UP	12	111.754	257.419	-0.024-976	15,624	10,727
	TR	12	32.898	147.163	-0.038-877	15,624	9,450


TEROS

PTR: found 3 files


CRC: found 3 files

OWC: found 3 files


Total: 9903 data rows



CRC TEROS



OWC TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	EC	6	59.8	82.9	0-331	11,718	7,812
	UP	Temp	6	1.2	1.0	0.2-3.4	11,718	7,812
	UP	VWC	6	2,337.9	162.7	2064.7-2566.3	11,718	7,812
	TR	EC	6	140.9	132.7	0-443	11,718	7,812
	TR	Temp	6	1.2	0.8	0-2.5	11,718	7,812
	TR	VWC	6	2,495.3	161.3	2157.9-2702.1	11,718	7,812
	W	EC	6	200.1	194.6	6-547	10,440	8,120
	W	Temp	6	0.6	1.0	-1.7-1.9	10,440	8,120
	W	VWC	6	2,447.2	267.7	2009.8-2744.6	10,440	8,120
OWC	UP	EC	6	114.0	46.3	30-228	11,718	7,812
	UP	Temp	6	1.2	0.4	0.6-2	11,718	7,812
	UP	VWC	6	2,677.5	63.4	2570.4-2769.6	11,718	7,812
	TR	EC	6	300.8	43.7	236-421	11,718	7,812
	TR	Temp	6	1.5	0.5	1.1-2.7	11,718	7,812
	TR	VWC	6	2,942.2	88.2	2802.8-3072.4	11,718	7,812
	W	EC	6	207.8	189.6	0-535	11,718	7,812
	W	Temp	6	1.5	1.1	0-2.8	11,718	7,812
	W	VWC	6	2,022.0	1,431.9	0-3190.4	11,718	7,812
PTR	UP	EC	6	52.4	48.0	0-164	11,718	7,812
	UP	Temp	6	0.8	0.5	0-1.7	11,718	7,812
	UP	VWC	6	2,396.1	82.4	2256.2-2532.5	11,718	7,812
	TR	EC	6	87.6	96.3	4-319	11,718	7,812
	TR	Temp	6	0.5	0.5	-0.5-1.1	11,718	7,812
	TR	VWC	6	2,440.9	176.4	2114.4-2619.4	11,718	7,812

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	EC	6	103.4	134.8	0-398	11,718	7,812
	W	Temp	6	0.2	0.9	-2.4-1.7	11,718	7,812
	W	VWC	6	1,662.9	1,202.5	0-2840	11,718	7,812


AquaTROLL

PTR: found 3 files


CRC: found 3 files

OWC: found 5 files


Total: 12121 data rows




Temperature




Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
CRC	UP	Pressure	1	0.0	0.0	-0.004-0.033	1,953	1,302
	UP	RDO_concen	1	7.9	0.5	7.09-8.79	1,953	1,302
	UP	Salinity	1	0.0	0.0	0-0	1,953	1,302
	UP	Temperature	1	11.3	0.0	11.27-11.52	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	UP	pH	1	NaN	NA	-	1,953	1,953
	TR	Pressure	1	0.0	0.0	-0.031--0.022	1,953	1,302
	TR	RDO_concen	1	11.5	0.1	11.31-11.68	1,953	1,302
	TR	Salinity	1	0.0	0.0	0-0	1,953	1,302
	TR	Temperature	1	7.1	0.1	6.88-7.25	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	TR	pH	1	NaN	NA	-	1,953	1,953
	W	Pressure	1	0.0	0.1	-0.225-0.136	1,740	1,160
	W	RDO_concen	1	11.0	5.3	2.62-15.05	1,740	1,160
	W	Salinity	1	0.1	0.2	0-0.39	1,740	1,160
	W	Temperature	1	2.5	0.2	2.3-2.83	1,740	1,160
	W	Water_Density	1	1.0	0.0	1-1	1,740	1,160
	W	pH	1	NaN	NA	-	1,740	1,740
OWC	UP	Pressure	3	0.5	0.1	0.412-0.698	5,859	5,208
	UP	RDO_concen	3	1.2	1.6	0-4.91	5,859	5,208
	UP	Salinity	3	0.0	0.0	0-0	5,859	5,208
	UP	Temperature	3	2.6	0.1	2.19-2.79	5,859	5,208
	UP	Water_Density	3	1.0	0.0	1-1	5,859	5,208
	UP	pH	3	NaN	NA	-	5,859	5,859

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	Pressure	1	0.8	0.1	0.654-0.868	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	0.2	0.0	0.19-0.21	1,953	1,302
	TR	Temperature	1	4.3	0.1	4.14-4.52	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	TR	pH	1	NaN	NA	-	1,953	1,953
	W	Pressure	1	0.3	0.1	0.203-0.434	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	0.3	0.0	0.28-0.29	1,953	1,302
	W	Temperature	1	3.1	0.1	2.92-3.44	1,953	1,302
	W	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	W	pH	1	NaN	NA	-	1,953	1,953
PTR	UP	Pressure	1	1.5	0.0	1.454-1.602	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	1.8	0.0	1.67-1.81	1,953	1,302
	UP	Temperature	1	11.8	0.0	11.76-11.87	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.001-1.001	1,953	1,302
	UP	pH	1	6.7	0.0	6.65-6.74	1,953	1,302
	TR	Pressure	1	1.3	0.1	1.192-1.427	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	2.5	0.0	2.43-2.59	1,953	1,302
	TR	Temperature	1	10.0	0.1	9.84-10.17	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,953	1,302
	TR	pH	1	6.7	0.0	6.72-6.74	1,953	1,302

	Plot name	N_sensor	Mean	SD	Range	N_values	N_na
	W Pressure	1	0.4	0.0	0.332-0.412	1,953	1,302
	W RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W Salinity	1	2.2	0.0	2.08-2.18	1,953	1,302
	W Temperature	1	5.1	0.1	4.84-5.33	1,953	1,302
	W Water_Density	1	1.0	0.0	1.002-1.002	1,953	1,302
	W pH	1	NaN	NA	-	1,953	1,953

Redox

PTR: found 0 files

CRC: found 0 files

OWC: found 0 files

Total: 0 data rows

No Data

No data files were found for Redox

Sonde

PTR: found 1 file


CRC: found 1 file

OWC: ignoring backup file(s)


OWC: found 2 files

Total: 4362 data rows


PTR



CRC



OWC



	name	Mean	SD	Range	N_values	N_na
CRC	BGA_PC_Raw	NaN	NA	-	580	580
	BGA_PC_ugL	NaN	NA	-	580	580
	Battery_v	NaN	NA	-	580	580
	Cable_v	NaN	NA	-	580	580
	Chlorophyll_RFU	NaN	NA	-	580	580

	name	Mean	SD	Range	N_values	N_na
	Chlorophyll_Raw	NaN	NA	-	580	580
	Chlorophyll_cellsmL	NaN	NA	-	580	580
	Chlorophyll_ugL	NaN	NA	-	580	580
	Conductivity	NaN	NA	-	580	580
	Depth_m	NaN	NA	-	580	580
	FDOM_QSU	NaN	NA	-	580	580
	FDOM_RFU	NaN	NA	-	580	580
	NLF_conductivity	NaN	NA	-	580	580
	ODO_MgL	NaN	NA	-	580	580
	ODO_local	NaN	NA	-	580	580
	ODO_sat	NaN	NA	-	580	580
	ORP_mv	NaN	NA	-	580	580
	Pressure_psia	NaN	NA	-	580	580
	Rhodamine_ugL	NaN	NA	-	580	580
	Salinity_PPT	NaN	NA	-	580	580
	Specific_Conductivity_uScm	NaN	NA	-	580	580
	TAL_PC_cellsmL	NaN	NA	-	580	580
	TDS_mgL	NaN	NA	-	580	580
	TSS_MgL	NaN	NA	-	580	580
	Temp_C	NaN	NA	-	580	580
	Turbidity_FNU	NaN	NA	-	580	580
	Turbidity_Raw	NaN	NA	-	580	580
	Vertical_Position_m	NaN	NA	-	580	580
	Wiper_Current_ma	NaN	NA	-	580	580

	name	Mean	SD	Range	N_values	N_na
	Wiper_Position_mv	NaN	NA	-	580	580
	pH	NaN	NA	-	580	580
	pH_mv	NaN	NA	-	580	580
OWC	BGA_PC_Raw	NaN	NA	-	1,302	1,302
	BGA_PC_ugL	NaN	NA	-	1,302	1,302
	Battery_v	NaN	NA	-	1,302	1,302
	Cable_v	NaN	NA	-	1,302	1,302
	Chlorophyll_RFU	NaN	NA	-	1,302	1,302
	Chlorophyll_Raw	NaN	NA	-	1,302	1,302
	Chlorophyll_cellsmL	NaN	NA	-	1,302	1,302
	Chlorophyll_ugL	NaN	NA	-	1,302	1,302
	Conductivity	NaN	NA	-	1,302	1,302
	Depth_m	NaN	NA	-	1,302	1,302
	FDOM_QSU	NaN	NA	-	1,302	1,302
	FDOM_RFU	NaN	NA	-	1,302	1,302
	NLF_conductivity	NaN	NA	-	1,302	1,302
	ODO_MgL	NaN	NA	-	1,302	1,302
	ODO_local	NaN	NA	-	1,302	1,302
	ODO_sat	NaN	NA	-	1,302	1,302
	ORP_mv	NaN	NA	-	1,302	1,302
	Pressure_psia	NaN	NA	-	1,302	1,302
	Rhodamine_ugL	NaN	NA	-	1,302	1,302
	Salinity_PPT	NaN	NA	-	1,302	1,302
	Specific_Conductivity_uScm	NaN	NA	-	1,302	1,302

	name	Mean	SD	Range	N_values	N_na
	TAL_PC_cellsmL	NaN	NA	-	1,302	1,302
	TDS_mg_L	NaN	NA	-	1,302	1,302
	TSS_MgL	NaN	NA	-	1,302	1,302
	Temp_C	NaN	NA	-	1,302	1,302
	Turbidity_FNU	NaN	NA	-	1,302	1,302
	Turbidity_Raw	NaN	NA	-	1,302	1,302
	Vertical_Position_m	NaN	NA	-	1,302	1,302
	Wiper_Current_ma	NaN	NA	-	1,302	1,302
	Wiper_Position_mv	NaN	NA	-	1,302	1,302
	pH	NaN	NA	-	1,302	1,302
	pH_mv	NaN	NA	-	1,302	1,302
PTR	BGA_PC_Raw	NaN	NA	-	651	651
	BGA_PC_ugL	NaN	NA	-	651	651
	Battery_v	NaN	NA	-	651	651
	Cable_v	NaN	NA	-	651	651
	Chlorophyll_RFU	NaN	NA	-	651	651
	Chlorophyll_Raw	NaN	NA	-	651	651
	Chlorophyll_cellsmL	NaN	NA	-	651	651
	Chlorophyll_ugL	NaN	NA	-	651	651
	Conductivity	NaN	NA	-	651	651
	Depth_m	NaN	NA	-	651	651
	FDOM_QSU	NaN	NA	-	651	651
	FDOM_RFU	NaN	NA	-	651	651
	NLF_conductivity	NaN	NA	-	651	651

	name	Mean	SD	Range	N_values	N_na
	ODO_MgL	NaN	NA	-	651	651
	ODO_local	NaN	NA	-	651	651
	ODO_sat	NaN	NA	-	651	651
	ORP_mv	NaN	NA	-	651	651
	Pressure_psia	NaN	NA	-	651	651
	Rhodamine_ugL	NaN	NA	-	651	651
	Salinity_PPT	NaN	NA	-	651	651
	Specific_Conductivity_uScm	NaN	NA	-	651	651
	TAL_PC_cellsmL	NaN	NA	-	651	651
	TDS_mg_L	NaN	NA	-	651	651
	TSS_MgL	NaN	NA	-	651	651
	Temp_C	NaN	NA	-	651	651
	Turbidity_FNU	NaN	NA	-	651	651
	Turbidity_Raw	NaN	NA	-	651	651
	Vertical_Position_m	NaN	NA	-	651	651
	Wiper_Current_ma	NaN	NA	-	651	651
	Wiper_Position_mv	NaN	NA	-	651	651
	pH	NaN	NA	-	651	651
	pH_mv	NaN	NA	-	651	651