

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2026-02-12 13:16:14-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files



GWI: found 2 files


MSM: found 2 files

GCW: found 1 file

Total: 8943 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.574	0.091	0.35-0.769	15,624	10,416
GWI	UP	9	0.573	0.044	0.454-0.679	15,624	10,416
	TR	9	0.650	0.111	0.406-1.006	15,624	10,416
MSM	UP	12	0.608	0.068	0.463-0.76	15,624	7,812
	TR	12	0.709	0.099	0.573-1.126	15,624	8,463
SWH	SWAMP	12	0.391	0.050	0.265-0.521	15,624	7,812
	TR	12	0.445	0.063	0.329-0.743	15,648	7,824

TEROS

SWH: found 6 files


GWI: found 3 files

MSM: found 3 files


GCW: found 2 files

Total: 15504 data rows


SWH Teros




GWI TEROs



MSM TEROs



GCW TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	1,483.3	386.5	827-2227	11,718	7,812
	TR	Temp	6	3.6	0.6	2.4-4.5	11,718	7,812
	TR	VWC	6	3,114.5	409.9	2794.4-4021	11,718	7,812
	W	EC	6	6,470.5	4,025.3	1111-14240	11,718	9,114
	W	Temp	6	0.0	0.6	-1.1-1	11,718	9,114
	W	VWC	6	3,285.0	61.5	3102.3-3333.9	11,718	9,114
GWI	UP	EC	6	1,318.7	1,072.4	196-3859	11,718	7,812
	UP	Temp	6	9.4	0.7	7.9-10.4	11,718	7,812
	UP	VWC	6	2,658.5	144.1	2362.2-2820.8	11,718	7,812
	TR	EC	6	6,639.4	2,033.4	4549-15813	11,718	7,812
	TR	Temp	6	4.3	0.9	2.1-6.3	11,718	7,812

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,078.7	112.3	2903.2-3264.9	11,718	7,812
	W	EC	6	10,419.7	4,408.7	4440-26980	11,736	9,128
	W	Temp	6	3.1	1.0	1.2-4.9	11,736	9,128
	W	VWC	6	3,124.9	227.8	2838.6-3408.1	11,736	9,128
MSM	UP	EC	6	2,149.9	405.0	1389-3081	11,718	7,812
	UP	Temp	6	5.2	0.7	3.7-6.4	11,718	7,812
	UP	VWC	6	2,875.4	67.3	2749.8-2958.5	11,718	7,812
	TR	EC	6	5,192.7	1,101.8	3280-7630	11,718	7,812
	TR	Temp	6	4.8	0.7	3.3-6.3	11,718	7,812
	TR	VWC	6	3,025.4	111.4	2895.1-3261	11,718	7,812
	W	EC	6	9,293.2	2,401.6	5893-15639	11,736	9,128
	W	Temp	6	2.8	1.8	-0.1-5.1	11,736	9,128
	W	VWC	6	3,233.9	172.5	2943.9-3402.7	11,736	9,128
SWH	UP	EC	6	31.0	19.9	0-87	11,736	7,824
	UP	Temp	6	5.1	0.8	3.4-6.7	11,736	7,824
	UP	VWC	6	3,093.4	60.4	2981.3-3212.8	11,736	7,824
	SWAMP	EC	6	101.2	37.2	0-220	11,718	7,812
	SWAMP	Temp	6	0.9	0.5	0-1.8	11,718	7,812
	SWAMP	VWC	6	3,375.2	64.8	3246.2-3444.5	11,718	7,812
	TR	EC	6	720.6	643.3	0-2488	11,736	7,824
	TR	Temp	6	1.2	1.0	-1.7-3.2	11,736	7,824
	TR	VWC	6	2,912.9	458.3	1880.8-3330.4	11,736	7,824
	W	EC	6	2,172.5	465.2	1339-4450	11,718	9,123
	W	Temp	6	2.4	0.9	0-6.4	11,718	9,123

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,235.7	66.9	0-3267	11,718	9,123

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)

MSM: found 3 files


GCW: ignoring backup file(s)

GCW: found 2 files


Total: 21323 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.0	0.794-0.866	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	2.9	0.0	2.93-2.94	1,956	1,304
	TR	Temperature	1	6.3	0.1	5.99-6.44	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,956	1,304
	TR	pH	1	3.4	0.1	3.25-3.48	1,956	1,304
	W	Pressure	1	1.0	0.1	-0.035-1.214	1,953	1,302
	W	RDO_concen	1	0.0	0.5	0.02-12.61	1,953	1,302
	W	Salinity	1	11.2	0.6	0.01-11.89	1,953	1,302
	W	Temperature	1	7.2	0.5	3.76-7.67	1,953	1,302
	W	Water_Density	1	1.0	0.0	1-1.009	1,953	1,302
	W	pH	1	7.0	0.0	6.75-7.03	1,953	1,302
GWI	UP	Pressure	1	NaN	NA	-	1,953	1,953
	UP	RDO_concen	1	NaN	NA	-	1,953	1,953
	UP	Salinity	1	8.3	0.0	8.26-8.4	1,953	1,302
	UP	Temperature	1	11.7	0.1	11.45-11.98	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.006-1.006	1,953	1,302
	UP	pH	1	4.5	0.0	4.45-4.5	1,953	1,302
	TR	Pressure	1	0.8	0.0	0.731-0.795	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	17.0	0.0	16.99-17.12	1,953	1,302
	TR	Temperature	1	6.2	0.2	5.86-6.45	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.013-1.013	1,953	1,302
	TR	pH	1	5.9	0.0	5.94-5.95	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.456-0.538	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	20.1	0.0	20.06-20.18	1,956	1,304
	W	Temperature	1	4.7	0.2	4.44-4.96	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.016-1.016	1,956	1,304
	W	pH	1	6.4	0.0	6.34-6.51	1,956	1,304
MSM	UP	Pressure	1	0.8	0.0	0.716-0.826	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	4.7	0.0	4.72-4.76	1,953	1,302
	UP	Temperature	1	7.8	0.2	7.59-8.07	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.004-1.004	1,953	1,302
	UP	pH	1	4.5	0.0	4.48-4.49	1,953	1,302
	TR	Pressure	1	1.4	0.1	1.154-1.504	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	10.9	0.0	10.87-10.93	1,953	1,302
	TR	Temperature	1	8.9	0.2	8.61-9.14	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.008-1.008	1,953	1,302
	TR	pH	1	4.5	0.0	4.41-4.61	1,953	1,302
	W	Pressure	1	0.7	0.1	0.609-1.038	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	14.6	0.1	14.45-14.84	1,956	1,304
	W	Temperature	1	6.8	0.2	6.46-7.19	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.011-1.012	1,956	1,304
	W	pH	1	6.5	0.2	6.38-8.58	1,956	1,304

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.7	0.0	0.633-0.738	1,956	1,304
	UP	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	UP	Salinity	1	0.0	0.0	0.03-0.03	1,956	1,304
	UP	Temperature	1	9.3	0.2	9.02-9.57	1,956	1,304
	UP	Water_Density	1	1.0	0.0	1-1	1,956	1,304
	UP	pH	1	4.9	0.0	4.65-4.9	1,956	1,304
	SWAMP	Pressure	1	1.2	0.0	1.151-1.219	1,953	1,302
	SWAMP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	SWAMP	Salinity	1	0.2	0.0	0.15-0.17	1,953	1,302
	SWAMP	Temperature	1	8.8	0.2	8.52-9.03	1,953	1,302
	SWAMP	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	SWAMP	pH	1	6.0	0.0	5.97-6	1,953	1,302
	TR	Pressure	1	1.1	0.1	1.051-1.296	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	1.5	0.0	1.45-1.46	1,956	1,304
	TR	Temperature	1	9.2	0.1	8.92-9.42	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1.001-1.001	1,956	1,304
	TR	pH	1	6.0	0.0	5.97-5.98	1,956	1,304
	W	Pressure	1	NaN	NA	-	1,953	1,953
	W	RDO_concen	1	NaN	NA	-	1,953	1,953
	W	Salinity	1	NaN	NA	-	1,953	1,953
	W	Temperature	1	NaN	NA	-	1,953	1,953
	W	Water_Density	1	NaN	NA	-	1,953	1,953
	W	pH	1	NaN	NA	-	1,953	1,953

Redox


SWH: found 8 files


GW1: found 6 files


MSM: found 6 files


GCW: found 5 files

Total: 56828 data rows









	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	139.391	287.632	-429.482-550.746	15,600	0
	W	12	-339.649	228.719	-605.81-522.415	15,600	0
GWI	UP	12	363.980	354.059	-224.778-762.102	15,600	0
	TR	12	88.099	306.212	-225.496-869.136	15,600	0
	W	12	-261.044	51.352	-410.209--154.804	15,624	0
MSM	UP	12	69.318	252.584	-349.599-396.141	15,600	0
	TR	12	267.424	349.321	-302.406-853.965	15,600	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	203.912	489.808	-401.198-1463.036	15,624	0
SWH	UP	12	158.580	343.868	-186.406-750.683	15,624	0
	SWAMP	12	-91.971	133.263	-290.723-386.139	15,600	0
	TR	12	34.906	640.762	-439.232-2840.85	15,624	0
	W	12	-165.555	117.236	-379.095-190.536	15,600	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 2839 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	6.4	0.0	6.4-6.41	650	0
	Cable_v	12.1	0.6	11.55-13.59	650	0
	Conductivity	15.5	0.3	14.603-16.297	650	0
	Depth_m	1.6	0.2	1.348-1.894	650	0
	FDOM_QSU	19.7	3.3	13.73-33.26	650	0

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	6.2	1.1	4.26-10.63	650	0
	NLF_conductivity	29.8	0.5	28.98-30.81	650	0
	ODO_MgL	14.2	0.4	11.32-14.84	650	0
	ODO_local	109.4	3.9	88.63-114.97	650	0
	ODO_sat	109.4	3.9	88.63-114.97	650	0
	ORP_mv	172.9	11.2	154.22-209.47	650	0
	Pressure_psia	0.0	0.0	0-0	650	0
	Salinity_PPT	17.7	0.3	17.12-18.24	650	0
	Specific_Conductivity_uScm	29.7	0.6	28.82-30.838	650	0
	TDS_mg_L	19,335.8	367.6	18733.03-20046.17	650	0
	TSS_MgL	0.0	0.0	0-0	650	0
	Temp_C	-0.1	0.7	-1.129-1.744	650	0
	Turbidity_FNU	15.0	24.9	4.39-169.25	650	0
	Turbidity_Raw	0.3	0.5	0.09-3.22	650	0
	Vertical_Position_m	1.6	0.2	1.351-1.895	650	0
	Wiper_Current_ma	49.1	2.1	43.7-55.05	650	0
	Wiper_Position_mv	1.2	0.0	1.19-1.21	650	0
	pH	7.5	0.1	7.22-7.71	650	0
	pH_mv	-66.0	5.0	-76.39--49.89	650	0