

Current Dropbox data: TMP

AUTHOR
COMPASS workflows team

PUBLISHED
2025-11-03 20:17:45-05:00


Sites: TMP

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow

TMP: found 9 files

Total: 2426 data rows




	Plot	N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	23	0.409	0.337	0-1.146	11,032	2,153
	F	24	0.325	0.265	-0.012-0.7	11,466	2,184
	S	24	0.350	0.262	0-0.72	11,466	1,911

TEROS

TMP: found 9 files

Total: 2426 data rows





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	EC	22	31.4	70.6	0-4014	12,093	466
	C	Temp	22	13.8	1.2	0-20.1	12,093	466
	C	VWC	22	3,327.7	716.7	0-4139.7	12,093	489
	F	EC	22	44.2	22.0	1-125	12,558	16
	F	Temp	22	14.0	5.9	11.4-57.5	12,558	16
	F	VWC	22	3,652.3	506.1	2300.8-4072.7	12,558	133
	S	EC	22	97.6	39.8	12-177	12,558	37
	S	Temp	22	12.8	0.8	11.2-18.3	12,558	37


Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
S	VWC	22	2,659.6	448.1	2269.4-4121.6	12,558	37



AquaTROLL

TMP: found 7 files

Total: 1880 data rows







	Plot name		N_sensor	Mean	SD	Range	N_values	N_na
TMP	C	Pressure	2	7.0	7.4	-0.067-14.885	1,030	515
	C	RDO_concen	2	1.8	0.1	1.59-2.04	515	242
	C	Salinity	2	0.0	0.0	0-0.06	1,030	515
	C	Temperature	2	14.7	0.2	14.49-15.003	1,030	515
	C	Water_Density	2	1.0	0.0	0.999-0.999	1,030	515
	C	pH	2	NaN	NA	-	515	515
	F	Pressure	3	10.1	6.9	0.354-15.166	1,638	821

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	F	RDO_concen	3	0.0	0.0	0-0.06	819	547
	F	Salinity	3	0.1	0.0	0.04-0.12	1,638	821
	F	Temperature	3	34.7	29.8	14.32-85.96	1,638	821
	F	Water_Density	3	1.0	0.0	0.972-0.999	1,638	821
	F	pH	3	5.0	0.2	4.63-5.1	819	547
	S	Pressure	2	8.1	6.7	1.308-14.895	1,092	546
	S	RDO_concen	2	0.0	0.0	0-0.14	546	273
	S	Salinity	2	0.3	0.3	0-0.69	1,092	546
	S	Temperature	2	15.3	0.7	14.6-16.087	1,092	546
	S	Water_Density	2	1.0	0.0	0.999-1	1,092	546
	S	pH	2	3.7	0.0	3.67-3.8	546	273

Redox