

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2026-02-05 14:15:22-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files


GWI: found 2 files


MSM: found 2 files

GCW: found 1 file

Total: 4267 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.566	0.085	0.356-0.757	14,592	9,728
GWI	UP	9	0.558	0.042	0.457-0.633	10,560	7,040
	TR	9	0.628	0.116	0.393-0.901	10,560	7,040
MSM	UP	12	0.583	0.069	0.448-0.707	10,560	5,280
	TR	12	0.695	0.103	0.562-1.053	10,560	5,720
SWH	SWAMP	12	0.379	0.046	0.281-0.492	10,560	5,280
	TR	12	0.439	0.065	0.329-0.666	10,584	5,292

TEROS

SWH: found 6 files


GWI: found 3 files

MSM: found 3 files


GCW: found 2 files

Total: 7488 data rows


SWH Teros




GWI TEROs



MSM TEROs





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	1,548.9	425.0	796-2279	10,944	7,296
	TR	Temp	6	3.9	0.6	2.8-4.8	10,944	7,296
	TR	VWC	6	3,112.4	410.5	2797-4020.2	10,944	7,296
	W	EC	6	6,877.3	3,460.8	1912-12356	7,920	6,160
	W	Temp	6	0.2	0.7	-0.8-1	7,920	6,160
	W	VWC	6	3,308.4	31.7	3251.2-3344.9	7,920	6,160
GWI	UP	EC	6	1,352.2	1,069.2	207-3811	7,920	5,280
	UP	Temp	6	9.7	0.8	8.6-10.8	7,920	5,280
	UP	VWC	6	2,663.0	141.6	2366.5-2819.8	7,920	5,280
	TR	EC	6	6,703.1	1,979.5	4784-14249	7,920	5,280
	TR	Temp	6	4.4	0.9	2.7-6.1	7,920	5,280

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,082.4	114.1	2910.8-3266.1	7,920	5,280
	W	EC	6	10,454.3	4,481.4	4524-26836	7,938	6,174
	W	Temp	6	2.8	1.1	1.3-4.4	7,938	6,174
	W	VWC	6	3,124.6	226.8	2843.7-3403.8	7,938	6,174
MSM	UP	EC	6	2,050.3	370.6	1320-3042	7,920	5,280
	UP	Temp	6	5.4	0.8	4.1-6.6	7,920	5,280
	UP	VWC	6	2,874.2	66.5	2754.4-2958.6	7,920	5,280
	TR	EC	6	5,191.5	1,098.1	2510-7791	7,920	5,280
	TR	Temp	6	5.2	0.8	4-6.6	7,920	5,280
	TR	VWC	6	3,032.4	116.9	2902.1-3282.4	7,920	5,280
	W	EC	6	8,677.7	2,118.5	5868-16000	7,938	6,174
	W	Temp	6	3.4	1.9	-0.9-5.7	7,938	6,174
	W	VWC	6	3,238.0	172.8	2947.8-3391.2	7,938	6,174
SWH	UP	EC	6	34.3	20.6	0-87	7,938	5,292
	UP	Temp	6	5.0	0.9	3.6-7.1	7,938	5,292
	UP	VWC	6	3,091.3	64.2	2965.5-3212.8	7,938	5,292
	SWAMP	EC	6	106.7	39.7	41-236	7,920	5,280
	SWAMP	Temp	6	1.2	0.7	0-2.5	7,920	5,280
	SWAMP	VWC	6	3,368.1	67.6	3243.7-3445.2	7,920	5,280
	TR	EC	6	761.3	673.4	0-2267	7,938	5,292
	TR	Temp	6	1.5	1.1	-0.7-4	7,938	5,292
	TR	VWC	6	2,918.3	452.6	1884.7-3376	7,938	5,292
	W	EC	6	2,141.9	458.0	1319-4070	7,920	6,160
	W	Temp	6	2.1	0.6	1-3.6	7,920	6,160

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,240.1	20.0	3207.4-3265.2	7,920	6,160

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 13306 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.0	0.805-0.841	1,824	1,216
	TR	RDO_concen	1	0.0	0.0	0-0	1,824	1,216
	TR	Salinity	1	2.9	0.0	2.93-2.96	1,824	1,216
	TR	Temperature	1	6.6	0.1	6.43-6.85	1,824	1,216
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,824	1,216
	TR	pH	1	3.6	0.1	3.37-3.77	1,824	1,216
	W	Pressure	1	1.0	0.0	0.941-1.017	1,320	880
	W	RDO_concen	1	0.0	0.0	0.03-0.04	1,320	880
	W	Salinity	1	10.8	0.1	10.68-11.02	1,320	880
	W	Temperature	1	7.8	0.1	7.53-7.92	1,320	880
	W	Water_Density	1	1.0	0.0	1.008-1.009	1,320	880
	W	pH	1	7.0	0.0	7-7.05	1,320	880
GWI	UP	Pressure	1	NaN	NA	-	1,320	1,320
	UP	RDO_concen	1	NaN	NA	-	1,320	1,320
	UP	Salinity	1	8.5	0.0	8.39-8.51	1,320	880
	UP	Temperature	1	12.2	0.1	11.96-12.47	1,320	880
	UP	Water_Density	1	1.0	0.0	1.006-1.006	1,320	880
	UP	pH	1	4.5	0.0	4.44-4.48	1,320	880
	TR	Pressure	1	0.8	0.0	0.743-0.784	1,320	880
	TR	RDO_concen	1	0.0	0.0	0-0	1,320	880
	TR	Salinity	1	17.1	0.0	17.02-17.17	1,320	880
	TR	Temperature	1	6.7	0.2	6.4-7.14	1,320	880
	TR	Water_Density	1	1.0	0.0	1.013-1.013	1,320	880
	TR	pH	1	5.9	0.0	5.93-5.94	1,320	880

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.502-0.54	1,323	882
	W	RDO_concen	1	0.0	0.0	0-0	1,323	882
	W	Salinity	1	20.2	0.0	20.12-20.22	1,323	882
	W	Temperature	1	5.2	0.2	4.89-5.63	1,323	882
	W	Water_Density	1	1.0	0.0	1.016-1.016	1,323	882
	W	pH	1	6.4	0.0	6.32-6.49	1,323	882
MSM	UP	Pressure	1	0.7	0.0	0.692-0.787	1,320	880
	UP	RDO_concen	1	0.0	0.0	0-0	1,320	880
	UP	Salinity	1	4.8	0.0	4.76-4.79	1,320	880
	UP	Temperature	1	8.3	0.1	8.07-8.57	1,320	880
	UP	Water_Density	1	1.0	0.0	1.004-1.004	1,320	880
	UP	pH	1	4.5	0.0	4.48-4.49	1,320	880
	TR	Pressure	1	1.3	0.1	1.144-1.449	1,320	880
	TR	RDO_concen	1	0.0	0.0	0-0	1,320	880
	TR	Salinity	1	10.9	0.0	10.93-10.97	1,320	880
	TR	Temperature	1	9.4	0.2	9.15-9.67	1,320	880
	TR	Water_Density	1	1.0	0.0	1.008-1.008	1,320	880
	TR	pH	1	4.5	0.0	4.43-4.58	1,320	880
	W	Pressure	1	0.6	0.1	0.515-0.905	1,323	882
	W	RDO_concen	1	0.0	0.0	0-0	1,323	882
	W	Salinity	1	14.6	0.0	14.53-14.58	1,323	882
	W	Temperature	1	7.5	0.2	7.2-7.74	1,323	882
	W	Water_Density	1	1.0	0.0	1.011-1.011	1,323	882
	W	pH	1	6.2	0.1	6.15-6.9	1,323	882

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.7	0.0	0.622-0.717	1,323	882
	UP	RDO_concen	1	0.0	0.0	0-0	1,323	882
	UP	Salinity	1	0.0	0.0	0.03-0.03	1,323	882
	UP	Temperature	1	9.9	0.2	9.59-10.17	1,323	882
	UP	Water_Density	1	1.0	0.0	1-1	1,323	882
	UP	pH	1	4.9	0.0	4.84-4.87	1,323	882
	SWAMP	Pressure	1	1.2	0.0	1.168-1.235	1,320	880
	SWAMP	RDO_concen	1	0.0	0.0	0-0	1,320	880
	SWAMP	Salinity	1	0.2	0.0	0.17-0.19	1,320	880
	SWAMP	Temperature	1	9.2	0.1	9.05-9.45	1,320	880
	SWAMP	Water_Density	1	1.0	0.0	1-1	1,320	880
	SWAMP	pH	1	6.0	0.0	5.95-6.02	1,320	880
	TR	Pressure	1	1.1	0.1	0.982-1.285	1,323	882
	TR	RDO_concen	1	0.0	0.0	0-0	1,323	882
	TR	Salinity	1	1.5	0.0	1.46-1.48	1,323	882
	TR	Temperature	1	9.6	0.1	9.42-9.87	1,323	882
	TR	Water_Density	1	1.0	0.0	1.001-1.001	1,323	882
	TR	pH	1	6.0	0.0	5.94-5.97	1,323	882
	W	Pressure	1	NaN	NA	-	1,320	1,320
	W	RDO_concen	1	NaN	NA	-	1,320	1,320
	W	Salinity	1	NaN	NA	-	1,320	1,320
	W	Temperature	1	NaN	NA	-	1,320	1,320
	W	Water_Density	1	NaN	NA	-	1,320	1,320
	W	pH	1	NaN	NA	-	1,320	1,320

Redox


SWH: found 8 files


GW1: found 6 files


MSM: found 6 files


GCW: found 5 files

Total: 24766 data rows









	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	132.612	288.523	-431.029-529.219	14,592	0
	W	12	-328.742	263.071	-614.286-522.768	10,560	0
GWI	UP	12	375.205	358.975	-257.889-961.483	10,560	0
	TR	12	73.993	314.591	-300.275-853.754	10,560	0
	W	12	-260.927	51.249	-410.505--167.049	10,584	0
MSM	UP	12	68.082	250.592	-345.557-392.966	10,560	0
	TR	12	261.997	348.729	-341.158-841.7	10,560	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	227.312	532.050	-403.035-1476.889	10,584	0
SWH	UP	12	155.890	347.598	-187.1-747.383	10,584	0
	SWAMP	12	-123.599	88.871	-315.474-58.101	10,560	0
	TR	12	92.784	742.688	-442.1-3218.302	10,584	0
	W	12	-155.116	109.493	-325.656-158.824	10,560	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 2171 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	6.4	0.0	6.4-6.41	440	0
	Cable_v	12.4	0.7	11.65-13.62	440	0
	Conductivity	15.4	0.2	14.94-15.897	440	0
	Depth_m	1.5	0.1	1.444-1.633	440	0
	FDOM_QSU	19.6	3.1	15.27-33.17	440	0

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	6.2	1.0	4.76-10.6	440	0
	NLF_conductivity	30.1	0.4	29.32-30.8	440	0
	ODO_MgL	13.7	0.9	9.59-14.69	440	0
	ODO_local	104.8	7.2	72.56-112.86	440	0
	ODO_sat	104.8	7.2	72.56-112.86	440	0
	ORP_mv	171.1	7.3	156.5-193.66	440	0
	Pressure_psia	0.0	0.0	0-0	440	0
	Salinity_PPT	17.8	0.3	17.37-18.24	440	0
	Specific_Conductivity_uScm	30.1	0.4	29.185-30.821	440	0
	TDS_mgL	19,555.2	281.5	18973.8-20035.57	440	0
	TSS_MgL	0.0	0.0	0-0	440	0
	Temp_C	-0.5	0.3	-1.057-0.55	440	0
	Turbidity_FNU	6.2	1.8	4.52-17.68	440	0
	Turbidity_Raw	0.1	0.0	0.09-0.34	440	0
	Vertical_Position_m	1.5	0.1	1.445-1.633	440	0
	Wiper_Current_ma	49.1	2.1	43.98-52.63	440	0
	Wiper_Position_mv	1.2	0.0	1.19-1.21	440	0
	pH	7.5	0.1	6.97-7.64	440	0
	pH_mv	-63.3	6.9	-72.74--36.42	440	0