

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2026-04-17 09:59:37-04:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/readz/Smithsonian Dropbox/Zoe Read

Sapflow


SWH: found 3 files

GWI: found 2 files


MSM: found 2 files

GCW: found 1 file


Total: 12016 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.588	0.085	0.413-0.754	15,624	10,416
GWI	UP	9	0.538	0.058	0.39-0.648	15,624	10,416
	TR	9	0.619	0.104	0.451-0.842	15,624	11,067
MSM	UP	12	0.590	0.068	0.433-0.715	15,624	7,812
	TR	12	0.466	0.306	-0.025-0.786	15,624	9,114
SWH	SWAMP	12	0.316	0.064	0.186-0.454	15,624	7,812
	TR	12	0.413	0.076	0.228-0.608	15,648	7,824

TEROS


SWH: found 6 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 20891 data rows




GWI Teros



MSM Teros



GCW TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	310.7	206.0	133-858	11,718	7,812
	TR	Temp	6	12.1	1.2	10.1-15.1	11,718	7,812
	TR	VWC	6	3,208.4	359.4	2997-4010.8	11,718	7,812
	W	EC	6	6,918.3	1,677.2	5067-10593	11,718	9,114
	W	Temp	6	10.5	1.9	7.6-16.6	11,718	9,114
	W	VWC	6	3,319.3	16.1	3288.2-3345.3	11,718	9,114
GWI	UP	EC	6	727.8	611.7	38-1877	11,718	7,812
	UP	Temp	6	14.5	0.8	13.3-16.4	11,718	7,812
	UP	VWC	6	2,554.1	110.1	2313.2-2698.9	11,718	7,812
	TR	EC	6	3,750.0	743.1	2593-5665	11,718	7,812
	TR	Temp	6	15.3	1.6	12.5-19.7	11,718	7,812

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,045.7	82.5	2860.9-3177.4	11,718	7,812
	W	EC	6	5,274.9	4,101.7	0-16431	11,736	7,824
	W	Temp	6	10.4	7.5	0-19.6	11,736	7,824
	W	VWC	6	2,135.5	1,516.6	0-3417.3	11,736	7,824
MSM	UP	EC	6	1,111.1	342.4	607-2043	11,718	7,812
	UP	Temp	6	13.7	1.1	11.8-16.3	11,718	7,812
	UP	VWC	6	2,840.4	61.3	2745.8-2932.1	11,718	7,812
	TR	EC	6	3,322.6	710.2	2141-4671	11,718	7,812
	TR	Temp	6	14.1	1.1	12.2-17.8	11,718	7,812
	TR	VWC	6	3,011.4	90.1	2915.1-3222.4	11,718	7,812
	W	EC	6	5,800.2	4,391.6	0-14982	11,736	7,824
	W	Temp	6	8.3	6.0	0-16.5	11,736	7,824
	W	VWC	6	2,187.5	1,552.1	0-3446.2	11,736	7,824
SWH	UP	EC	6	36.1	20.0	0-103	11,736	7,824
	UP	Temp	6	14.4	1.2	12.4-17	11,736	7,824
	UP	VWC	6	3,062.6	69.2	2906.4-3168.3	11,736	7,824
	SWAMP	EC	6	88.5	21.4	42-170	11,718	7,812
	SWAMP	Temp	6	15.3	1.9	11.4-20	11,718	7,812
	SWAMP	VWC	6	3,339.1	64.4	3203.8-3427.4	11,718	7,812
	TR	EC	6	571.5	415.9	1-1680	11,736	7,824
	TR	Temp	6	17.1	2.5	12.5-25.3	11,736	7,824
	TR	VWC	6	2,809.9	464.9	1876.3-3285	11,736	7,824
	W	EC	6	764.6	566.0	0-1987	11,718	7,812
	W	Temp	6	11.7	8.4	0-22.5	11,718	7,812

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	2,152.4	1,522.4	0-3273.9	11,718	7,812

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 26709 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.9	0.0	0.859-0.887	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	3.1	0.0	3.05-3.1	1,953	1,302
	TR	Temperature	1	10.1	0.3	9.79-10.72	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,953	1,302
	TR	pH	1	2.7	0.1	2.36-2.98	1,953	1,302
	W	Pressure	1	1.2	0.1	1.148-1.364	1,953	1,947
	W	RDO_concen	1	0.8	1.6	0.01-4.15	1,953	1,947
	W	Salinity	1	10.6	0.2	10.29-10.78	1,953	1,947
	W	Temperature	1	10.2	0.9	9.45-11.76	1,953	1,947
	W	Water_Density	1	1.0	0.0	1.008-1.008	1,953	1,947
	W	pH	1	6.6	0.0	6.58-6.64	1,953	1,947
GWI	UP	Pressure	1	0.6	0.0	0.474-0.625	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	7.5	0.0	7.48-7.59	1,953	1,302
	UP	Temperature	1	13.5	0.1	13.45-13.78	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.005-1.005	1,953	1,302
	UP	pH	1	4.8	0.0	4.83-4.86	1,953	1,302
	TR	Pressure	1	0.5	0.0	0.439-0.561	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	15.1	0.1	14.96-15.32	1,953	1,302
	TR	Temperature	1	13.9	0.6	13.33-15.14	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.011-1.011	1,953	1,302
	TR	pH	1	5.7	0.0	5.68-5.7	1,953	1,302

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.3	0.0	0.216-0.362	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	19.8	0.1	19.67-19.9	1,956	1,304
	W	Temperature	1	14.0	0.8	13.02-15.57	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.014-1.015	1,956	1,304
	W	pH	1	6.4	0.0	6.37-6.38	1,956	1,304
MSM	UP	Pressure	1	0.7	0.0	0.593-0.759	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	4.0	0.0	3.98-4.02	1,953	1,302
	UP	Temperature	1	12.3	0.3	11.97-12.94	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.002-1.003	1,953	1,302
	UP	pH	1	4.3	0.0	4.31-4.32	1,953	1,302
	TR	Pressure	1	0.8	0.1	0.546-1.041	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	11.4	0.0	11.43-11.45	1,953	1,302
	TR	Temperature	1	12.7	0.2	12.45-13.2	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.008-1.008	1,953	1,302
	TR	pH	1	5.5	0.0	5.38-5.52	1,953	1,302
	W	Pressure	1	0.7	0.1	0.563-0.991	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	13.0	0.1	12.93-13.15	1,956	1,304
	W	Temperature	1	13.1	0.5	12.56-14.04	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.009-1.01	1,956	1,304
	W	pH	1	6.1	0.0	6.01-6.16	1,956	1,304

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.6	0.0	0.454-0.618	1,956	1,304
	UP	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	UP	Salinity	1	0.0	0.0	0.02-0.02	1,956	1,304
	UP	Temperature	1	12.7	0.1	12.58-13.02	1,956	1,304
	UP	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	UP	pH	1	5.1	0.0	5.06-5.16	1,956	1,304
	SWAMP	Pressure	1	1.2	0.0	1.182-1.208	1,953	1,302
	SWAMP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	SWAMP	Salinity	1	0.1	0.0	0.14-0.14	1,953	1,302
	SWAMP	Temperature	1	12.2	0.1	11.98-12.32	1,953	1,302
	SWAMP	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	SWAMP	pH	1	6.0	0.0	5.95-5.99	1,953	1,302
	TR	Pressure	1	1.1	0.1	0.995-1.313	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	1.4	0.0	1.37-1.43	1,956	1,304
	TR	Temperature	1	11.7	0.2	11.43-11.97	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1.001-1.001	1,956	1,304
	TR	pH	1	5.8	0.0	5.83-5.86	1,956	1,304
	W	Pressure	1	1.2	0.1	1.127-1.658	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	W	Salinity	1	1.5	0.0	1.49-1.51	1,953	1,302
	W	Temperature	1	12.1	0.2	11.83-12.48	1,953	1,302
	W	Water_Density	1	1.0	0.0	1.001-1.001	1,953	1,302
	W	pH	1	6.6	0.0	6.54-6.67	1,953	1,302

Redox


SWH: found 8 files


GWI: found 6 files


MSM: found 6 files


GCW: found 5 files

Total: 78379 data rows









	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	-34.435	197.036	-411.32-347.762	15,624	0
	W	12	-315.919	226.287	-488.899-484.277	15,624	0
GWI	UP	12	338.051	365.594	-269.638-738.374	15,624	0
	TR	12	15.716	301.877	-246.267-733.5	15,624	0
	W	12	-273.739	74.079	-416.265-196.751	15,648	0
MSM	UP	12	14.192	238.041	-352.432-383.36	15,624	0
	TR	12	-178.759	74.206	-347.219--0.122	15,624	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	-305.319	97.639	-389.412-424.311	15,648	0
SWH	UP	12	27.285	306.349	-298.681-655.431	15,648	0
	SWAMP	12	-268.087	46.120	-340.856--172.532	15,624	0
	TR	12	-39.742	409.516	-414.561-690.231	15,648	0
	W	12	-228.336	93.139	-362.305-50.463	15,624	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 3302 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	0.0	0.0	0-0	651	1
	Cable_v	12.2	0.4	11.68-13.31	651	1
	Conductivity	21.2	1.1	18.475-23.79	651	1
	Depth_m	0.8	0.1	0.71-0.97	651	1
	FDOM_QSU	24.7	4.3	16.84-38.82	651	1

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	8.2	1.5	5.45-13.15	651	1
	NLF_conductivity	23.8	0.7	19.36-25.02	651	1
	ODO_MgL	8.0	0.8	5.32-9.28	651	1
	ODO_local	95.2	9.0	66.69-116.17	651	1
	ODO_sat	95.2	9.0	66.69-116.17	651	1
	ORP_mv	0.0	0.0	0-0	651	1
	Pressure_psia	-5.4	2.2	-14.77-1.22	651	1
	Salinity_PPT	14.3	0.4	11.47-15.06	651	1
	Specific_Conductivity_uScm	23.6	0.6	19.279-24.683	651	1
	TDS_mgL	15,318.0	407.6	12298.46-16042.86	651	1
	TSS_MgL	0.0	0.0	0-0	651	1
	Temp_C	19.7	2.6	15.23-25.06	651	1
	Turbidity_FNU	5.5	1.3	3.26-17.35	651	1
	Turbidity_Raw	0.1	0.0	0.06-0.45	651	1
	Vertical_Position_m	0.8	0.1	0.712-0.976	651	1
	Wiper_Current_ma	56.3	2.7	45.42-62.65	651	1
	Wiper_Position_mv	1.2	0.0	0.97-1.22	651	1
	pH	7.7	0.1	7.33-7.88	651	1
	pH_mv	-46.5	5.8	-59.53--27.36	651	1