

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-12-12 08:15:17-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files

GWI: found 4 files


MSM: found 2 files

GCW: found 1 file


Total: 11310 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	NaN	NA	-	47,640	47,640
GWI	UP	9	0.576	0.042	0.457-0.657	47,448	31,632
	TR	9	0.624	0.092	0.46-0.872	47,448	31,632
MSM	UP	12	0.611	0.057	0.452-0.712	26,112	13,056
	TR	12	0.700	0.086	0.584-1.001	26,112	14,144
SWH	UP	12	0.361	0.051	0.234-0.452	24,432	12,216
	SWAMP	12	0.370	0.052	0.225-0.469	26,112	13,056
	TR	12	0.442	0.060	0.326-0.627	26,136	13,068

TEROS


SWH: found 6 files

GWI: found 4 files


MSM: found 3 files

GCW: found 3 files


Total: 17771 data rows




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	11,672.5	55,260.4	0-390384	35,730	23,820
	TR	Temp	6	9.2	1.9	0-12.4	35,730	23,820
	TR	VWC	6	3,239.3	408.0	0-4015.8	35,730	24,940
	W	EC	6	8,222.5	2,035.0	5497-12812	35,586	27,678
	W	Temp	6	3.9	1.2	1.8-6.5	35,586	27,678
	W	VWC	6	3,335.1	12.9	3311.6-3368.6	35,586	27,678
GWI	UP	EC	6	NaN	NA	-	19,584	19,584
	UP	Temp	6	NaN	NA	-	19,584	19,584
	UP	VWC	6	NaN	NA	-	19,584	19,584
	TR	EC	6	9,482.2	4,117.8	4673-28136	35,586	23,724
	TR	Temp	6	10.1	1.0	7.7-12.5	35,586	23,724

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,192.1	129.4	2994.9-3375.6	35,586	23,724
	W	EC	6	10,649.1	4,727.3	4476-32993	19,602	15,246
	W	Temp	6	9.0	1.4	6-11.7	19,602	15,246
	W	VWC	6	3,185.7	197.3	2921.1-3429.1	19,602	15,246
MSM	UP	EC	6	3,547.1	726.2	2015-6417	19,584	13,056
	UP	Temp	6	10.4	1.0	8.4-12.7	19,584	13,056
	UP	VWC	6	2,990.9	64.6	2880.3-3102.9	19,584	13,056
	TR	EC	6	6,697.6	2,203.6	3782-11231	19,584	13,056
	TR	Temp	6	10.3	1.1	8.2-12.7	19,584	13,056
	TR	VWC	6	3,132.8	125.1	2934.7-3361.5	19,584	13,056
	W	EC	6	9,137.7	2,375.7	5736-16258	19,602	15,246
	W	Temp	6	8.1	2.2	3.1-11.6	19,602	15,246
	W	VWC	6	3,270.5	157.6	2996.2-3427.3	19,602	15,246
SWH	UP	EC	6	225.9	256.2	0-1940	56,250	37,506
	UP	Temp	6	12.7	2.4	7.5-16.5	56,250	37,506
	UP	VWC	6	3,093.4	128.3	2824.5-3397.7	56,250	37,506
	SWAMP	EC	6	252.3	193.5	78-841	19,584	13,056
	SWAMP	Temp	6	5.5	1.6	1.5-8.9	19,584	13,056
	SWAMP	VWC	6	3,298.5	75.6	3209-3441.7	19,584	13,056
	TR	EC	6	1,265.7	941.0	24-4683	19,602	13,068
	TR	Temp	6	6.2	1.8	1.4-10.7	19,602	13,068
	TR	VWC	6	2,890.3	430.9	1909.4-3435.6	19,602	13,068
	W	EC	6	3,559.1	531.4	2409-6057	19,584	15,232
	W	Temp	6	7.1	1.1	3.6-9	19,584	15,232

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,218.2	9.9	3202.3-3236	19,584	15,232

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)

MSM: found 3 files


GCW: ignoring backup file(s)

GCW: found 2 files


Total: 16883 data rows




Temperature






Salinity



Water_Density





	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.0	0-1.063	5,955	3,978
	TR	RDO_concen	1	0.0	0.1	0-2.03	5,955	3,978
	TR	Salinity	1	3.3	0.1	0-3.53	5,955	3,978
	TR	Temperature	1	11.7	0.8	0-12.68	5,955	3,978
	TR	Water_Density	1	1.0	0.0	0-1.002	5,955	3,978
	TR	pH	1	6.2	0.2	0-6.37	5,955	3,978
	W	Pressure	1	1.0	0.0	0.941-1.137	3,264	2,181
	W	RDO_concen	1	0.0	0.0	0-0.11	3,264	2,181
	W	Salinity	1	11.8	0.7	10.78-12.45	3,264	2,181
	W	Temperature	1	12.4	0.4	9.58-13.09	3,264	2,181
	W	Water_Density	1	1.0	0.0	1.008-1.009	3,264	2,181
	W	pH	1	6.7	0.2	6.49-7.05	3,264	2,181
GWI	UP	Pressure	1	NaN	NA	-	3,264	3,264
	UP	RDO_concen	1	NaN	NA	-	3,264	3,264
	UP	Salinity	1	NaN	NA	-	3,264	3,264
	UP	Temperature	1	NaN	NA	-	3,264	3,264
	UP	Water_Density	1	NaN	NA	-	3,264	3,264
	UP	pH	1	NaN	NA	-	3,264	3,264
	TR	Pressure	1	0.8	0.0	0.787-0.891	5,931	3,954
	TR	RDO_concen	1	0.0	0.0	0-0	5,931	3,954
	TR	Salinity	1	18.3	0.1	18.09-18.58	5,931	3,954
	TR	Temperature	1	12.7	0.6	11.41-13.73	5,931	3,954
	TR	Water_Density	1	1.0	0.0	1.014-1.014	5,931	3,954
	TR	pH	1	6.0	0.0	5.94-6.01	5,931	3,954

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.525-0.774	3,267	2,178
	W	RDO_concen	1	0.0	0.0	0-0	3,267	2,178
	W	Salinity	1	20.3	0.0	20.24-20.36	3,267	2,178
	W	Temperature	1	11.3	0.8	10.03-12.56	3,267	2,178
	W	Water_Density	1	1.0	0.0	1.015-1.015	3,267	2,178
	W	pH	1	6.4	0.0	6.31-6.48	3,267	2,178
MSM	UP	Pressure	1	0.7	0.1	0.586-0.829	3,264	2,176
	UP	RDO_concen	1	0.0	0.0	0-0	3,264	2,176
	UP	Salinity	1	5.3	0.1	5.22-5.42	3,264	2,176
	UP	Temperature	1	13.3	0.6	12.32-14.31	3,264	2,176
	UP	Water_Density	1	1.0	0.0	1.003-1.004	3,264	2,176
	UP	pH	1	4.4	0.0	4.4-4.43	3,264	2,176
	TR	Pressure	1	1.1	0.0	1.027-1.192	3,264	2,176
	TR	RDO_concen	1	0.0	0.0	0-0	3,264	2,176
	TR	Salinity	1	11.9	0.1	11.75-12.06	3,264	2,176
	TR	Temperature	1	14.2	0.5	13.35-15.06	3,264	2,176
	TR	Water_Density	1	1.0	0.0	1.008-1.008	3,264	2,176
	TR	pH	1	4.9	0.1	4.79-5.11	3,264	2,176
	W	Pressure	1	0.7	0.1	0.532-0.89	3,270	2,180
	W	RDO_concen	1	0.0	0.0	0-0	3,270	2,180
	W	Salinity	1	15.0	0.1	14.77-15.07	3,270	2,180
	W	Temperature	1	12.3	0.6	11.29-13.44	3,270	2,180
	W	Water_Density	1	1.0	0.0	1.011-1.011	3,270	2,180
	W	pH	1	6.5	0.1	6.28-8.96	3,270	2,180

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.8	0.3	0.497-1.592	9,375	6,251
	UP	RDO_concen	2	0.0	0.1	0-1.12	9,375	6,251
	UP	Salinity	2	0.2	0.2	0.04-0.53	9,375	6,251
	UP	Temperature	2	15.9	1.4	13.25-17.73	9,375	6,251
	UP	Water_Density	2	1.0	0.0	0.999-0.999	9,375	6,251
	UP	pH	2	5.3	0.5	4.29-5.96	9,375	6,251
	SWAMP	Pressure	1	1.2	0.0	1.191-1.249	3,264	2,176
	SWAMP	RDO_concen	1	0.0	0.0	0-0	3,264	2,176
	SWAMP	Salinity	1	0.3	0.0	0.25-0.27	3,264	2,176
	SWAMP	Temperature	1	13.1	0.4	12.39-13.85	3,264	2,176
	SWAMP	Water_Density	1	1.0	0.0	0.999-1	3,264	2,176
	SWAMP	pH	1	6.1	0.0	6.08-6.1	3,264	2,176
	TR	Pressure	1	1.2	0.1	1.008-1.541	3,267	2,178
	TR	RDO_concen	1	0.0	0.0	0-0	3,267	2,178
	TR	Salinity	1	1.7	0.0	1.64-1.73	3,267	2,178
	TR	Temperature	1	14.0	0.5	13.26-14.9	3,267	2,178
	TR	Water_Density	1	1.0	0.0	1-1.001	3,267	2,178
	TR	pH	1	6.0	0.0	6-6.04	3,267	2,178
	W	Pressure	1	0.0	0.0	0-0	3,264	2,898
	W	RDO_concen	1	3.1	3.4	-2.8-10.2	3,264	2,898
	W	Salinity	1	1.4	1.0	0.03-5.99	3,264	2,898
	W	Temperature	1	0.0	0.0	0-0	3,264	2,898
	W	Water_Density	1	1.4	1.0	0.03-5.99	3,264	2,898
	W	pH	1	0.6	0.1	0.46-0.91	3,264	2,898

Redox


SWH: found 8 files


GW1: found 10 files


MSM: found 0 files

GCW: found 6 files

Total: 57912 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	68.615	329.383	-439.034-4662.998	47,664	0
	W	12	-411.910	171.445	-663.853-174.633	26,112	0
GWI	UP	12	4,538.606	20.199	4146.988-4563.024	47,448	478
	TR	12	-77.396	232.839	-379.002-702.56	47,448	0
	W	12	-243.828	74.843	-470.008--84.594	26,136	0
SWH	UP	12	93.284	338.798	-427.632-708.689	26,136	0
	SWAMP	12	-123.908	103.729	-423.552-110.228	26,112	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	12	-103.869	385.815	-586.451-669.815	26,136	0
	W	12	-144.871	135.745	-356.231-240.453	26,112	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)

GWI: found 1 file

MSM: found 2 files


GCW: found 0 files

Total: 2819 data rows

GW1



MSM



	Plot name	Mean	SD	Range	N_values	N_na
GWI	W Battery_v	NaN	NA	-	528	528
	W Cable_v	NaN	NA	-	528	528
	W Conductivity	NaN	NA	-	528	528
	W Depth_m	NaN	NA	-	528	528
	W FDOM_QSU	NaN	NA	-	528	528

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	528	528
	W NLF_conductivity	NaN	NA	-	528	528
	W ODO_MgL	NaN	NA	-	528	528
	W ODO_local	NaN	NA	-	528	528
	W ODO_sat	NaN	NA	-	528	528
	W ORP_mv	NaN	NA	-	528	528
	W Pressure_psia	NaN	NA	-	528	528
	W Salinity_PPT	NaN	NA	-	528	528
	W Specific_Conductivity_uScm	NaN	NA	-	528	528
	W TDS_mg_L	NaN	NA	-	528	528
	W TSS_MgL	NaN	NA	-	528	528
	W Temp_C	NaN	NA	-	528	528
	W Turbidity_FNU	NaN	NA	-	528	528
	W Turbidity_Raw	NaN	NA	-	528	528
	W Vertical_Position_m	NaN	NA	-	528	528
	W Wiper_Current_ma	NaN	NA	-	528	528
	W Wiper_Position_mv	NaN	NA	-	528	528
	W pH	NaN	NA	-	528	528
	W pH_mv	NaN	NA	-	528	528
MSM	W Battery_v	NaN	NA	-	1,203	1,203
	W Cable_v	NaN	NA	-	1,203	1,203
	W Conductivity	NaN	NA	-	1,203	1,203
	W Depth_m	NaN	NA	-	1,203	1,203
	W FDOM_QSU	NaN	NA	-	1,203	1,203

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	1,203	1,203
	W NLF_conductivity	NaN	NA	-	1,203	1,203
	W ODO_MgL	NaN	NA	-	1,203	1,203
	W ODO_local	NaN	NA	-	1,203	1,203
	W ODO_sat	NaN	NA	-	1,203	1,203
	W ORP_mv	NaN	NA	-	1,203	1,203
	W Pressure_psia	NaN	NA	-	1,203	1,203
	W Salinity_PPT	NaN	NA	-	1,203	1,203
	W Specific_Conductivity_uScm	NaN	NA	-	1,203	1,203
	W TDS_mgL	NaN	NA	-	1,203	1,203
	W TSS_MgL	NaN	NA	-	1,203	1,203
	W Temp_C	NaN	NA	-	1,203	1,203
	W Turbidity_FNU	NaN	NA	-	1,203	1,203
	W Turbidity_Raw	NaN	NA	-	1,203	1,203
	W Vertical_Position_m	NaN	NA	-	1,203	1,203
	W Wiper_Current_ma	NaN	NA	-	1,203	1,203
	W Wiper_Position_mv	NaN	NA	-	1,203	1,203
	W pH	NaN	NA	-	1,203	1,203
	W pH_mv	NaN	NA	-	1,203	1,203
	NA Battery_v	6.4	0.0	6.41-6.42	1,088	0
	NA Cable_v	12.2	0.6	11.6-13.65	1,088	0
	NA Conductivity	16.8	0.6	15.658-18.264	1,088	0
	NA Depth_m	1.1	0.1	0.951-1.316	1,088	0
	NA FDOM_QSU	24.4	4.0	16.41-45.05	1,088	0

	Plot name	Mean	SD	Range	N_values	N_na
	NA FDOM_RFU	7.8	1.3	5.13-14.48	1,088	0
	NA NLF_conductivity	28.9	0.5	27.88-30.13	1,088	0
	NA ODO_MgL	12.5	0.4	10.81-13.36	1,088	0
	NA ODO_local	105.7	3.5	91.13-115.04	1,088	0
	NA ODO_sat	105.7	3.5	91.13-115.04	1,088	0
	NA ORP_mv	173.3	7.4	155.89-205.47	1,088	0
	NA Pressure_psia	0.0	0.0	0-0	1,088	0
	NA Salinity_PPT	17.2	0.3	16.57-17.99	1,088	0
	NA Specific_Conductivity_uScm	28.6	0.5	27.562-29.832	1,088	0
	NA TDS_mgL	18,572.7	313.5	17918.02-19391.13	1,088	0
	NA TSS_MgL	0.0	0.0	0-0	1,088	0
	NA Temp_C	3.5	1.0	1.131-5.381	1,088	0
	NA Turbidity_FNU	7.5	5.0	4.17-40.87	1,088	0
	NA Turbidity_Raw	0.1	0.1	0.08-0.78	1,088	0
	NA Vertical_Position_m	1.1	0.1	0.951-1.316	1,088	0
	NA Wiper_Current_ma	48.0	1.9	41.64-51.89	1,088	0
	NA Wiper_Position_mv	1.2	0.0	0.94-1.21	1,088	0
	NA pH	7.6	0.1	7.44-7.86	1,088	0
	NA pH_mv	-72.7	3.0	-85.46--62.45	1,088	0