

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2025-11-25 09:23:09-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files



GWI: found 2 files


MSM: found 2 files

GCW: found 1 file

Total: 17340 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.374	0.280	0-0.719	47,064	23,564
GWI	UP	9	0.471	0.551	-8.68-0.66	56,160	37,441
	TR	9	0.640	0.094	0.509-0.875	56,136	37,432
MSM	UP	12	0.600	0.065	0.406-0.708	56,184	28,092
	TR	12	0.697	0.083	0.551-0.966	56,160	30,431
SWH	UP	12	0.361	0.051	0.234-0.452	24,432	12,216
	SWAMP	12	0.378	0.050	0.246-0.458	47,736	23,868
	TR	12	0.443	0.061	0.327-0.619	72,288	36,144

TEROS


SWH: found 6 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 29175 data rows




GWI TEROs



MSM TEROs





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	62,405.5	132,546.1	2387-400888	35,298	23,532
	TR	Temp	6	12.4	1.0	10.2-14.1	35,298	23,532
	TR	VWC	6	3,957.5	47.6	3905.9-4011.9	35,298	31,376
	W	EC	6	8,611.7	1,531.3	6451-14582	42,138	32,774
	W	Temp	6	8.7	1.5	5-12.8	42,138	32,774
	W	VWC	6	3,354.7	15.9	3322.8-3384	42,138	32,774
GWI	UP	EC	6	2,528.8	1,438.1	505-6416	42,120	35,880
	UP	Temp	6	17.3	0.4	15.9-18.2	42,120	35,880
	UP	VWC	6	2,910.9	175.7	2499.9-3133	42,120	35,880
	TR	EC	6	10,354.8	5,301.4	4397-45760	42,102	28,074
	TR	Temp	6	14.3	1.2	11.3-16.8	42,102	28,074

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,227.1	128.5	3033.7-3392.7	42,102	28,074
	W	EC	6	10,341.6	4,315.5	4417-32449	42,138	32,782
	W	Temp	6	13.8	1.4	10.3-16.8	42,138	32,782
	W	VWC	6	3,217.9	176.8	2974.6-3434.6	42,138	32,782
MSM	UP	EC	6	4,550.2	1,662.6	0-14436	42,138	28,092
	UP	Temp	6	14.2	1.1	0-16.5	42,138	28,092
	UP	VWC	6	3,030.0	89.6	0-3130.5	42,138	28,092
	TR	EC	6	7,394.2	2,957.1	3552-13825	42,120	28,080
	TR	Temp	6	14.2	1.0	12.1-16.2	42,120	28,080
	TR	VWC	6	3,173.2	134.6	2959.3-3386.3	42,120	28,080
	W	EC	6	7,238.8	4,230.2	0-18972	42,120	30,362
	W	Temp	6	9.8	5.2	0-15.9	42,120	30,362
	W	VWC	6	2,616.4	1,333.8	0-3439.9	42,120	30,362
SWH	UP	EC	6	208.6	231.1	0-1940	70,668	47,112
	UP	Temp	6	14.1	1.1	11.1-16.5	70,668	47,112
	UP	VWC	6	3,061.2	137.2	2824.5-3397.7	70,668	47,112
	SWAMP	EC	6	350.8	169.0	0-892	35,802	23,868
	SWAMP	Temp	6	11.8	1.2	0-14.8	35,802	23,868
	SWAMP	VWC	6	3,256.4	104.7	0-3420	35,802	23,868
	TR	EC	6	1,800.1	1,241.7	44-9156	54,216	36,222
	TR	Temp	6	13.1	1.7	6.7-18.7	54,216	36,222
	TR	VWC	6	2,874.7	435.7	1882.6-3322.1	54,216	36,222
	W	EC	6	2,874.9	1,678.0	0-10093	34,290	24,426
	W	Temp	6	9.5	5.4	0-16.3	34,290	24,426

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	2,488.5	1,350.6	0-3256.5	34,290	24,426

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 3 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 22978 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.7	0.1	0.634-0.848	5,883	3,922
	TR	RDO_concen	1	0.0	0.0	0-1.42	5,883	3,922
	TR	Salinity	1	4.0	0.4	3.54-4.86	5,883	3,922
	TR	Temperature	1	13.7	0.6	12.67-14.74	5,883	3,922
	TR	Water_Density	1	1.0	0.0	1.002-1.003	5,883	3,922
	TR	pH	1	6.2	0.0	6.18-6.27	5,883	3,922
	W	Pressure	1	1.0	0.1	0.938-1.279	7,023	4,682
	W	RDO_concen	1	0.0	0.0	0-0.05	7,023	4,682
	W	Salinity	1	12.2	0.3	11.75-12.83	7,023	4,682
	W	Temperature	1	14.6	0.7	13.26-15.96	7,023	4,682
	W	Water_Density	1	1.0	0.0	1.008-1.009	7,023	4,682
	W	pH	1	6.6	0.0	6.51-6.63	7,023	4,682
GWI	UP	Pressure	1	0.6	0.1	0.462-0.713	5,451	5,394
	UP	RDO_concen	1	0.3	1.5	0-11.14	5,451	5,395
	UP	Salinity	1	7.1	1.4	0-7.41	5,451	5,394
	UP	Temperature	1	17.9	0.9	13.11-18.12	5,451	5,394
	UP	Water_Density	1	1.0	0.0	0.999-1.004	5,451	5,394
	UP	pH	1	4.1	0.5	0.54-4.36	5,451	5,394
	TR	Pressure	1	0.8	0.0	0.731-0.895	5,442	3,630
	TR	RDO_concen	1	0.0	0.0	0-0.49	5,442	3,630
	TR	Salinity	1	18.4	0.3	16.08-18.61	5,442	3,630
	TR	Temperature	1	15.4	0.7	14.55-16.53	5,442	3,630
	TR	Water_Density	1	1.0	0.0	1.011-1.013	5,442	3,630
	TR	pH	1	5.9	0.1	5.7-5.99	5,442	3,630

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.4	0.1	-0.005-0.534	5,439	3,630
	W	RDO_concen	1	0.0	0.3	0-10.7	5,439	3,630
	W	Salinity	1	20.1	0.5	0-20.26	5,439	3,630
	W	Temperature	1	14.7	0.8	13.84-15.99	5,439	3,630
	W	Water_Density	1	1.0	0.0	0.999-1.015	5,439	3,630
	W	pH	1	6.4	0.1	6.31-9.29	5,439	3,630
MSM	UP	Pressure	1	0.7	0.0	0-0.76	3,423	2,282
	UP	RDO_concen	1	0.0	0.2	0-1.74	3,423	2,282
	UP	Salinity	1	5.7	0.2	0-5.79	3,423	2,282
	UP	Temperature	1	15.2	0.5	0-15.78	3,423	2,282
	UP	Water_Density	1	1.0	0.0	0-1.003	3,423	2,282
	UP	pH	1	4.4	0.1	0-4.41	3,423	2,282
	TR	Pressure	1	1.1	0.0	1.027-1.143	3,393	2,262
	TR	RDO_concen	1	0.0	0.2	0-1.77	3,393	2,262
	TR	Salinity	1	11.5	0.4	9.89-11.88	3,393	2,262
	TR	Temperature	1	15.8	0.2	15.42-16.4	3,393	2,262
	TR	Water_Density	1	1.0	0.0	1.007-1.008	3,393	2,262
	TR	pH	1	5.1	0.1	4.99-5.54	3,393	2,262
	W	Pressure	1	0.7	0.1	0.545-0.961	3,411	2,276
	W	RDO_concen	1	0.0	0.0	0-0.44	3,411	2,276
	W	Salinity	1	15.2	0.3	14.54-15.58	3,411	2,276
	W	Temperature	1	14.2	0.3	13.72-14.86	3,411	2,276
	W	Water_Density	1	1.0	0.0	1.01-1.011	3,411	2,276
	W	pH	1	6.5	0.1	6.34-6.61	3,411	2,276

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.8	0.3	0.497-1.592	11,778	7,853
	UP	RDO_concen	2	0.0	0.1	0-1.26	11,778	7,853
	UP	Salinity	2	0.2	0.2	0.05-0.53	11,778	7,853
	UP	Temperature	2	16.4	0.6	15.4-17.73	11,778	7,853
	UP	Water_Density	2	1.0	0.0	0.999-0.999	11,778	7,853
	UP	pH	2	5.4	0.4	4.29-5.96	11,778	7,853
	SWAMP	Pressure	1	1.2	0.0	0-1.247	5,967	4,061
	SWAMP	RDO_concen	1	0.0	0.0	0-0.07	5,967	4,061
	SWAMP	Salinity	1	0.3	0.0	0-0.39	5,967	4,061
	SWAMP	Temperature	1	14.9	0.6	0-15.7	5,967	4,061
	SWAMP	Water_Density	1	1.0	0.0	0-0.999	5,967	4,061
	SWAMP	pH	1	6.2	0.2	0-6.29	5,967	4,061
	TR	Pressure	1	1.2	0.1	1.015-1.286	6,009	4,104
	TR	RDO_concen	1	0.0	0.0	0-0	6,009	4,104
	TR	Salinity	1	1.8	0.0	1.75-1.84	6,009	4,104
	TR	Temperature	1	16.3	0.5	15.5-17.09	6,009	4,104
	TR	Water_Density	1	1.0	0.0	1-1	6,009	4,104
	TR	pH	1	6.1	0.0	6.01-6.12	6,009	4,104
	W	Pressure	1	0.0	0.0	0-0	5,715	3,856
	W	RDO_concen	1	10.5	5.8	-2.8-24.2	5,715	3,856
	W	Salinity	1	1.7	1.6	0.02-9.42	5,715	3,856
	W	Temperature	1	0.0	0.0	0-0	5,715	3,856
	W	Water_Density	1	1.7	1.6	0.02-9.42	5,715	3,856
	W	pH	1	1.0	0.4	0.36-2.12	5,715	3,856

Redox


SWH: found 8 files


GW1: found 6 files


MSM: found 0 files

GCW: found 2 files

Total: 63218 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	W	12	-474.365	181.866	-727.902-3886.512	61,824	96
GWI	UP	12	3,011.108	2,155.324	-483.056-4562.251	43,608	7,085
	TR	12	-156.703	198.759	-476.857-745.784	43,536	24
	W	12	-321.415	163.957	-644.369-4184.917	43,512	48
SWH	UP	12	398.279	480.805	-530.073-1331.755	45,360	0
	SWAMP	12	-129.933	177.589	-604.138-557.506	47,736	0
	TR	12	-219.703	331.616	-683.352-1025.127	48,072	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	-190.264	159.304	-619.715-230.229	45,720	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)

GWI: found 1 file

MSM: found 2 files


GCW: found 0 files

Total: 4072 data rows

GW1



MSM



	Plot name	Mean	SD	Range	N_values	N_na
GWI	W Battery_v	NaN	NA	-	528	528
	W Cable_v	NaN	NA	-	528	528
	W Conductivity	NaN	NA	-	528	528
	W Depth_m	NaN	NA	-	528	528
	W FDOM_QSU	NaN	NA	-	528	528

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	528	528
	W NLF_conductivity	NaN	NA	-	528	528
	W ODO_MgL	NaN	NA	-	528	528
	W ODO_local	NaN	NA	-	528	528
	W ODO_sat	NaN	NA	-	528	528
	W ORP_mv	NaN	NA	-	528	528
	W Pressure_psia	NaN	NA	-	528	528
	W Salinity_PPT	NaN	NA	-	528	528
	W Specific_Conductivity_uScm	NaN	NA	-	528	528
	W TDS_mg_L	NaN	NA	-	528	528
	W TSS_MgL	NaN	NA	-	528	528
	W Temp_C	NaN	NA	-	528	528
	W Turbidity_FNU	NaN	NA	-	528	528
	W Turbidity_Raw	NaN	NA	-	528	528
	W Vertical_Position_m	NaN	NA	-	528	528
	W Wiper_Current_ma	NaN	NA	-	528	528
	W Wiper_Position_mv	NaN	NA	-	528	528
	W pH	NaN	NA	-	528	528
	W pH_mv	NaN	NA	-	528	528
MSM	W Battery_v	NaN	NA	-	1,203	1,203
	W Cable_v	NaN	NA	-	1,203	1,203
	W Conductivity	NaN	NA	-	1,203	1,203
	W Depth_m	NaN	NA	-	1,203	1,203
	W FDOM_QSU	NaN	NA	-	1,203	1,203

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	1,203	1,203
	W NLF_conductivity	NaN	NA	-	1,203	1,203
	W ODO_MgL	NaN	NA	-	1,203	1,203
	W ODO_local	NaN	NA	-	1,203	1,203
	W ODO_sat	NaN	NA	-	1,203	1,203
	W ORP_mv	NaN	NA	-	1,203	1,203
	W Pressure_psia	NaN	NA	-	1,203	1,203
	W Salinity_PPT	NaN	NA	-	1,203	1,203
	W Specific_Conductivity_uScm	NaN	NA	-	1,203	1,203
	W TDS_mgL	NaN	NA	-	1,203	1,203
	W TSS_MgL	NaN	NA	-	1,203	1,203
	W Temp_C	NaN	NA	-	1,203	1,203
	W Turbidity_FNU	NaN	NA	-	1,203	1,203
	W Turbidity_Raw	NaN	NA	-	1,203	1,203
	W Vertical_Position_m	NaN	NA	-	1,203	1,203
	W Wiper_Current_ma	NaN	NA	-	1,203	1,203
	W Wiper_Position_mv	NaN	NA	-	1,203	1,203
	W pH	NaN	NA	-	1,203	1,203
	W pH_mv	NaN	NA	-	1,203	1,203
	NA Battery_v	6.0	0.4	5.54-6.42	2,341	1
	NA Cable_v	12.3	0.6	11.61-13.65	2,341	1
	NA Conductivity	19.4	1.6	11.341-22.462	2,341	1
	NA Depth_m	0.9	0.1	0.571-1.207	2,341	1
	NA FDOM_QSU	29.5	8.1	3.83-106.92	2,341	1

Plot	name	Mean	SD	Range	N_values	N_na
NA	FDOM_RFU	8.9	2.7	0.23-34.68	2,341	1
NA	NLF_conductivity	27.3	2.4	14.6-29.35	2,341	1
NA	ODO_MgL	9.7	1.1	6.54-11.58	2,341	1
NA	ODO_local	95.9	7.8	65.7-111.7	2,341	1
NA	ODO_sat	96.5	7.5	66.48-111.7	2,341	1
NA	ORP_mv	217.8	40.4	156.18-275.05	2,341	1
NA	Pressure_psia	0.0	0.0	0-0	2,341	1
NA	Salinity_PPT	16.4	1.5	8.37-17.78	2,341	1
NA	Specific_Conductivity_uScm	26.8	2.3	14.372-28.842	2,341	1
NA	TDS_mg_L	17,430.4	1,527.2	9278.45-18748.27	2,341	1
NA	TSS_MgL	0.0	0.0	0-0	2,341	1
NA	Temp_C	10.6	2.4	5.608-15.109	2,341	1
NA	Turbidity_FNU	65.8	76.1	3.67-1359.54	2,341	1
NA	Turbidity_Raw	1.5	1.8	0.07-31.23	2,341	1
NA	Vertical_Position_m	0.9	0.1	0.572-1.208	2,341	1
NA	Wiper_Current_ma	20.7	21.4	0-57.7	2,341	1
NA	Wiper_Position_mv	0.6	0.6	0-1.21	2,341	1
NA	pH	7.6	0.1	7.19-7.86	2,341	1
NA	pH_mv	-60.7	11.6	-86.05--31.36	2,341	1