

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-10-14 10:31:07-04:00

Sites: SWH, GWI, MSM, GCW, TMP

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow

SWH: found 2 files


GWI: found 2 files

MSM: found 2 files


GCW: found 1 file

TMP: found 9 files


Total: 50014 data rows





GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.361	0.273	0-0.717	48,868	33,436
GWI	UP	9	0.491	0.386	-3.809-0.649	48,830	38,550
	TR	9	0.666	0.096	0.419-0.976	1,168,044	922,140

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
MSM	UP	13	0.579	0.075	0.371-0.707	48,830	33,410
	TR	13	0.688	0.084	0.524-0.954	48,830	34,695
SWH	UP	13	0.334	0.064	0.183-0.45	48,830	33,410
	TR	13	0.429	0.068	0.259-0.611	48,830	33,410
TMP	C	23	0.394	0.334	0-1.172	146,490	102,800
	F	24	0.318	0.262	-0.014-0.701	146,490	102,800
	S	24	0.340	0.256	0-0.719	146,490	101,515

TEROS

SWH: found 4 files

GWl: found 3 files


MSM: found 3 files

GCW: found 2 files


TMP: found 9 files

Total: 56441 data rows


SWH Teros




GWI Teros




MSM TEROS



GCW TEROS



TMP TEROS



	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	3,950.9	48.5	3898.8-4001.4	30,864	28,292
	TR	Temp	6	17.9	0.8	16.2-20.3	30,864	23,148
	TR	VWC	6	54,733.6	118,460.8	954-973487	30,864	23,148
	W	EC	4	3,362.6	15.3	3338.2-3386.6	20,560	15,421
	W	Temp	4	17.6	1.4	14-20.3	20,560	15,421
	W	VWC	4	8,214.5	1,206.5	6178-11138	20,560	15,421
GWI	UP	EC	6	2,679.6	193.3	2354.3-3388.3	30,840	23,130
	UP	Temp	6	20.5	0.4	19.4-21.6	30,840	23,130
	UP	VWC	6	1,480.8	3,022.7	20-136819	30,840	23,130
	TR	EC	6	3,214.9	92.9	3084.6-3393.5	737,712	728,226
	TR	Temp	6	20.6	0.9	18.5-22.8	737,712	728,226

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	8,081.9	4,325.5	3666-52350	737,712	728,226
	W	EC	4	3,258.0	150.9	3051.5-3441	20,576	15,432
	W	Temp	4	20.5	0.8	18.6-22.3	20,576	15,432
	W	VWC	4	10,151.2	4,154.7	4303-33892	20,576	15,432
MSM	UP	EC	5	2,788.2	67.8	2674.5-2932.6	25,700	19,275
	UP	Temp	5	19.6	0.7	17.9-21	25,700	19,275
	UP	VWC	5	1,101.6	344.0	621-2068	25,700	19,275
	TR	EC	6	3,175.8	120.3	2986.8-3384	30,840	23,130
	TR	Temp	6	19.7	0.8	16.6-21.6	30,840	23,130
	TR	VWC	6	7,318.3	2,760.4	3392-12584	30,840	23,130
	W	EC	4	3,305.2	134.3	3076.1-3435.4	20,576	15,432
	W	Temp	4	19.2	1.3	15.5-21.4	20,576	15,432
	W	VWC	4	9,162.3	2,831.5	5066-20249	20,576	15,432
SWH	UP	EC	6	3,119.9	141.5	2830.4-3393.5	61,680	46,260
	UP	Temp	6	18.6	0.9	16.2-20.7	61,680	46,260
	UP	VWC	6	198.4	222.7	6-1846	61,680	46,260
	TR	EC	6	2,139.6	1,393.0	0-3322.8	30,840	23,130
	TR	Temp	6	14.3	9.1	0-24.8	30,840	23,130
	TR	VWC	6	1,488.5	1,420.9	0-9155	30,840	23,130
	W	EC	4	3,201.5	11.5	3189.1-3226.6	20,560	15,420
	W	Temp	4	21.5	1.0	19.4-23.8	20,560	15,420
	W	VWC	4	2,574.7	575.5	1326-3866	20,560	15,420
TMP	C	EC	22	3,294.4	767.4	0-4134.5	124,645	77,064
	C	Temp	22	18.0	1.2	14.9-27.8	124,645	76,396

AquaTROLL

SWH: found 4 files


GWI: found 3 files




MSM: found 3 files




GCW: found 2 files

TMP: found 7 files

Total: 53871 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.7	0.1	0.516-1.14	6,430	5,144
	TR	RDO_concen	1	0.0	0.0	0-0	5,144	3,858
	TR	Salinity	1	3.4	0.3	2.78-3.81	6,430	5,144
	TR	Temperature	1	17.9	0.4	17.18-18.54	6,430	5,144
	TR	Water_Density	1	1.0	0.0	1.001-1.002	6,430	5,144
	TR	pH	1	6.3	0.0	6.21-6.41	5,144	3,858
	W	Pressure	1	1.2	0.1	1.083-1.842	6,425	5,140
	W	RDO_concen	1	0.0	0.0	0.04-0.05	5,140	3,855
	W	Salinity	1	11.2	0.1	10.95-11.32	6,425	5,140
	W	Temperature	1	17.8	0.1	17.54-17.93	6,425	5,140
	W	Water_Density	1	1.0	0.0	1.007-1.007	6,425	5,140
	W	pH	1	6.6	0.0	6.61-6.72	5,140	3,855
GWI	UP	Pressure	1	1.0	0.1	0.721-1.604	6,425	5,281
	UP	RDO_concen	1	0.1	0.3	0-2.12	5,140	3,996
	UP	Salinity	1	3.8	1.5	2.46-7.43	6,425	5,281
	UP	Temperature	1	20.1	0.1	19.87-20.33	6,425	5,281
	UP	Water_Density	1	1.0	0.0	1-1.004	6,425	5,281
	UP	pH	1	4.4	0.2	3.92-4.53	5,140	3,996
	TR	Pressure	1	0.6	0.2	0.023-1.74	153,690	140,268
	TR	RDO_concen	1	0.0	0.1	0-1.6	122,952	109,580
	TR	Salinity	1	15.6	1.4	0-19.56	153,690	140,185
	TR	Temperature	1	18.1	4.9	0-24.28	153,690	140,169
	TR	Water_Density	1	1.0	0.0	1-1.015	153,690	140,773
	TR	pH	1	5.4	0.3	0-5.98	122,952	109,412

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.6	0.2	0.516-1.578	6,430	5,144
	W	RDO_concen	1	0.0	0.0	0-0	5,144	3,858
	W	Salinity	1	22.7	0.0	22.61-22.75	6,430	5,144
	W	Temperature	1	20.9	0.6	20.08-22.03	6,430	5,144
	W	Water_Density	1	1.0	0.0	1.015-1.015	6,430	5,144
	W	pH	1	6.4	0.0	6.34-6.38	5,144	3,858
MSM	UP	Pressure	1	0.4	0.1	0.254-0.653	6,425	5,140
	UP	RDO_concen	1	0.0	0.0	0-0	5,140	3,855
	UP	Salinity	1	3.8	0.0	3.81-3.86	6,425	5,140
	UP	Temperature	1	19.6	0.3	18.97-20.12	6,425	5,140
	UP	Water_Density	1	1.0	0.0	1.001-1.001	6,425	5,140
	UP	pH	1	4.1	0.0	4.07-4.13	5,140	3,855
	TR	Pressure	1	1.2	0.1	1.084-1.563	6,425	5,140
	TR	RDO_concen	1	0.0	0.0	0-0	5,140	3,855
	TR	Salinity	1	11.8	0.8	11.54-38.9	6,425	5,140
	TR	Temperature	1	20.3	1.2	-17.67-21.77	6,425	5,140
	TR	Water_Density	1	1.0	0.0	1.007-1.03	6,425	5,140
	TR	pH	1	4.9	0.1	4.73-5.08	5,140	3,855
	W	Pressure	1	0.9	0.2	0.676-1.424	6,430	5,144
	W	RDO_concen	1	0.0	0.0	0-0	5,144	3,858
	W	Salinity	1	13.5	0.1	13.39-13.86	6,430	5,144
	W	Temperature	1	19.7	0.4	18.95-20.34	6,430	5,144
	W	Water_Density	1	1.0	0.0	1.008-1.009	6,430	5,144
	W	pH	1	6.2	0.2	5.99-6.39	5,144	3,858

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.9	0.3	0.488-1.854	12,850	10,280
	UP	RDO_concen	2	0.0	0.1	0-0.68	10,280	7,710
	UP	Salinity	2	0.2	0.1	0.05-0.63	12,850	10,280
	UP	Temperature	2	18.4	0.6	17.69-19.29	12,850	10,280
	UP	Water_Density	2	1.0	0.0	0.998-0.999	12,850	10,280
	UP	pH	2	5.5	0.4	4.66-5.88	10,280	7,710
	TR	Pressure	1	1.3	0.2	1.179-2.135	6,425	5,510
	TR	RDO_concen	1	0.0	0.0	0-0	5,140	4,225
	TR	Salinity	1	1.6	0.0	1.57-1.63	6,425	5,510
	TR	Temperature	1	19.6	0.1	19.35-19.72	6,425	5,510
	TR	Water_Density	1	1.0	0.0	0.999-1	6,425	5,510
	TR	pH	1	6.0	0.0	5.91-6.06	5,140	4,225
	W	Pressure	1	1.5	0.3	1.183-2.506	6,425	5,140
	W	RDO_concen	1	0.0	0.0	0-0	5,140	3,855
	W	Salinity	1	2.1	0.2	1.91-2.42	6,425	5,140
	W	Temperature	1	21.5	0.2	21.11-21.65	6,425	5,140
	W	Water_Density	1	1.0	0.0	0.999-1	6,425	5,140
	W	pH	1	6.1	0.0	6.1-6.18	5,140	3,855
TMP	C	Pressure	2	7.4	7.4	-0.181-14.964	12,850	10,280
	C	RDO_concen	2	2.4	0.1	2.29-2.7	10,280	8,995
	C	Salinity	2	0.0	0.0	0-0.06	12,850	10,280
	C	Temperature	2	14.5	0.3	14.19-14.848	12,850	10,280
	C	Water_Density	2	1.0	0.0	0.999-0.999	12,850	10,280
	C	pH	2	4.8	0.0	4.74-4.88	10,280	8,995

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	F	Pressure	3	10.2	6.8	0.568-15.151	19,275	15,420
	F	RDO_concen	3	0.5	0.4	0.09-1.86	15,420	14,135
	F	Salinity	3	0.1	0.0	0.04-0.136	19,275	15,420
	F	Temperature	3	15.9	1.3	13.98-17.26	19,275	15,420
	F	Water_Density	3	1.0	0.0	0.999-0.999	19,275	15,420
	F	pH	3	4.6	0.0	4.52-4.59	15,420	14,135
	S	Pressure	2	8.2	6.6	1.48-14.974	12,850	10,281
	S	RDO_concen	2	0.0	0.0	0-0	10,280	8,996
	S	Salinity	2	0.3	0.3	0-0.68	12,850	10,281
	S	Temperature	2	15.3	0.9	14.27-16.272	12,850	10,281
	S	Water_Density	2	1.0	0.0	0.999-1	12,850	10,281
	S	pH	2	3.9	0.1	3.74-3.93	10,280	8,996

Redox