

Current Dropbox data: CB

AUTHOR
COMPASS workflows team

PUBLISHED
2025-12-16 10:24:15-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files

GWI: found 4 files


MSM: found 2 files

GCW: found 1 file


Total: 17819 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.549	0.101	0.297-0.671	15,624	15,039
GWI	UP	9	0.574	0.042	0.451-0.654	30,768	20,512
	TR	9	0.623	0.097	0.451-0.869	17,040	11,360
MSM	UP	12	0.608	0.056	0.476-0.712	15,624	7,812
	TR	12	0.695	0.087	0.558-0.982	15,624	8,463
SWH	SWAMP	12	0.367	0.052	0.229-0.469	15,624	7,812
	TR	12	0.439	0.060	0.316-0.627	15,648	7,824

TEROS

SWH: found 6 files


GWI: found 4 files

MSM: found 3 files


GCW: found 3 files

Total: 26246 data rows


SWH TEROS




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	2,754.5	910.4	1506-4455	11,718	7,812
	TR	Temp	6	6.6	0.8	4.6-8.1	11,718	7,812
	TR	VWC	6	3,170.3	386.6	2829.3-4016.4	11,718	7,812
	W	EC	6	8,032.7	2,204.6	5459-12415	12,780	9,940
	W	Temp	6	2.6	0.9	1.1-4.2	12,780	9,940
	W	VWC	6	3,332.4	11.6	3311.6-3353.2	12,780	9,940
GWI	UP	EC	6	NaN	NA	-	22,014	22,014
	UP	Temp	6	NaN	NA	-	22,014	22,014
	UP	VWC	6	NaN	NA	-	22,014	22,014
	TR	EC	6	9,074.1	3,710.8	4735-23637	12,780	8,520
	TR	Temp	6	8.4	1.1	5.3-10.3	12,780	8,520

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,170.3	127.7	2969.9-3348.9	12,780	8,520
	W	EC	6	10,698.0	4,823.2	4486-31166	11,736	9,128
	W	Temp	6	7.3	1.5	3.6-9.5	11,736	9,128
	W	VWC	6	3,171.6	204.7	2898.8-3424.2	11,736	9,128
MSM	UP	EC	6	2,999.2	612.4	1773-4564	11,718	7,812
	UP	Temp	6	9.3	0.9	7.4-10.7	11,718	7,812
	UP	VWC	6	2,965.5	63.0	2871.1-3075.8	11,718	7,812
	TR	EC	6	6,144.0	1,789.1	3826-9303	11,718	7,812
	TR	Temp	6	9.1	0.9	7-10.6	11,718	7,812
	TR	VWC	6	3,118.6	123.9	2929.4-3331.7	11,718	7,812
	W	EC	6	9,030.7	2,191.4	5736-16258	11,736	9,128
	W	Temp	6	6.8	2.2	2.5-9.7	11,736	9,128
	W	VWC	6	3,265.8	164.1	2985.5-3425.6	11,736	9,128
SWH	UP	EC	6	68.9	41.8	0-181	11,736	7,824
	UP	Temp	6	8.5	1.1	5.9-10.9	11,736	7,824
	UP	VWC	6	3,055.1	75.8	2928.7-3196.6	11,736	7,824
	SWAMP	EC	6	227.2	176.6	48-767	11,718	7,812
	SWAMP	Temp	6	4.0	1.2	0.9-6.1	11,718	7,812
	SWAMP	VWC	6	3,309.6	74.8	3217.5-3442.9	11,718	7,812
	TR	EC	6	1,081.1	826.7	17-3000	11,736	7,824
	TR	Temp	6	4.5	1.5	0.1-7.7	11,736	7,824
	TR	VWC	6	2,878.3	438.2	1908.8-3249.9	11,736	7,824
	W	EC	6	3,372.0	409.1	2616-5383	11,718	9,114
	W	Temp	6	5.5	1.5	1.2-7.7	11,718	9,114

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,216.8	10.5	3200.9-3235.5	11,718	9,114

AquaTROLL

```
SWH: ignoring backup file(s)
```

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 4 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 25357 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.8	0.0	0.738-0.803	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	3.2	0.1	3.16-3.34	1,953	1,302
	TR	Temperature	1	10.1	0.3	9.65-10.62	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.002-1.002	1,953	1,302
	TR	pH	1	6.0	0.0	5.96-6.04	1,953	1,302
	W	Pressure	1	1.0	0.0	0.938-1.055	1,953	1,302
	W	RDO_concen	1	0.0	0.0	0-0.05	1,953	1,302
	W	Salinity	1	10.9	0.1	10.74-11.03	1,953	1,302
	W	Temperature	1	11.6	0.2	11.22-12.13	1,953	1,302
	W	Water_Density	1	1.0	0.0	1.008-1.008	1,953	1,302
	W	pH	1	7.0	0.0	6.95-7.09	1,953	1,302
GWI	UP	Pressure	1	NaN	NA	-	3,669	3,669
	UP	RDO_concen	1	NaN	NA	-	3,669	3,669
	UP	Salinity	1	NaN	NA	-	3,669	3,669
	UP	Temperature	1	NaN	NA	-	3,669	3,669
	UP	Water_Density	1	NaN	NA	-	3,669	3,669
	UP	pH	1	NaN	NA	-	3,669	3,669
	TR	Pressure	1	0.8	0.0	0.75-0.832	2,130	1,420
	TR	RDO_concen	1	0.0	0.0	0-0	2,130	1,420
	TR	Salinity	1	18.1	0.1	17.97-18.19	2,130	1,420
	TR	Temperature	1	11.3	0.4	10.51-12	2,130	1,420
	TR	Water_Density	1	1.0	0.0	1.014-1.014	2,130	1,420
	TR	pH	1	5.9	0.0	5.93-5.95	2,130	1,420

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.47-0.545	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	20.3	0.0	20.24-20.34	1,956	1,304
	W	Temperature	1	9.8	0.4	8.85-10.55	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.015-1.016	1,956	1,304
	W	pH	1	6.4	0.0	6.31-6.48	1,956	1,304
MSM	UP	Pressure	1	0.7	0.0	0.659-0.727	1,953	1,302
	UP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	UP	Salinity	1	5.2	0.0	5.17-5.26	1,953	1,302
	UP	Temperature	1	12.3	0.3	11.78-12.79	1,953	1,302
	UP	Water_Density	1	1.0	0.0	1.003-1.004	1,953	1,302
	UP	pH	1	4.4	0.0	4.42-4.43	1,953	1,302
	TR	Pressure	1	1.1	0.0	1.047-1.098	1,953	1,302
	TR	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	TR	Salinity	1	11.7	0.1	11.65-11.82	1,953	1,302
	TR	Temperature	1	13.3	0.3	12.8-13.77	1,953	1,302
	TR	Water_Density	1	1.0	0.0	1.008-1.008	1,953	1,302
	TR	pH	1	4.8	0.0	4.7-4.94	1,953	1,302
	W	Pressure	1	0.6	0.1	0.536-0.864	1,956	1,304
	W	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	W	Salinity	1	14.9	0.1	14.77-15	1,956	1,304
	W	Temperature	1	11.2	0.3	10.76-11.78	1,956	1,304
	W	Water_Density	1	1.0	0.0	1.011-1.011	1,956	1,304
	W	pH	1	6.4	0.0	6.28-6.48	1,956	1,304

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	1	0.6	0.0	0.615-0.721	1,956	1,304
	UP	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	UP	Salinity	1	0.0	0.0	0.04-0.04	1,956	1,304
	UP	Temperature	1	13.2	0.3	12.77-13.67	1,956	1,304
	UP	Water_Density	1	1.0	0.0	0.999-0.999	1,956	1,304
	UP	pH	1	4.9	0.0	4.88-5.03	1,956	1,304
	SWAMP	Pressure	1	1.2	0.0	1.171-1.228	1,953	1,302
	SWAMP	RDO_concen	1	0.0	0.0	0-0	1,953	1,302
	SWAMP	Salinity	1	0.2	0.0	0.24-0.25	1,953	1,302
	SWAMP	Temperature	1	12.3	0.2	11.88-12.74	1,953	1,302
	SWAMP	Water_Density	1	1.0	0.0	1-1	1,953	1,302
	SWAMP	pH	1	6.1	0.0	6.07-6.08	1,953	1,302
	TR	Pressure	1	1.1	0.1	1.033-1.251	1,956	1,304
	TR	RDO_concen	1	0.0	0.0	0-0	1,956	1,304
	TR	Salinity	1	1.6	0.0	1.59-1.66	1,956	1,304
	TR	Temperature	1	13.2	0.2	12.7-13.51	1,956	1,304
	TR	Water_Density	1	1.0	0.0	1.001-1.001	1,956	1,304
	TR	pH	1	6.0	0.0	5.95-6.04	1,956	1,304
	W	Pressure	1	NaN	NA	-	1,953	1,953
	W	RDO_concen	1	NaN	NA	-	1,953	1,953
	W	Salinity	1	NaN	NA	-	1,953	1,953
	W	Temperature	1	NaN	NA	-	1,953	1,953
	W	Water_Density	1	NaN	NA	-	1,953	1,953
	W	pH	1	NaN	NA	-	1,953	1,953

Redox

SWH: found 8 files


GWI: found 10 files


MSM: found 0 files


GCW: found 6 files

Total: 87093 data rows

SWH Redox







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	12	63.840	328.700	-428.658-750.622	15,624	0
	W	12	-391.723	185.453	-656.7-180.314	15,624	0
GWI	UP	12	4,546.398	4.717	4526.127-4558.241	30,768	0
	TR	12	-70.096	247.156	-375.647-745.801	17,040	0
	W	12	-244.224	68.458	-444.674--75.758	15,648	0
SWH	UP	12	118.199	343.147	-414.362-727.943	15,648	0
	SWAMP	12	-119.744	105.901	-359.342-182.376	15,624	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	TR	12	-77.675	417.298	-546.709-786.765	15,648	0
	W	12	-135.481	121.936	-347.486-211.511	15,624	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)


GWI: found 1 file

MSM: found 2 files

GCW: found 0 files

Total: 3212 data rows

MSM



	name	Mean	SD	Range	N_values	N_na
MSM	Battery_v	6.4	0.0	6.41-6.42	651	0
	Cable_v	12.2	0.6	11.54-13.61	651	0
	Conductivity	16.1	0.7	5.664-17.169	651	0
	Depth_m	1.3	0.2	0.984-1.708	651	0
	FDOM_QSU	24.2	4.3	17.05-34.29	651	0

	name	Mean	SD	Range	N_values	N_na
	FDOM_RFU	7.7	1.4	5.34-10.97	651	0
	NLF_conductivity	29.4	0.9	9.99-30.54	651	0
	ODO_MgL	13.4	0.7	10.25-14.93	651	0
	ODO_local	107.4	3.1	83.05-112.86	651	0
	ODO_sat	107.4	3.1	83.05-112.86	651	0
	ORP_mv	173.0	8.5	157.03-213.68	651	0
	Pressure_psia	0.0	0.0	0-0	651	0
	Salinity_PPT	17.5	0.6	5.48-18.11	651	0
	Specific_Conductivity_uScm	29.2	1.0	9.89-30.518	651	0
	TDS_mgL	18,984.5	637.0	6428.71-19837.98	651	0
	TSS_MgL	0.0	0.0	0-0	651	0
	Temp_C	1.5	1.5	-1.123-4.305	651	0
	Turbidity_FNU	16.9	22.5	4.17-173.51	651	0
	Turbidity_Raw	0.3	0.4	0.08-3.3	651	0
	Vertical_Position_m	1.3	0.2	0.984-1.71	651	0
	Wiper_Current_ma	50.0	3.5	0-57.7	651	0
	Wiper_Position_mv	1.2	0.0	0.93-1.37	651	0
	pH	7.7	0.0	7.53-7.78	651	0
	pH_mv	-73.5	2.3	-80.84--67.14	651	0