

Current Dropbox data: CB

AUTHOR

COMPASS workflows team

PUBLISHED

2025-12-05 08:39:22-05:00

Sites: SWH, GWI, MSM, GCW

Data path: C:/Users/wilsons/Smithsonian Dropbox/Stephanie Wilson

Sapflow


SWH: found 3 files

GWI: found 2 files


MSM: found 2 files

GCW: found 1 file


Total: 5488 data rows




GWI



MSM





	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	9	0.374	0.280	0-0.719	47,064	23,564
GWI	UP	9	0.575	0.041	0.457-0.657	10,032	6,688
	TR	9	0.630	0.093	0.467-0.872	10,032	6,688
MSM	UP	12	0.609	0.059	0.452-0.704	10,032	5,016
	TR	12	0.698	0.083	0.584-0.983	10,032	5,434
SWH	UP	12	0.361	0.051	0.234-0.452	24,432	12,216
	SWAMP	12	0.371	0.052	0.225-0.453	10,032	5,016
	TR	12	0.442	0.060	0.326-0.613	10,056	5,028

TEROS


SWH: found 6 files

GWI: found 3 files


MSM: found 3 files

GCW: found 2 files


Total: 8599 data rows




GWI Teros



MSM Teros





	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	EC	6	62,405.5	132,546.1	2387-400888	35,298	23,532
	TR	Temp	6	12.4	1.0	10.2-14.1	35,298	23,532
	TR	VWC	6	3,957.5	47.6	3905.9-4011.9	35,298	31,376
	W	EC	6	8,358.3	1,851.6	6082-12812	7,524	5,852
	W	Temp	6	4.7	1.1	2.9-6.5	7,524	5,852
	W	VWC	6	3,336.3	15.4	3314.9-3368.6	7,524	5,852
GWI	UP	EC	6	NaN	NA	-	7,524	7,524
	UP	Temp	6	NaN	NA	-	7,524	7,524
	UP	VWC	6	NaN	NA	-	7,524	7,524
	TR	EC	6	9,722.3	4,405.3	4673-28136	7,524	5,016
	TR	Temp	6	10.9	0.8	9.2-12.5	7,524	5,016

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	TR	VWC	6	3,202.9	131.0	3014.8-3375.6	7,524	5,016
	W	EC	6	10,655.7	4,745.4	4476-32993	7,542	5,866
	W	Temp	6	10.0	1.2	7.7-11.7	7,542	5,866
	W	VWC	6	3,193.0	193.1	2942.6-3429.1	7,542	5,866
MSM	UP	EC	6	3,723.1	796.3	2015-6417	7,524	5,016
	UP	Temp	6	11.1	0.8	9.8-12.7	7,524	5,016
	UP	VWC	6	3,001.8	66.1	2898.8-3102.9	7,524	5,016
	TR	EC	6	6,788.2	2,360.2	3782-11231	7,524	5,016
	TR	Temp	6	11.1	0.9	8.9-12.7	7,524	5,016
	TR	VWC	6	3,142.1	124.7	2946.4-3361.5	7,524	5,016
	W	EC	6	9,001.2	2,309.0	5812-16158	7,542	5,866
	W	Temp	6	8.8	2.1	4.9-11.6	7,542	5,866
	W	VWC	6	3,274.1	154.0	3012.5-3427.3	7,542	5,866
SWH	UP	EC	6	267.1	273.9	0-1940	44,190	29,460
	UP	Temp	6	13.7	1.7	9-16.5	44,190	29,460
	UP	VWC	6	3,105.1	136.6	2824.5-3397.7	44,190	29,460
	SWAMP	EC	6	266.2	194.7	93-841	7,524	5,016
	SWAMP	Temp	6	6.8	1.1	3.9-8.9	7,524	5,016
	SWAMP	VWC	6	3,291.8	75.2	3209-3434.8	7,524	5,016
	TR	EC	6	1,296.4	938.8	24-3255	7,542	5,028
	TR	Temp	6	7.4	1.5	4.2-10.7	7,542	5,028
	TR	VWC	6	2,869.5	432.1	1909.4-3258.2	7,542	5,028
	W	EC	6	3,658.3	559.2	2710-6057	7,524	5,852
	W	Temp	6	7.5	1.1	4.5-9	7,524	5,852

	Plot	sensor_name	N_sensor	Mean	SD	Range	N_values	N_na
	W	VWC	6	3,219.0	10.0	3205.3-3236	7,524	5,852

AquaTROLL

SWH: ignoring backup file(s)

SWH: found 6 files

GWI: ignoring backup file(s)

GWI: found 3 files


MSM: ignoring backup file(s)




MSM: found 3 files




GCW: ignoring backup file(s)

GCW: found 2 files

Total: 8599 data rows







	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
GCW	TR	Pressure	1	0.7	0.1	0.634-0.848	5,883	3,922
	TR	RDO_concen	1	0.0	0.0	0-1.42	5,883	3,922
	TR	Salinity	1	4.0	0.4	3.54-4.86	5,883	3,922
	TR	Temperature	1	13.7	0.6	12.67-14.74	5,883	3,922
	TR	Water_Density	1	1.0	0.0	1.002-1.003	5,883	3,922
	TR	pH	1	6.2	0.0	6.18-6.27	5,883	3,922
	W	Pressure	1	1.0	0.1	0.941-1.137	1,254	836
	W	RDO_concen	1	0.0	0.0	0-0.05	1,254	836
	W	Salinity	1	12.2	0.2	11.86-12.45	1,254	836
	W	Temperature	1	12.8	0.2	12.5-13.09	1,254	836
	W	Water_Density	1	1.0	0.0	1.009-1.009	1,254	836
	W	pH	1	6.5	0.0	6.49-6.57	1,254	836
GWI	UP	Pressure	1	NaN	NA	-	1,254	1,254
	UP	RDO_concen	1	NaN	NA	-	1,254	1,254
	UP	Salinity	1	NaN	NA	-	1,254	1,254
	UP	Temperature	1	NaN	NA	-	1,254	1,254
	UP	Water_Density	1	NaN	NA	-	1,254	1,254
	UP	pH	1	NaN	NA	-	1,254	1,254
	TR	Pressure	1	0.8	0.0	0.787-0.879	1,254	836
	TR	RDO_concen	1	0.0	0.0	0-0	1,254	836
	TR	Salinity	1	18.5	0.1	18.37-18.58	1,254	836
	TR	Temperature	1	13.3	0.3	12.78-13.73	1,254	836
	TR	Water_Density	1	1.0	0.0	1.014-1.014	1,254	836
	TR	pH	1	6.0	0.0	5.98-6.01	1,254	836

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
	W	Pressure	1	0.5	0.0	0.526-0.597	1,257	838
	W	RDO_concen	1	0.0	0.0	0-0	1,257	838
	W	Salinity	1	20.3	0.0	20.24-20.3	1,257	838
	W	Temperature	1	12.1	0.3	11.54-12.56	1,257	838
	W	Water_Density	1	1.0	0.0	1.015-1.015	1,257	838
	W	pH	1	6.4	0.0	6.31-6.48	1,257	838
MSM	UP	Pressure	1	0.7	0.1	0.586-0.829	1,254	836
	UP	RDO_concen	1	0.0	0.0	0-0	1,254	836
	UP	Salinity	1	5.4	0.0	5.34-5.42	1,254	836
	UP	Temperature	1	13.9	0.2	13.52-14.31	1,254	836
	UP	Water_Density	1	1.0	0.0	1.003-1.003	1,254	836
	UP	pH	1	4.4	0.0	4.4-4.42	1,254	836
	TR	Pressure	1	1.1	0.1	1.027-1.192	1,254	836
	TR	RDO_concen	1	0.0	0.0	0-0	1,254	836
	TR	Salinity	1	12.0	0.0	11.96-12.06	1,254	836
	TR	Temperature	1	14.7	0.2	14.4-15.06	1,254	836
	TR	Water_Density	1	1.0	0.0	1.008-1.008	1,254	836
	TR	pH	1	5.0	0.0	4.92-5.11	1,254	836
	W	Pressure	1	0.7	0.1	0.532-0.89	1,257	838
	W	RDO_concen	1	0.0	0.0	0-0	1,257	838
	W	Salinity	1	15.0	0.0	14.94-15.07	1,257	838
	W	Temperature	1	13.0	0.3	12.42-13.44	1,257	838
	W	Water_Density	1	1.0	0.0	1.011-1.011	1,257	838
	W	pH	1	6.5	0.1	6.45-8.96	1,257	838

	Plot	name	N_sensor	Mean	SD	Range	N_values	N_na
SWH	UP	Pressure	2	0.9	0.3	0.497-1.592	7,365	4,911
	UP	RDO_concen	2	0.0	0.1	0-1.12	7,365	4,911
	UP	Salinity	2	0.3	0.2	0.04-0.53	7,365	4,911
	UP	Temperature	2	16.4	0.9	14.3-17.73	7,365	4,911
	UP	Water_Density	2	1.0	0.0	0.999-0.999	7,365	4,911
	UP	pH	2	5.4	0.5	4.29-5.96	7,365	4,911
	SWAMP	Pressure	1	1.2	0.0	1.191-1.249	1,254	836
	SWAMP	RDO_concen	1	0.0	0.0	0-0	1,254	836
	SWAMP	Salinity	1	0.3	0.0	0.26-0.27	1,254	836
	SWAMP	Temperature	1	13.6	0.2	13.34-13.85	1,254	836
	SWAMP	Water_Density	1	1.0	0.0	0.999-1	1,254	836
	SWAMP	pH	1	6.1	0.0	6.09-6.1	1,254	836
	TR	Pressure	1	1.2	0.1	1.008-1.289	1,257	838
	TR	RDO_concen	1	0.0	0.0	0-0	1,257	838
	TR	Salinity	1	1.7	0.0	1.69-1.73	1,257	838
	TR	Temperature	1	14.6	0.2	14.25-14.9	1,257	838
	TR	Water_Density	1	1.0	0.0	1-1.001	1,257	838
	TR	pH	1	6.0	0.0	6-6.03	1,257	838
	W	Pressure	1	0.0	0.0	0-0	1,254	888
	W	RDO_concen	1	3.1	3.4	-2.8-10.2	1,254	888
	W	Salinity	1	1.4	1.0	0.03-5.99	1,254	888
	W	Temperature	1	0.0	0.0	0-0	1,254	888
	W	Water_Density	1	1.4	1.0	0.03-5.99	1,254	888
	W	pH	1	0.6	0.1	0.46-0.91	1,254	888

Redox


SWH: found 8 files


GWI: found 6 files


MSM: found 0 files

GCW: found 2 files

Total: 13387 data rows







	Plot	N_sensor	Mean	SD	Range	N_values	N_na
GCW	W	12	-419.074	166.376	-663.853-48.284	10,032	0
GWI	UP	12	4,532.944	29.704	4146.988-4563.024	10,032	239
	TR	12	-66.042	245.403	-366.663-677.469	10,032	0
	W	12	-243.195	79.790	-470.008--84.594	10,056	0
SWH	UP	12	83.546	329.994	-427.632-688.473	10,056	0
	SWAMP	12	-126.343	102.640	-329.975-90.335	10,032	0
	TR	12	-102.020	376.959	-586.451-605.233	10,056	0

	Plot	N_sensor	Mean	SD	Range	N_values	N_na
	W	12	-132.314	138.432	-341.089-240.453	10,032	0

Sonde

SWH: found 0 files

GWI: ignoring backup file(s)

GWI: found 1 file

MSM: found 2 files


GCW: found 0 files

Total: 2149 data rows

GW1



MSM



	Plot name	Mean	SD	Range	N_values	N_na
GWI	W Battery_v	NaN	NA	-	528	528
	W Cable_v	NaN	NA	-	528	528
	W Conductivity	NaN	NA	-	528	528
	W Depth_m	NaN	NA	-	528	528
	W FDOM_QSU	NaN	NA	-	528	528

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	528	528
	W NLF_conductivity	NaN	NA	-	528	528
	W ODO_MgL	NaN	NA	-	528	528
	W ODO_local	NaN	NA	-	528	528
	W ODO_sat	NaN	NA	-	528	528
	W ORP_mv	NaN	NA	-	528	528
	W Pressure_psia	NaN	NA	-	528	528
	W Salinity_PPT	NaN	NA	-	528	528
	W Specific_Conductivity_uScm	NaN	NA	-	528	528
	W TDS_mg_L	NaN	NA	-	528	528
	W TSS_MgL	NaN	NA	-	528	528
	W Temp_C	NaN	NA	-	528	528
	W Turbidity_FNU	NaN	NA	-	528	528
	W Turbidity_Raw	NaN	NA	-	528	528
	W Vertical_Position_m	NaN	NA	-	528	528
	W Wiper_Current_ma	NaN	NA	-	528	528
	W Wiper_Position_mv	NaN	NA	-	528	528
	W pH	NaN	NA	-	528	528
	W pH_mv	NaN	NA	-	528	528
MSM	W Battery_v	NaN	NA	-	1,203	1,203
	W Cable_v	NaN	NA	-	1,203	1,203
	W Conductivity	NaN	NA	-	1,203	1,203
	W Depth_m	NaN	NA	-	1,203	1,203
	W FDOM_QSU	NaN	NA	-	1,203	1,203

	Plot name	Mean	SD	Range	N_values	N_na
	W FDOM_RFU	NaN	NA	-	1,203	1,203
	W NLF_conductivity	NaN	NA	-	1,203	1,203
	W ODO_MgL	NaN	NA	-	1,203	1,203
	W ODO_local	NaN	NA	-	1,203	1,203
	W ODO_sat	NaN	NA	-	1,203	1,203
	W ORP_mv	NaN	NA	-	1,203	1,203
	W Pressure_psia	NaN	NA	-	1,203	1,203
	W Salinity_PPT	NaN	NA	-	1,203	1,203
	W Specific_Conductivity_uScm	NaN	NA	-	1,203	1,203
	W TDS_mg_L	NaN	NA	-	1,203	1,203
	W TSS_MgL	NaN	NA	-	1,203	1,203
	W Temp_C	NaN	NA	-	1,203	1,203
	W Turbidity_FNU	NaN	NA	-	1,203	1,203
	W Turbidity_Raw	NaN	NA	-	1,203	1,203
	W Vertical_Position_m	NaN	NA	-	1,203	1,203
	W Wiper_Current_ma	NaN	NA	-	1,203	1,203
	W Wiper_Position_mv	NaN	NA	-	1,203	1,203
	W pH	NaN	NA	-	1,203	1,203
	W pH_mv	NaN	NA	-	1,203	1,203
	NA Battery_v	6.4	0.0	6.41-6.42	418	0
	NA Cable_v	12.2	0.6	11.62-13.63	418	0
	NA Conductivity	17.2	0.5	15.918-18.264	418	0
	NA Depth_m	1.1	0.1	0.951-1.283	418	0
	NA FDOM_QSU	23.5	4.2	16.41-45.05	418	0

	Plot name	Mean	SD	Range	N_values	N_na
	NA FDOM_RFU	7.4	1.4	5.13-14.48	418	0
	NA NLF_conductivity	29.0	0.5	27.88-29.84	418	0
	NA ODO_MgL	12.4	0.3	10.92-12.94	418	0
	NA ODO_local	106.8	3.2	94.14-115.04	418	0
	NA ODO_sat	106.8	3.2	94.14-115.04	418	0
	NA ORP_mv	174.5	7.7	157.55-205.47	418	0
	NA Pressure_psia	0.0	0.0	0-0	418	0
	NA Salinity_PPT	17.3	0.4	16.57-17.9	418	0
	NA Specific_Conductivity_uScm	28.6	0.5	27.562-29.424	418	0
	NA TDS_mgL	18,572.3	338.5	17918.02-19126.01	418	0
	NA TSS_MgL	0.0	0.0	0-0	418	0
	NA Temp_C	4.2	0.6	2.806-5.381	418	0
	NA Turbidity_FNU	8.3	4.2	4.7-27.78	418	0
	NA Turbidity_Raw	0.2	0.1	0.09-0.53	418	0
	NA Vertical_Position_m	1.1	0.1	0.951-1.286	418	0
	NA Wiper_Current_ma	47.4	1.7	41.82-50.59	418	0
	NA Wiper_Position_mv	1.2	0.0	1.19-1.21	418	0
	NA pH	7.7	0.0	7.53-7.86	418	0
	NA pH_mv	-73.9	2.5	-85.46--67.25	418	0