

BitFlip

CloudSherpa

Software Requirements Specification

Contents

1	Introduction	2
2	User Stories / User Characteristics	2
2.1	User Characteristics	2
2.2	User Stories	3
3	Use Case Diagrams	5
3.1	High-Level Use Case Diagram	6
3.2	Individual Use Case Diagrams	7
4	Functional Requirements	17
4.1	Cloud Data Integration	17
4.2	Data Storage and Processing	18
4.3	Cost Prediction	18
4.4	Optimization Recommendations	19
4.5	Web-Based Dashboard	19
4.6	User and Account Management	20
4.7	Alerts and Notifications	20
4.8	Multi-Cloud Cost Comparison	20
5	Non-Functional Requirements	21
5.1	Performance	21
5.2	Scalability	21
5.3	Security	21
5.4	Reliability	22
5.5	Maintainability	22
5.6	Usability	22
5.7	Availability	23
6	Domain Model	24

1 | Introduction

CloudSherpa is a multi-cloud cost management and optimization platform designed to address the growing complexity of managing cloud infrastructure across AWS, Azure, and Google Cloud Platform.

As organizations increasingly adopt multi-cloud strategies, they face challenges in monitoring spending, identifying cost anomalies, and optimizing resource utilization across fragmented platforms. CloudSherpa consolidates billing and usage data from all three major cloud providers into a unified dashboard, providing real-time cost visibility, predictive forecasting, and actionable optimization recommendations.

The platform enables teams to make data-driven decisions, reduce cloud expenditure, and improve resource efficiency through comprehensive analytics, automated alerts, and scenario planning capabilities.

2 | User Stories / User Characteristics

2.1 User Characteristics

To adequately support CloudSherpa's multi-cloud optimization platform, the system targets three primary user groups.

- **Platform Administrator / IT User:**
 - *Characteristics:* High technical expertise, familiar with cloud infrastructure (AWS, Azure, GCP), IAM roles, and system administration.
 - *System Usage:* Responsible for configuring the platform, connecting/revoking cloud provider credentials, managing role-based access control, and ensuring data ingestion pipelines are functioning.
- **Finance-Focused User / Management:**
 - *Characteristics:* Low to medium technical expertise; high financial and business acumen. Prioritizes plain-language summaries over technical jargon.

- *System Usage*: Utilizes the platform to view forecasted cloud costs, set budget threshold alerts, generate downloadable reports, and track estimated savings from optimization recommendations.
 - **Technical Lead / Operations Manager:**
 - *Characteristics*: High technical expertise; responsible for architecture, deployments, and infrastructure efficiency.
 - *System Usage*: Monitors cross-provider resource usage, surfaces unusual trend shifts, identifies idle resources, and applies right-sizing recommendations.
-

2.2 User Stories

2.2.1 Platform Administrator / IT User Stories

- **US1:** As a platform user, I want to connect my AWS, Azure, and GCP accounts so that CloudSherpa can collect usage, billing, and performance data.
- **US2:** As a platform administrator, I want provider-specific ingestion jobs to run automatically so that data remains up to date without manual effort.
- **US3:** As a platform user, I want failed cloud integrations to show clear error feedback so that I can fix configuration issues quickly.
- **US4:** As a data processing service, I want incoming provider data to be normalized so that analytics can be performed consistently across clouds.
- **US5:** As a system administrator, I want processed data pipelines to be reliable so that dashboards and services reflect trusted information.
- **US6:** As a new user, I want to create an account and log in securely so that I can access CloudSherpa safely.
- **US7:** As a platform user, I want to link multiple cloud environments to my profile so that I can manage them from one place.
- **US8:** As an administrator, I want role-based access control so that users only see what they are authorized to access.
- **US9:** As a platform user, I want to manage and revoke connected cloud accounts so that I stay in control of my integrations.

2.2.2 Finance-Focused User / Management Stories

- **US10:** As a finance-focused user, I want forecasted cloud costs for upcoming periods so that I can plan budgets proactively.
- **US11:** As a platform user, I want to see spending trends over time so that I can identify whether my costs are rising or falling.
- **US12:** As a platform user, I want to define budget thresholds so that I am notified before overspending becomes severe.
- **US13:** As a manager, I want downloadable reports so that I can share cloud-cost insights with stakeholders.
- **US14:** As a non-technical user, I want the dashboard to present information clearly so that I can still make informed decisions.
- **US15:** As a platform user, I want trend analysis summaries so that I can understand long-term cost behavior.
- **US16:** As an auditor or reviewer, I want visual summaries of key metrics so that I can assess cloud usage efficiently.
- **US17:** As a platform user, I want reports filtered by provider, time period, or environment so that they are relevant to my use case.


2.2.3 Technical Lead / Operations Manager Stories

- **US18:** As an operations manager, I want forecasts per provider so that I can understand where future spend will be concentrated.
- **US19:** As a platform user, I want the system to surface unusual trend shifts so that I can investigate them early.
- **US20:** As a platform user, I want the system to identify idle resources so that I can reduce unnecessary cloud spend.
- **US21:** As a platform user, I want recommendations for overprovisioned resources so that I can right-size infrastructure.
- **US22:** As a technical decision-maker, I want each recommendation to include estimated savings so that I can prioritize actions.
- **US23:** As a platform user, I want recommendations to be grouped by severity so that I can focus on the highest-value optimizations first.
- **US24:** As a platform user, I want a dashboard overview of cloud usage and spend so that I can understand my environment at a glance.


- **US25:** As a platform user, I want visual charts for forecasts and trends so that I can interpret data quickly.
 - **US26:** As a platform user, I want recommendations and anomalies displayed in the dashboard so that I can take action from one place.
 - **US27:** As a platform user, I want to receive alerts when anomalous spending is detected so that I can respond quickly.
 - **US28:** As a platform user, I want optimization opportunities to trigger notifications so that I do not miss savings.
 - **US29:** As a platform user, I want alerts delivered through channels like email or SMS so that I can receive them where convenient.
 - **US30:** As a platform user, I want to compare costs across AWS, Azure, and GCP so that I can identify the most cost-effective provider.
 - **US31:** As a platform user, I want to compare resource usage across providers so that I can understand efficiency differences.
 - **US32:** As a technical lead, I want side-by-side provider views so that I can support architecture and deployment decisions.
 - **US33:** As a manager, I want comparison summaries over time so that I can track which providers are becoming more or less economical.
-


3 | Use Case Diagrams



3.1 High-Level Use Case Diagram







3.2 Individual Use Case Diagrams


































4 | Functional Requirements

4.1 Cloud Data Integration

FR1: Cloud Data Integration (Subsystem: Ingestion Service - Connection Manager and Cloud Connector Modules)

- **FR1.1:** The system shall integrate with major cloud providers (AWS, Azure, and GCP) via their native APIs and cost reporting tools.
 - **FR1.1.1** The system shall integrate with the AWS Cloud Provider.
 - * **FR1.1.1.1** The system shall ingest usage metrics via AWS CloudWatch.
 - * **FR1.1.1.2** The system shall ingest billing data via AWS Cost and Usage Reports (CUR).
 - **FR1.1.2** The system shall integrate with the Microsoft Azure Cloud Provider.

- * **FR1.1.2.1** The system shall ingest metrics via Azure Monitor.
 - * **FR1.1.2.2** The system shall ingest billing data via Azure Cost Management APIs.
 - **FR1.1.3** The system shall integrate with the Google Cloud Platform (GCP).
 - * **FR1.1.3.1** The system shall ingest metrics via GCP Cloud Monitoring.
 - * **FR1.1.3.2** The system shall ingest billing data via GCP Cloud Billing.
 - **FR1.2:** The system shall support configurable ingestion frequencies (e.g., hourly, daily, and monthly synchronization).
-

4.2 Data Storage and Processing

FR2: Data Storage and Processing (*Subsystem: Ingestion Service - Normalization module and Persistence Service*)

- **FR2.1:** The system shall store historical cloud data.
 - **FR2.2:** The system shall process, normalize, and aggregate time-series data to prepare it for analytical workloads.
 - **FR2.2.1** The system shall normalize terminology across cloud providers.
 - **FR2.2.2** The system shall convert all billing data into a unified currency (e.g., USD) based on daily exchange rates.
-

4.3 Cost Prediction

FR3: Cost Prediction (*Subsystem: Application Service - Forecast module*)

- **FR3.1:** The system shall apply machine learning time-series models to forecast future cloud costs.
 - **FR3.1.1** The system shall generate cost forecasts for the next 30, 60, and 90 days.
 - **FR3.1.2** The system shall account for historical seasonality (e.g., end-of-month processing spikes or holiday traffic scaling) in its predictions.

- **FR3.2:** The system shall identify and provide forward-looking insights into spending trends.
-

4.4 Optimization Recommendations

FR4: Optimization Recommendations (*Subsystem: Application Service - Optimization module*)

- **FR4.1:** The system shall detect inefficiencies in infrastructure utilization.
 - **FR4.1.1** The system shall identify "zombie" or stale assets.
 - **FR4.1.2** The system shall identify overprovisioned compute resources (e.g., instances running consistently below 10% CPU utilization).
 - **FR4.2:** The system shall provide actionable cost-saving recommendations.
 - **FR4.2.1** The system shall calculate the exact estimated monthly savings for every recommendation.
 - **FR4.2.2** The system shall recommend purchasing options for sustained usage.
-

4.5 Web-Based Dashboard

FR5: Web-Based Dashboard (*Subsystem: Presentation Service - Dashboard module*)

- **FR5.1:** The system shall provide a unified, interactive web interface to visualize usage metrics.
 - **FR5.1.1** The system shall allow users to filter dashboard views by cloud provider, region, service type, and custom resource tags.
 - **FR5.1.2** The system shall support the creation of custom, user-defined dashboard layouts using drag-and-drop widgets.
 - **FR5.2:** The system shall display cost forecasts and present optimization recommendations in an exportable format (e.g., CSV, PDF).
-

4.6 User and Account Management

FR6: User and Account Management (*Subsystem: Application Service - Authentication module*)

- **FR6.1:** The system shall allow users to connect multiple cloud accounts and manage environments.
 - **FR6.2:** The system shall control access permissions and manage user identities securely.
-

4.7 Alerts and Notifications

FR7: Alerts and Notifications (*Subsystem: Application Service - Anomaly and Alert modules*)

- **FR7.1:** The system shall proactively notify users of detected cloud-cost anomalies.
 - **FR7.1.1** The system shall trigger an anomaly alert when daily spend for a specific service exceeds average by a configurable percentage.
 - **FR7.2:** The system shall support customizable notification delivery channels.
 - **FR7.2.1** The system shall send alerts via Email.
 - **FR7.2.2** The system shall send alerts to third-party collaboration tools.
-

4.8 Multi-Cloud Cost Comparison

FR8: Multi-Cloud Cost Comparison (*Subsystem: Application Service - Analytics and optimization modules*)

- **FR8.1:** The system shall support direct comparison of costs across supported cloud providers.
 - **FR8.1.1** The system shall maintain an up-to-date mapping of equivalent infrastructure tiers to enable price comparisons.
- **FR8.2:** The system shall allow users to simulate the financial impact of migrating a specific workload from one provider to another based on current utilization

metrics.

5 | Non-Functional Requirements

5.1 Performance

NFR1.1: The system should load the main dashboard within 2 seconds and update visualization widgets within 1 second of a user modifying a time window, while seamlessly handling the throughput required to ingest metrics from 1,000 live deployments.

NFR1.2: The ingestion pipeline shall process, normalize, and aggregate 100,000 raw billing and usage records from AWS, Azure, and GCP APIs into the unified internal schema within 60 seconds of data retrieval.

5.2 Scalability

NFR2.1: The system should successfully support 500 concurrent dashboard users and manage 1,000 active cloud connections without experiencing more than a 10% degradation in dashboard response times.

NFR2.2: The time-series database architecture shall scale dynamically to accommodate a 200% year-over-year growth in stored historical cloud data without requiring manual partitioning or major architectural changes.

5.3 Security

NFR3.1: All sensitive user data and stored cloud provider credentials must be encrypted using TLS 1.3 in transit, and the system must enforce Multi-Factor Authentication (MFA) on 100% of accounts.

NFR3.2: The system shall utilize secure, least-privilege identity access management (IAM) strategies, ensuring that CloudSherpa holds read-only access to client AWS, Azure, and GCP billing APIs and ensure that none of CloudSherpa's requests require write permissions.

NFR3.3: User metrics must remain separated such that no user gains access to resource details or cost and metric information from accounts not belonging to that user, as this information is potentially highly sensitive to individuals or corporations.

5.4 Reliability

NFR4.1: The system should achieve 99.9% uptime for both the dashboard and the metrics ingestion pipeline.

NFR4.2: In the event of a third-party cloud provider API failure or timeout (e.g., an AWS CloudWatch outage), the ingestion pipeline shall automatically retry the connection and keep track of the failure period, ensuring 0% duplication or metric loss once the provider is back online.

5.5 Maintainability

NFR5.1: The codebase must maintain a minimum of 80% automated test coverage across all core components, and the continuous integration pipeline should enable new feature deployments or bug fixes to reach production within 2 hours.

NFR5.2: The data normalization module must be sufficiently decoupled so that integrating a new cloud provider API, or updating an existing provider's changed billing schema, requires no more than 40 hours of developer effort.

5.6 Usability

NFR6.1: A new non-technical user should be able to complete core tasks (e.g., viewing forecasts or checking anomaly alerts) within 5 minutes of first using the system, achieving at least 85% user satisfaction during usability testing.

NFR6.2: The CloudSherpa dashboard shall render correctly on modern web browsers to ensure plain-language summaries remain highly accessible.

5.7 Availability

NFR7.1: The system should be available 24/7, excluding scheduled maintenance periods not exceeding 2 hours per month.

NFR7.2: The web dashboard and historical cost databases shall remain 100% available and accessible to users even if one or more underlying cloud provider APIs (AWS, Azure, GCP) experience a temporary outage.

6 | Domain Model




Figure 1: CloudSherpa Domain Model