

Department of Computer Science
Faculty of Engineering, Built Environment & IT
University of Pretoria

COS 301: Software Engineering

Software Requirements Specification

Capstone Project 2026 - Demo 4

Team Name: OmniTech

September 30, 2026

Contents

1	Introduction	3
2	Project Owner	3
3	User Stories	4
3.1	User Management:	4
3.2	GPS Tracking and Trips:	4
3.3	Driving Behavior Monitoring:	4
3.4	OBD and Vehicle Diagnostics:	5
3.5	Fuel Efficiency and Eco-Driving:	5
3.6	Safety Scores and Analytics:	5
3.7	Gamification and Social Features:	5
3.8	Emergency and Social Features:	6
3.9	Fleet Management:	6
3.10	Real-time Notifications:	6
4	Use Cases: Demo 4	7
4.1	Use Cases	7
4.2	Dashboard Use Case Diagram	9
4.3	Fleet Driver Use Case Diagram	11
4.4	Road Quality Use Case Diagram	12
5	Functional Requirements	13
5.1	R1: User Management	13
5.1.1	R1.1 User Registration	13
5.1.2	R1.2 User Authentication	13
5.1.3	R1.3 User Profile Management	13
5.2	R2: Trip Tracking and Monitoring	13
5.2.1	R2.1: GPS Tracking	13
5.2.2	R2.2: Sensor Data Collection	13
5.2.3	R2.3 OBD Integration	13
5.3	R3: Driving Analysis and Safety	14
5.3.1	R3.1: Driving Behavior Analysis	14
5.3.2	R3.2: Risk Detection and Alerts	14
5.3.3	R3.3: Driver Personality Profiling	14
5.4	R4: Vehicle Health and Efficiency	14
5.4.1	R4.1: Vehicle Diagnostics	14
5.4.2	R4.2: Fuel Efficiency Monitoring	14
5.5	R5: Gamification and Social Features	15

5.5.1	R5.1: Achievements and Challenges	15
5.5.2	R5.2: Leaderboards	15
5.5.3	R5.3 Emergency and Social Features	15
5.6	R6: Fleet Management	15
5.6.1	R6.1: Fleet Monitoring	15
5.6.2	R6.2: Fleet Reporting	15
5.7	R7: System Integration and Data Management	15
5.7.1	R7.1: Cloud Synchronization	15
5.7.2	R7.2: Real-time communication	15
5.7.3	R7.3: Maps Integration	16
5.7.4	R7.4: Data Storage	16
6	Non-Functional Requirements	17
6.1	Performance	17
6.2	Reliability	17
6.3	Maintainability	17
6.4	Usability	17
6.5	Availability	18
7	Domain Model	19

1 Introduction

Driving Tracker is an intelligent Android-based driving companion developed by OmniTech. The system aims to improve road safety, fuel efficiency, and vehicle maintenance by combining mobile sensors, GPS tracking, and vehicle diagnostics into a single integrated platform. Unlike existing solutions that focus only on navigation or diagnostics, Driving Tracker provides drivers with real-time feedback on driving behavior and vehicle health.

This document explores the software requirements and design specifications of the Driving Tracker application.

2 Project Owner

The project owner and client of the Driving Tracker is Gendac, and our industry mentors are Kevin Cowdrey, Sthabiso Jaffar, and Brandon Craytor.

3 User Stories

3.1 User Management:

1. As a new user, I want to create an account using my email and password so that I can securely access the Driving Tracker platform.
2. As a registered user, I want to securely log into the application so that I can access my driving data and features.
3. As a user, I want to reset my password if I forget it so that I can regain access to my account.
4. As a user, I want to update my profile information so that my account details remain accurate.
5. As a user, I want to add trusted emergency contacts so that they can be notified during dangerous situations.

3.2 GPS Tracking and Trips:

1. As a driver, I want my trips and routes to be tracked in real time so that I can review my journeys later.
2. As a driver, I want to view my trip routes on an interactive map so that I can visualize where I travelled.
3. As a driver, I want to access my previous trips so that I can review my driving patterns over time.
4. As a driver, I want to replay completed trips on a map so that I can analyze my driving behavior.

3.3 Driving Behavior Monitoring:

1. As a driver, I want the system to detect harsh braking events so that I can improve my driving safety.
2. As a driver, I want the system to monitor my speed during trips so that I can avoid unsafe driving behavior.
3. As a driver, I want dangerous cornering events to be detected so that I can drive more safely.
4. As a driver, I want the system to detect possible crash events so that emergency actions can be triggered quickly. As a driver, I want to receive fatigue and rest-stop alerts during long trips so that I can avoid unsafe driving conditions.

3.4 OBD and Vehicle Diagnostics:

1. As a driver, I want to connect my vehicle to the app using a Bluetooth OBD 2 adapter so that vehicle diagnostics can be monitored.
2. As a driver, I want to monitor my vehicle's health in real time so that I can identify issues early.
3. As a driver, I want to view vehicle error codes so that I can understand potential mechanical problems.
4. As a driver, I want to receive maintenance warnings so that I can prevent serious vehicle failures.

3.5 Fuel Efficiency and Eco-Driving:

1. As a driver, I want the system to estimate fuel usage per trip so that I can better understand my fuel consumption.
2. As a driver, I want personalized eco-driving recommendations so that I can improve fuel efficiency.
3. As a driver, I want to view fuel efficiency trends over time so that I can monitor improvements in my driving habits.

3.6 Safety Scores and Analytics:

1. As a driver, I want to receive a safety score after each trip so that I can evaluate my driving performance.
2. As a driver, I want detailed driving analytics so that I can identify unsafe driving patterns.
3. As a driver, I want the system to classify my driving style so that I can better understand my driving behavior.

3.7 Gamification and Social Features:

1. As a driver, I want to earn badges and achievements so that safe and efficient driving feels rewarding.
2. As a driver, I want to participate in weekly driving challenges so that I stay motivated to improve.
3. As a driver, I want to compare my safety and efficiency scores with other users so that I can track my performance competitively.

4. As a driver, I want to compare my driving performance with users who have similar vehicle models so that the comparisons are more meaningful.

3.8 Emergency and Social Features:

1. As a driver, I want emergency alerts to be sent to trusted contacts during dangerous situations so that help can arrive quickly.
2. As a driver, I want to share my live trip status with my trusted contacts so that they can monitor my safety.

3.9 Fleet Management:

1. As a fleet manager, I want to monitor multiple drivers and vehicles so that I can oversee fleet operations efficiently.
2. As a fleet manager, I want to view fleet-wide safety and fuel analytics so that I can improve overall performance.
3. As a fleet manager, I want to generate reports on driver behavior and fuel efficiency so that I can make informed operational decisions.

3.10 Real-time Notifications:

1. As a user, I want to receive real-time alerts and notifications so that I can respond immediately to important events.
2. As a user, I want my trip and profile data synchronized across devices so that my information is always up to date.

4 Use Cases: Demo 4

4.1 Use Cases

1. Schedule Route

TUCBW: The Fleet Manager selects the option to schedule a route on the web dashboard and selects an assigned vehicle, driver, start time, and route waypoints.

TUCEW: The system validates the route parameters, persists the scheduled trip in the database, and dispatches the route notification to the assigned driver.

2. View Driver Routes

TUCBW: The Fleet Manager navigates to the Routes or Fleet Trips page on the web dashboard.

TUCEW: The system retrieves and displays the list of scheduled, active, and past driver routes on the table and interactive map.

3. Edit Driver Routes

TUCBW: The Fleet Manager selects an existing scheduled route from the dashboard and clicks the "Edit Route" option.

TUCEW: The system validates the updated trip details (stops, timing, or vehicle) and updates the route record in the database.

4. Manage Vehicles

TUCBW: The Fleet Manager accesses the Vehicles section on the web dashboard to add, edit, filter, or remove a fleet vehicle.


TUCEW: The system saves the vehicle modification or deletion in the database and updates the fleet vehicle grid.

5. Manage Drivers

TUCBW: The Fleet Manager opens the Drivers page on the web dashboard to add, filter, or remove an organization driver.

TUCEW: The system updates the driver's membership status or profile in the database and reflects the changes on the driver management table.

4.2 Dashboard Use Case Diagram



6. View Scheduled Trips

TUCBW: The Fleet Driver opens the mobile application and navigates to the Scheduled Trips screen.

TUCEW: The system retrieves and displays all upcoming assigned routes with planned start times and destinations.

7. Start a Trip

TUCBW: The Fleet Driver selects an assigned scheduled trip from the mobile app and taps the "Start Trip" button.

TUCEW: The app initializes background GPS/sensor tracking, updates the trip status to IN PROGRESS, and transitions to the live trip navigation screen.

4.3 Fleet Driver Use Case Diagram




Figure 2: Demo 4 Fleet Driver Subsystem

8. User views and possibly reacts to pothole alert

TUCBW: The user approaches within 150 meters of a verified crowdsourced road defect while driving on an active trip.

TUCEW: The app plays an audible/visual pothole warning alert and displays the red

defect pin on the live map interface.

4.4 Road Quality Use Case Diagram




Figure 3: Demo 4 Road Quality Subsystem

5 Functional Requirements

5.1 R1: User Management

5.1.1 R1.1 User Registration

R1.1.1: The system should allow users to create accounts using email and password authentication.

R1.1.2: The system should validate user credentials and enforce password security requirements.

5.1.2 R1.2 User Authentication

R1.2.1: The system should allow registered users to securely log into the application.

R1.2.2: The system should allow users to reset forgotten passwords securely.

5.1.3 R1.3 User Profile Management

R1.3.1: The system should allow users to view and update profile information.

R1.3.2: The system should allow users to manage saved contacts.

5.2 R2: Trip Tracking and Monitoring

5.2.1 R2.1: GPS Tracking

R2.1.1: The system should be able to track user trips and routes in real time using GPS services.

R2.1.2: The system should be able to display route information and trip progress on an interactive map.

R2.1.3: The system should be able to monitor trip speed, acceleration, braking, and cornering behavior.

5.2.2 R2.2: Sensor Data Collection

R2.2.1: The system should be able to collect accelerometer, gyroscope, and magnetometer data during trips.

R2.2.2: The system should be able to monitor driving events such as harsh braking, rapid acceleration, and dangerous cornering.

5.2.3 R2.3 OBD Integration

R2.3.1: The system should be able to connect to Bluetooth-enabled OBD devices.

R2.3.2: The system should be able to retrieve vehicle diagnostic information, including RPM, coolant temperature, and diagnostic trouble codes.

5.3 R3: Driving Analysis and Safety

5.3.1 R3.1: Driving Behavior Analysis

R3.1.1: The system should be able to analyze driving patterns to identify unsafe driving behavior.

R3.1.2: The system should be able to generate per-trip and overall driver safety scores based on driving behavior.

5.3.2 R3.2: Risk Detection and Alerts

R3.2.1: The system should be able to detect possible crash events and dangerous driving conditions.

R3.2.2: The system should be able to provide real-time alerts for risky driving behavior.

R3.2.3: The system should be able to detect loud impact and screech events using available sensor and microphone data.

R3.2.4: The system should be able to detect fatigue indicators during long-distance trips.

R3.2.5: The system should be able to provide rest-stop alerts for extended driving sessions.

5.3.3 R3.3: Driver Personality Profiling

R3.3.1: The system should be able to classify driver behavior using AI-driven analysis.

R3.3.2: The system should be able to generate personalized driving improvement recommendations.

5.4 R4: Vehicle Health and Efficiency

5.4.1 R4.1: Vehicle Diagnostics

R4.1.1: The system should be able to monitor vehicle health using OBD diagnostic data.

R4.1.2: The system should be able to notify users about potential maintenance issues.

5.4.2 R4.2: Fuel Efficiency Monitoring

R4.2.1: The system should be able to calculate fuel efficiency statistics for trips.

R4.2.2: The system should be able to provide eco-driving recommendations to improve fuel consumption.

R4.2.3: The system should be able to estimate fuel usage per trip using driving behavior and vehicle diagnostic data.

5.5 R5: Gamification and Social Features

5.5.1 R5.1: Achievements and Challenges

R5.1.1: The system should be able to award badges and achievements based on driving performance.

R5.1.2: The system should be able to provide weekly driving challenges for users.

5.5.2 R5.2: Leaderboards

R5.2.1: The system should be able to display leaderboards based on safety, fuel efficiency, and driving consistency scores.

R5.2.2: The system should be able to compare user driving performance with users operating similar vehicle models.

5.5.3 R5.3 Emergency and Social Features

R5.3.1: The system should be able to notify trusted contacts during emergencies.

R5.3.2: The system should be able to allow family and friends to monitor active trips when authorized.

5.6 R6: Fleet Management

5.6.1 R6.1: Fleet Monitoring

R6.1.1: The system should allow fleet managers to monitor multiple drivers and vehicles.

R6.1.2: The system should be able to display fleet-wide trip and safety analytics.

5.6.2 R6.2: Fleet Reporting

R6.2.1: The system should be able to generate reports on driver performance and fuel efficiency trends.

5.7 R7: System Integration and Data Management

5.7.1 R7.1: Cloud Synchronization

R7.1.1: The system should synchronize user and trip data with cloud backend services.

5.7.2 R7.2: Real-time communication

R7.2.1: The system should provide real-time notifications using WebSocket communication.

5.7.3 R7.3: Maps Integration

R7.3.1: The system should be able to integrate with Azure Map services for route visualization and navigation.

5.7.4 R7.4: Data Storage

R7.4.1: The system should be able to securely store user, trip, and vehicle data in cloud databases.

6 Non-Functional Requirements

6.1 Performance

- Real-time sensor and OBD-II data must be processed and reflected in the UI within 2 seconds to avoid degrading the driving experience or navigation responsiveness.
- Trip scoring computations must be completed within 2 seconds of a trip ending.

6.2 Reliability

- The system must achieve a minimum uptime of 99% for backend services.
- The application must handle Bluetooth OBD adapter disconnections gracefully, continuing trip recording using phone sensors alone and notifying the user of the disconnection.
- Background services must recover automatically from crashes without requiring user intervention, considering the app will be used by people driving.

6.3 Maintainability

- A modular architecture should be employed, with clearly separated concerns across sensor processing, OBD communication, trip tracking, gamification, notifications, and authentication.
- New features and/or bug fixes should be deployable within 2 hours.
- Codebase should target and maintain a minimum of 80% automated test coverage.
- The system must include a CI/CD pipeline that runs automated tests and linting on every push, and deploys to production on merge to the main branch.
- Code must follow consistent naming conventions(snake case) and be documented at the module and function level.

6.4 Usability

- The Android application must function correctly on 100% of devices running Android 9 (API level 28) and above.
- The UI shall respond to user interactions within 200 ms during all background operations including sensor sampling, OBD polling, and network sync.
- Driving alerts and notifications shall appear within 3 seconds of detecting an event and shall not require more than one tap to dismiss after the vehicle has stopped.

6.5 Availability

- The API and Database shall maintain 99.5% uptime, excluding scheduled maintenance.
- The system must include a CI/CD pipeline that runs automated tests and linting on 100% of code pushes, and deploys to production on merge to the main branch.
- 95% of public classes and functions shall include documentation comments, and all source code shall comply with the project's agreed naming conventions.

7 Domain Model




Figure 4: Updated Domain Model