



MEALCHEMISTRY

Brand System

[View sections](#)

CONTENTS

Design specification sections

A structured guide for colours, type, components, spacing, accessibility, wireframes, and design changes.

01

Colour Palette

Primary, accent, surface, text, semantic colours, and contrast.

02

Typography

Fonts, hierarchy, and type scale.

03

Logo & Iconography

Logo variants, sizing, clear space, and icons.

04

Design Principles

Consistency, simplicity, responsiveness, accessibility, warmth, and intelligence.

05

UI Components

Buttons, inputs, cards, bottom navigation, filter tags, and controls.

06

Spacing & Shape

Spacing scale, radius, and tokens.

07

Accessibility

WCAG 2.2 AA, contrast, labels, targets, and focus.

08

Wireframes

Screens, captions, and navigation flow.

09

Changelog

What changed between Demo 1 and Demo 2.

01 COLOUR PALETTE

Core app palette and support tokens.

The main palette is small: maroon, gold, cream, near-black, muted grey, and semantic status colours. Support colours cover gradients, borders, dark mode, and selected states.

Core UI colours

Primary maroon, gold, cream surfaces, near-black text, muted grey, divider, and status colours are used across normal app screens.

Support tokens

Primary Light, Soft Gold, Muted Rose, Background Cream, Input Border, dark surfaces, overlays, and gradient endpoints support specific components or states.

Included details

The guide includes HEX, RGB, HSL, intended usage, and WCAG contrast pairings used by the UI.

PRIMARY

Burgundy

HEX #5C0018

RGB 92, 0, 24

HSL 344deg 100% 18%

Used for primary actions, brand blocks, and the start of the main gradient.

PRIMARY

Primary Dark

HEX #570013

RGB 87, 0, 19

HSL 347deg 100% 17%

Used for dark headers, logo backgrounds, and high-contrast text pairings.

PRIMARY LIGHTSUPPORT

Primary Light

HEX #70172A

RGB 112, 23, 42

HSL 347deg 66% 26%

Used for subtle maroon variation, hover states, and secondary brand surfaces.

GRADIENT END

Rose Maroon

HEX #A8003A

RGB 168, 0, 58

HSL 339deg 100% 33%

Used only as the brighter end of the brand gradient for energy and depth.

ACCENT

Gold

HEX #D4AF37

RGB 212, 175, 55

HSL 46deg 65% 52%

Used for highlights, selected states, logo details, and premium emphasis.

ACCENT MUTEDSUPPORT

Deep Gold

HEX #755B00

RGB 117, 91, 0

HSL 47deg 100% 23%

Used where gold needs to feel quieter, such as subtle labels or muted accents.

ACCENT SOFTSUPPORT

Soft Gold

HEX #C9A84C

RGB 201, 168, 76

HSL 44deg 54% 54%

Used for softer highlight moments where full gold feels too strong.

TERTIARY MUTEDSUPPORT

Muted Rose

HEX #7A5C5C

RGB 122, 92, 92

HSL 0deg 14% 42%

Used for tertiary supporting details that should not compete with primary actions.

BACKGROUND

Background Light

HEX #FEF9F1

RGB 254, 249, 241

HSL 37deg 87% 97%

Used as the default light-mode page background.

SURFACE LIGHT / MUTED

Warm Surface

HEX #F8F3EB

RGB 248, 243, 235

HSL 37deg 48% 95%

Used for cards, inputs, panels, and light surfaces sitting above the page.

BACKGROUND CREAM SUPPORT

Soft Cream

HEX #F2EDES

RGB 242, 237, 229

HSL 37deg 33% 92%

Used for secondary warm backgrounds and page bands.

INPUT BORDERSUPPORT

Soft Rose Border

HEX #E0BF8F

RGB 224, 191, 191

HSL 0deg 35% 81%

Default outline for standard text fields before focus or error.

TEXT MUTED

Muted Grey

HEX #6B7280

RGB 107, 114, 128

HSL 220deg 9% 46%

Used for helper text, timestamps, captions, and non-critical metadata.

BACKGROUND DARK SUPPORT

Dark Background

HEX #1D1C17

RGB 29, 28, 23

HSL 50deg 12% 10%

Used for dark mode page backgrounds and the footer surface.

SURFACE DARKSUPPORT

Dark Surface

HEX #1A1A1A

RGB 26, 26, 26

HSL 0deg 0% 10%

Used for dark mode cards, inputs, and grouped content surfaces.

SURFACE WHITE

White

HEX #FFFFFF

RGB 255, 255, 255

HSL 0deg 0% 100%

Used when pure white is needed for text or clean high-contrast surfaces.

TEXT LIGHT

Near Black

HEX #0E0D0B

RGB 14, 13, 11

HSL 40deg 12% 5%

Primary readable text on light surfaces.

CONTRAST

Readable combinations

These examples show which colour combinations are suitable for text, buttons, and important interface information.

FOREGROUND	BACKGROUND	CONTRAST RATIO	USE	STATUS
White #FFFFFF	Primary Dark #570013	14.84:1	Text on dark buttons and headers	Pass AA + AAA
Primary Dark #570013	Background Light #FEF9F1	14.16:1	Headings and body text	Pass AA + AAA
Text Light #0E0D0B	Background Light #FEF9F1	18.53:1	Primary readable text	Pass AA + AAA
Gold #D4AF37	Primary #5C0018	6.8:1	Logo and highlights on dark	Pass AA
Muted Grey #6B7280	Background Light #FEF9F1	4.6:1	Non-critical metadata only	Large text only
Error #DC2626	Background Light #FEF9F1	4.61:1	Error text and validation messages	Pass AA
Primary #5C0018	Input Border #E0BFBF	8.43:1	Focused field border and input emphasis	Pass AA + AAA

Visual contrast examples

Each card matches the same-numbered row in the table above and shows the foreground colour sitting on its approved background.

1

14.84:1

White on Primary Dark

2

14.16:1

Primary Dark on Background Light

3

18.53:1

Text Light on Background Light

4

6.8:1

Gold on Primary

5

4.6:1

Muted Grey on Background Light

SEMANTIC COLOURS

Feedback states

Semantic colours should support messages and icons; they should not be the only way information is communicated.

SUCCESS

Green

HEX #4CAF50

RGB 76, 175, 80

HSL 122deg 39% 49%

ERROR

Red

HEX #DC2626

RGB 220, 38, 38

HSL 0deg 72% 51%

WARNING

Orange

HEX #F97316

RGB 249, 115, 22

HSL 25deg 95% 53%

DIVIDER

Soft Line

HEX #E5E2E1

RGB 229, 226, 225

HSL 15deg 7% 89%

GRADIENTS

Brand gradients

Gradients are used for brand surfaces, primary buttons, and image overlays.

Save recipe

brand

#5C0018 to #A8003A, left to right.

Used for primary buttons, smart suggestion cards, selected filters, and brand panels.

Welcome back

Find something pantry-friendly tonight.

brandOverlay

#5C0018 at 85% opacity to #A8003A at 85% opacity.

Used over photography and splash imagery when text still needs strong contrast.

Recipe detail

Ingredients, steps, and notes.

warmBg

#FEF9F1 to #1D1C17, top to bottom.

Used as a warm atmospheric background when a screen needs depth.

02 TYPOGRAPHY

Typography system

Mealchemy uses two Google Fonts: Newsreader for expressive headings and Plus Jakarta Sans for clear interface text. The type scale stays compact, readable, and consistent across the product.

DISPLAY TYPEFACE

Newsreader

Used for brand moments, page titles, and section headings.

INTERFACE TYPEFACE

Plus Jakarta Sans

Used for body copy, forms, buttons, navigation, and labels.

FALLBACKS & LICENSING

Google Fonts

Newsreader falls back to Georgia/serif. Plus Jakarta Sans falls back to Arial/system sans.

HERO WORDMARK SAMPLE

Mealchemy

Newsreader, 40px, weight 900. Used for the splash and brand moments.

FONT FAMILIES

Typefaces

Each font has a clear role. Serif type is reserved for prominent moments; sans type handles repeated UI reading.

Newsreader

Elegant recipe headings.

Used for display, page titles, and section headings.

Plus Jakarta Sans

Clear app content and controls.

Used for body copy, buttons, labels, forms, and navigation.

System sans fallback

Fallback interface font.

Used only if Plus Jakarta Sans is unavailable.

CMU Serif

MEALCHEMY

Reserved for static logo exports, not live app UI text.



NAMED SCALE

Token examples

These cards show each named type token, size, weight, line height, and letter spacing.

display · Newsreader · 40px · 900

Mealchemy

Brand wordmark and splash hero.

heading1 · Newsreader · 32px · 800

Welcome back

Page titles and dashboard greeting.

heading2 · Newsreader · 24px · 600

Recommended

Section titles and modal headings.

title · Plus Jakarta Sans · 18px · 600

Roasted tomato pasta

Card titles and list item names.

body · Plus Jakarta Sans · 14px · 400 · line 1.5

Descriptions, forms, and readable paragraphs.

Primary content and form text.

bodyBold · Plus Jakarta Sans · 14px · 700 · line 1.5

Emphasised inline body copy.

Bold emphasis inside body paragraphs and list items.

bodySmall · Plus Jakarta Sans · 14px · 400

35 min · pantry friendly

Secondary body text and inline metadata.

caption · Plus Jakarta Sans · 11px · 400 · line 1.4

Updated just now

Timestamps and fine-print captions.

button · Plus Jakarta Sans · 16px · 600 · +0.3 tracking

Save recipe

Action labels inside elevated buttons.

label · Plus Jakarta Sans · 10px · 700 · +0.5 tracking

HIGH PROTEIN

Navigation labels, tags, and eyebrows.

TYPE SCALE

Hierarchy mapping

The app implements these through the tokens below.

HIERARCHY	APP TOKEN	FONT	SIZE	WEIGHT	LETTER SPACING	LINE HEIGHT	USE
display	display	Newsreader	40px	900	0	default	Brand wordmark and splash hero
h1	heading1	Newsreader	32px	800	0	default	Page titles and dashboard greeting
h2	heading2	Newsreader	24px	600	0	default	Section titles and modal headings
h3	title	Plus Jakarta Sans	18px	600	0	default	Card titles and list item names
h4	bodyBold	Plus Jakarta Sans	14px	700	0	1.5	Small headings, emphasis, and inline labels
body	body	Plus Jakarta Sans	14px	400	0	1.5	Primary content and form text
body small	bodySmall	Plus Jakarta Sans	14px	400	0	default	Secondary body text and inline metadata
caption	caption	Plus Jakarta Sans	11px	400	0	1.4	Timestamps and fine-print captions
button	button	Plus Jakarta Sans	16px	600	0.3	default	Button labels
label	label	Plus Jakarta Sans	10px	700	0.5	default	Navigation labels, tags, and eyebrows

The hierarchy covers display text, page headings, section headings, card titles, body copy, captions, labels, and buttons.

TYPE ROLES

Hierarchy in context

The example below shows the scale working together in one instance.

9:41Mealchemy

Mealchemy

DINNER PLAN

Welcome back

Build a simple meal from what is already in your kitchen.

RECOMMENDED

Roasted tomato pasta

35 min · pantry friendly · vegetarian

Good match: uses tomatoes, pasta, garlic, and basil.

Save recipe

Updated just now

display

Brand wordmark

heading1

Page title

heading2

Section title

title

Card title

body

Primary copy

bodySmall

Metadata

caption

Fine print

label

Tags and labels


button

Action


03 LOGO & ICONOGRAPHY

Logo and Iconography

The Mealchemy logo combines a square monogram mark with a serif wordmark. The preferred variant is gold on brand dark.




Usage Rules



ICONOGRAPHY

Icon system

Use Flutter Material Icons with a simple outlined style. Icons support actions and states but should not replace visible labels.



04 DESIGN PRINCIPLES

Design Principles

These six principles define how Mealchemy should feel and behave across every screen.

1

Consistency

Every screen feels authored by the same hand. Design tokens and reusable components prevent one-off colour, spacing, and interaction decisions.

2

Simplicity

The user sees only what they need for the current task. The interface reduces decision fatigue instead of presenting every option at once.

3

Responsiveness

Every interaction communicates a result. Loading, pressed, saved, and error states are visible so the app never feels silent.

4

Accessibility

Text is readable from a countertop distance, touch targets support imprecise taps, and colour is never the only indicator of state.

5

Warmth, Modernity & Luxury

Warm surfaces, refined spacing, serif headings, rich food photography, and gold accents create a modern, luxurious kitchen experience.

6

Intelligence Made Visible

Match percentages, pantry indicators, and suggestion cards explain why the system recommends something.

VOICE & TONE

UI copy rules

Mealchemy should feel helpful, calm, and direct. It should guide the user through cooking and planning without sounding technical or vague.

VOICE

Warm and useful

Use friendly language that helps the user take the next step.

CLARITY

Plain action words

Prefer short labels like Save recipe, Add item, Update pantry, and View recipes.

ERRORS

Specific recovery

Explain what happened and how to fix it. Avoid blame or vague alerts.

EMPTY STATES

Reassuring next step

Say what is missing, then offer the clearest action to continue.

Button Labels

USE

Save recipe

AVOID

Submit

Buttons should describe the result of the action.

Error Messages

USE

Servings

Missing servings

Add the number of servings before saving.

AVOID

Servings

Missing servings

Error occurred.

Error copy should be specific and fixable.

Empty States

USE

+

No recipes saved yet.

Add one to start your vault.

Add recipe

AVOID

!

No data.

Empty states should explain the state and the next action.

Helper Text

USE

Ingredients

Tomatoes, pasta, basil

Choose ingredients you already have.

AVOID

Ingredients

Values

Input valid values.

Helper text should make forms easier before an error happens.

Component Library

Reusable UI elements follow the brand palette, 12px control radius, compact spacing, and clear state changes.

NAVIGATION

App Bar



Centered title with compact edge actions.

ACTIONS

Buttons



Primary, secondary, outlined, text, loading, disabled, full-width, rounded, and icon states.

FORMS

Text Fields

Recipe name



Servings



Add the number of servings before saving.

Standard, private, focused, disabled, icon, and error states.

FORMS

Selects

CATEGORY



Fruit




Grains

Dropdown fields use the same radius, border, label, and focus language as text inputs.

NAVIGATION


Bottom Navigation



Five fixed tabs with selected and unselected states.

SURFACES

Cards



Light, dark, accent, outlined, gradient, tappable, and custom-radius variants.

FILTERS

Chips



Selected, unselected, removable, and tappable states.

CONTROLS

Icon Buttons



Primary, secondary, outlined, ghost, loading, and disabled states.

FEEDBACK

Modal

Edit pantry item?


Confirm changes before updating your pantry.



Dialogs and bottom sheets use clear titles, short body copy, and paired actions.

FEEDBACK

Toast



Snackbars confirm success or error without blocking the current screen.

SYSTEM

State Pattern

Default Ready for interaction

Hover / focus Visible border or lift

Loading Spinner replaces label

Error Red border plus helper text


States stay visible through colour, shape, text, and spacing.

VARIANT EXAMPLES

Every standard state

Each component below shows its main variants and states as visual examples.

Buttons



Inputs

Default

Focus

Disabled

Private

Cards

Light

Default surface

Dark

High contrast

Accent

Warm highlight

Outlined

Grouped content

Gradient

Brand surface


Chips



Icon Buttons



Navigation, Selects, and Feedback





COMPONENT TOKENS

Variants, sizes, and states

These values define the visible component variants, dimensions, and interaction states.

COMPONENT	VARIANTS	SIZES / RADIUS	STATES
Button	primary, secondary, outlined, text	36, 48, 56px high. Radius 12px or 100px rounded.	default, loading, disabled, full-width, left icon, right icon
Text field	standard, private	12px radius. Padding 16px horizontal, 14px vertical.	default, focus, error, disabled, private visibility toggle
Select	dropdown field	12px radius. Matches text field padding and border.	default, focus, selected, disabled
Card	light, dark, accent, outlined, gradient	16px default radius. 16px default padding.	default, tappable, custom width, custom height, custom radius
Chip	selected, unselected	8px radius. Padding 14px by 10px.	default, selected, removable, tappable
Icon button	primary, secondary, outlined, ghost	48px default size. Icon uses 45% of button size.	default, loading, disabled, custom colour
Bottom navigation	fixed tab navigation	10px horizontal padding, 8px vertical padding, 14px selected pill radius.	selected, unselected, route change
Modal	dialog, bottom sheet	Rounded surface with 16px plus internal spacing.	open, confirm, cancel, dismissed
Toast	success, error	Floating snackbar surface with compact icon and label.	shown, dismissed

Planner

Roasted tomato pasta

35 min · pantry friendly

Home

Swipes

Discover

Vault

Pantry

Component preview: this mobile-style card shows how recipe cards and bottom navigation sit together in the product UI.

06 LAYOUT & SPACING

Layout and Spacing

The layout system uses compact spacing, rounded surfaces, and flexible sections that stack cleanly from desktop-width previews down to mobile screens.

4px

xs

8px

sm

16px

md

24px

lg

32px

xl

The screens uses 4, 8, 16, 24, and 32px. Component-specific values add 6, 10, 14, and 20px where tighter controls need them.

RESPONSIVE LAYOUT

How screens adapt

Mealchemy is mobile-first. Larger screens add columns and wider content areas, while mobile screens stack sections into one readable column.

DESKTOP

Two-column content

Wide screens can show main content, supporting panels, and card rows side by side.

TABLET

Reduced columns

Medium screens keep two-card groupings but reduce extra side content.

MOBILE

Single column

Small screens stack all cards, keep 20px page gutters, and keep navigation fixed at the bottom.

DESKTOP

24 to 32px section spacing

More breathing room around grouped content.

TABLET

16 to 24px gaps

Sections stay grouped while preserving scanability.

MOBILE

12 to 20px gutters

Content stacks vertically with full-width controls.

DESIGN TOKENS

Spacing tokens

These values describe the spacing, radius, shadow, motion, and layout rules used across the interface.

TOKEN TYPE	VALUES	USAGE
Spacing scale	4, 8, 16, 24, 32px	Base page, section gaps, and grouped content spacing.
Component spacing	6, 10, 14, 20px	Compact gaps inside chips, buttons, fields, rows, and cards.
Button height	36px small, 48px medium, 56px large	Action hierarchy and touch targets.
Button padding	20px horizontal, 8px vertical small, 14px vertical medium/large	Consistent action sizing.
Text field padding	16px horizontal, 14px vertical	Readable form fields with clear focus states.
Chip padding	14px left/right, 10px top/bottom, 8px icon gap	Filter chips and removable tags.
Card padding	16px default	Recipe cards, panels, and grouped content.
Navbar padding	10px horizontal, 8px vertical, 6px item vertical	Bottom navigation spacing.
Motion	180ms transition	Selected navigation and small interactive changes.
Shadow	Primary at 6% opacity, 12px blur, 4px y-offset	Light and accent card elevation.
Responsive behaviour	Flexible rows, columns, scroll areas, and stacked content	Layouts adapt without fixed desktop-only breakpoints.

Radius Scale

Radius values are deliberately small and repeatable. Buttons and inputs use 12px, cards use 16px, chips use 8px, selected nav pills use 14px, and fully rounded buttons use 100px.

chip 8px

button/input 12px

nav pill 14px

card 16px

+ Save recipe

Search recipes

Input / Button • 12px
Used for form fields and standard action buttons.

92% Match

Roasted tomato pasta

35 min · pantry friendly

Card • 16px
Used for recipe cards, panels, and grouped content.

DinnerQuickHigh protein

Chip • 8px
Used for selectable and removable filter chips.

✓ Rounded primary

Rounded Action • 100px
Used when a button is intentionally pill-shaped.

Mealchemy

Spacing section

07 ACCESSIBILITY

Accessibility Guidelines

Mealchemy targets WCAG 2.2 Level AA with readable text, visible labels, accessible touch targets, and consistent focus and error states.

TARGET

WCAG 2.2 AA

AA is the minimum conformance target across colour, navigation, forms, and feedback.

FOCUS

Visible ring

Keyboard focus uses a 3px gold outline on links, buttons, and inputs.

MOTION

Reduced motion

Motion is reduced when the user's device requests fewer animations.

CONTRAST

AA pairings

Approved foreground/background pairs are documented and checked below.

KEYBOARD NAVIGATION

Focus order and indicators

Interactive elements must be reachable in a logical order with no keyboard trap. The active element receives a visible gold focus ring.

1 2 3 4

Search recipes

Save plan

Ingredient

Tomatoes

Tab order follows page structure: navigation, filters, form fields, then primary actions.

Tab

Moves forward through controls.

Shift + Tab

Moves backward without trapping the user.

Enter / Space

Activates buttons, chips, and navigation controls.

Escape

Closes modals and bottom sheets.

ASSISTIVE TECHNOLOGY

Screen readers and reduced motion

Meaningful controls need clear accessible names. Decorative visuals stay out of the accessibility tree.

SCREEN READER LABELS



Announced as
Save roasted tomato pasta, button.

Icon-only controls require specific labels. Images need useful alt text unless decorative.

FORMS

Email address

email@example.com

Used for sign-in and account recovery.

Labels remain visible and helper or error text is connected to the relevant field.

REDUCED MOTION

Default motion

Reduced motion

When reduced motion is requested, decorative movement becomes instant or is skipped.

DEVICE SETTING

Reduced motion respected

Animated widgets check the user's motion preference and switch to near-instant timing when needed.

SCREEN CHANGES

Simple transitions

The add-ingredient route returns the screen immediately instead of sliding it in when reduced motion is enabled.

EXPECTED RESULT

No decorative motion

The user still gets the same content and controls, with selection and swipe motion reduced.

WCAG 2.2 Level AA Adherence

These are the WCAG standards Mealchemy is aiming to meet, with the design guideline we will follow for each one.

1.4.3

Minimum Contrast: Text

WCAG STANDARD

Normal text requires 4.5:1 contrast. Large text requires 3:1.

MEALCHEMY GUIDELINE

Use only approved text/background pairings from the contrast table. Muted text is reserved for non-actionable supporting copy on light backgrounds.

1.4.11

Non-Text Contrast

WCAG STANDARD

Meaningful icons, focus indicators, and interactive component boundaries require 3:1 contrast against adjacent colours.

MEALCHEMY GUIDELINE

Buttons, icons, focused input borders, and semantic states must use contrast-safe maroon, gold, or semantic colours. Decorative dividers must not be the only source of meaning.

1.4.1

Use of Colour

WCAG STANDARD

Colour must not be the only way information is communicated.

MEALCHEMY GUIDELINE

Pair every colour state with text, a number, or an icon. Pantry status, form validation, and match badges must all remain understandable without colour alone.

2.5.5

Target Size

WCAG STANDARD

Interactive targets should be at least 44x44 CSS pixels.

MEALCHEMY GUIDELINE

Keep medium buttons at 48dp, large buttons at 56dp, and icon buttons at 48dp unless a specific layout needs a larger value.

1.3.1

Info and Relationships

WCAG STANDARD

Visual structure and relationships must also be available programmatically.

MEALCHEMY GUIDELINE

Use accessible labels for meaningful controls and status information. Exclude decorative imagery from the accessibility tree.

1.3.5

Identify Input Purpose

WCAG STANDARD

Inputs should programmatically identify their purpose so assistive tools can present the right keyboard or autofill support.

MEALCHEMY GUIDELINE

Give every form field a visible label, plus the correct input type and autofill support where relevant.

1.4.4

Resize Text

WCAG STANDARD

Text must remain readable and functional up to 200% scaling without loss of content or functionality.

MEALCHEMY GUIDELINE

Use flexible layouts that respect device text scaling. Test at 1.0x, 1.3x, and 2.0x before release.

2.1.1

Keyboard

WCAG STANDARD

All functionality must be operable with a keyboard, with no keyboard traps.

MEALCHEMY GUIDELINE

Ensure every action is keyboard reachable on tablet and desktop layouts, with visible focus feedback on fields, buttons, and navigation items.

3.3.1

Error Identification

WCAG STANDARD

Detected errors must be identified and described in text.

MEALCHEMY GUIDELINE

Use specific written error messages, such as "Incorrect password. Try again.", instead of generic error labels.

3.3.2

Labels or Instructions

WCAG STANDARD

Form fields must include labels or instructions.

MEALCHEMY GUIDELINE

Avoid placeholder-only fields. Use persistent visible labels so input purpose remains clear before and after typing.

Colour Independence Examples

State is communicated with both colour and text, so users do not need to rely on colour alone.

● Fresh

Green dot plus label for usable pantry items.

● Low

Orange dot plus label for low-stock ingredients.

● Expired

Red dot plus label for expired pantry items.

Form validation

!

 Incorrect password. Try again.

Contrast Table

A contrast ratio compares how different the foreground and background colours are. Higher ratios are easier to read; WCAG AA normally requires 4.5:1 for body text and 3:1 for large text.

1

14.84:1

White on Primary Dark

2

14.16:1

Primary Dark on Background Light

3

18.53:1

Text Light on Background Light

4

6.8:1

Gold on Primary

5

4.6:1

Muted on Background Light

#	FOREGROUND	BACKGROUND	RATIO	STATUS
1	#FFFFFF White	#570013 Primary Dark	14.84:1	Pass AA/AAA
2	#570013 Primary Dark	#FEF9F1 Background Light	14.16:1	Pass AA/AAA
3	#0E0D0B Text Light	#FEF9F1 Background Light	18.53:1	Pass AA/AAA
4	#D4AF37 Gold	#5C0018 Primary	6.8:1	Pass AA
5	#6B7280 Muted	#FEF9F1 Background Light	4.6:1	Large text only
6	#DC2626 Error	#FEF9F1 Background Light	4.61:1	Pass AA

ACCESSIBILITY CHECK

Lighthouse and manual checks

The Brand guide was checked with Chrome Lighthouse.

LIGHTHOUSE ACCESSIBILITY

100

Chrome DevTools Lighthouse returned 100 for Accessibility on all pages.

CONTRAST AUDIT

AA

documented

Approved pairings are shown in the contrast table, including body text, large text, and semantic error states.

MANUAL CHECKS

Required

before release

Keyboard traversal, screen-reader announcements, modal dismissal, text scaling, and reduced-motion preference should be checked in the app.



08 WIREFRAMES

Screen layouts and navigation flow.

Wireframes document the page structure, screen hierarchy, component placement, and click paths across the Mealchemy product experience.

Page change


Button function

Formatted input page

[Open Figma wireframes](#)

Navigation Flow

The annotated flow shows movement from onboarding into sign in, dashboard, recipe creation, discovery, pantry, vault, and scrollable discovery.



Navigation map showing core flows, page changes, and linked app areas.

Mockup vs Live app


Each pair shows the original mockup beside the live app screen.

Sign-in splash

MOCKUP




LIVE APP




Create an account

MOCKUP




LIVE APP




Dashboard / Home

MOCKUP




LIVE APP




Pantry

MOCKUP



LIVE APP




Discovery

MOCKUP




LIVE APP




Guided discovery / swipe

MOCKUP




LIVE APP




Preference profile

MOCKUP



LIVE APP



Recipe instructions

MOCKUP




LIVE APP




Shopping list

MOCKUP




LIVE APP




Vault



MOCKUP



LIVE APP




Add pantry item




Additional Mockups


These supporting mockups clarify the broader wireframe set.



Private Vault



Shared Vault



Generated Shopping List



Scrollable Discovery

Reusable Interface Patterns

Mealchemy

Top App Bar

h

DISCOVER

LIST

MARKET

PROFILE

Bottom Navigation

Favorite

History

Following

Trending

Sticky Filter Tags

BAR

Proteins

Vegetables

Dairy

Discover Tabs

Trending Recipes

TRIED THIS NOW

Avocado & Kale Superfood

4.2k saves this week

EDITOR'S CHOICE

Dark Chocolate & Gold

Ganache

New seasonal favorite

Recipe List Section

09 CHANGELOG

From Demo 1 mockups to the live app.

A concise record of what changed from Demo 1 to Demo 2, covering screens, tokens, components, accessibility, and motion.

01

Screens

Demo 1 mockups are paired with Demo 2 live app screens.

02

System

Colours, typography, radius, spacing, and components now match code tokens.

03

Quality

Accessibility, validation states, and motion behaviour are documented.

SYSTEM EVOLUTION

Design system refinements

System-wide refinements made for the updated guide.

COLOUR

Colour system expanded

Added full colour tokens with HEX, RGB, HSL, usage notes, semantic colours, contrast ratios, and gradient examples.

Reason: To show the final production-ready palette that explains how colours are applied, not just what they are.

TYPE

Typography shown in context

Added font roles, token examples, hierarchy mapping, and a product-style screen showing display, headings, labels, body, caption, and button text together.

Reason: the type system now demonstrates how text works in the interface instead of only listing values.

LOGO

Logo and icons clarified

Added logo variants, clear-space rules, minimum sizes, approved colours, forbidden treatments, icon usage, icon sizing, and visual icon examples.

Reason: the brand identity now includes practical rules for both the logo and everyday interface icons.

PRINCIPLES

Voice and tone added

Added UI copy rules with visual examples for button labels, error messages, empty states, and helper text.

Reason: To make UI consistent, helpful, and specific across real user flows.

COMPONENTS

Component library completed

Added visual examples for buttons, inputs, selects, cards, chips, icon buttons, navigation, modals, toasts, variants, sizes, and states.

Reason: the guide now shows how standard components behave in default, focus, loading, disabled, selected, and error states.

SPACING

Layout adaptation documented

Added spacing scale, component spacing, radius scale, shadow and motion tokens, plus desktop, tablet, and mobile layout adaptation examples.

Reason: To show how layouts adapt across screen sizes instead of only listing spacing numbers.

ACCESSIBILITY

Accessibility standards expanded

Added WCAG 2.2 AA guidance, keyboard rules, focus examples, screen-reader examples, reduced-motion rules, contrast guarantees, and Lighthouse accessibility score.

Reason: accessibility is now documented as a working product standard rather than a general intention.

MOTION

Reduced motion tied to the app

Added reduced-motion guidance using device animation settings and documented which motion should be reduced.

Reason: reduced motion needed to match the product experience, not just the guide website.

WIREFRAMES

Wireframes matched to real screens

Updated the wireframes page with clearer mockup and live-screen comparisons, improved image layout, and better navigation flow presentation.

Reason: To show the progression from planned screens to the working application.

UNCHANGED

What stayed the same

Core identity elements carried through from Demo 1.

Logo: full, mark, and monogram variants.
Primary palette: maroon and gold brand pairing.
Voice: warm, direct, and food-first.
Navigation: Home, Swipes, Discover, Vault, and Pantry.
Principles: consistency, simplicity, warmth, and intelligence.