

Neighbourhood WatchDog User Manual

Contents

1. [What WatchDog does](#)
 2. [Who can do what](#)
 3. [Before you begin](#)
 4. [Create and confirm an account](#)
 5. [Create a property](#)
 6. [Create or join a neighbourhood](#)
 7. [Navigate the dashboard](#)
 8. [Add and manage cameras](#)
 9. [Connect the WatchDog Agent](#)
 10. [View a live camera](#)
 11. [Configure detection settings](#)
 12. [Review and respond to alerts](#)
 13. [Use alert history and filters](#)
 14. [Analytics and neighbourhood intelligence](#)
 15. [Security officer availability and dispatch](#)
 16. [Neighbourhood administration](#)
 17. [Account settings and notifications](#)
 18. [Troubleshooting](#)
 19. [Safety, privacy, and responsible use](#)
 20. [WOW-factor demonstration checklist](#)
-

1. What WatchDog does

Neighbourhood WatchDog connects approved security cameras to a shared monitoring dashboard. It helps authorised users:

- view cameras connected to a property;
- monitor a live camera feed when the feed is available;
- receive alerts when the system detects configured activity;
- inspect the alert time, camera, detection type, confidence, and supporting image or clip when available;

- acknowledge an alert so other responders know it is being handled; and
- notify the neighbourhood about an active alert when that action is appropriate.

What makes WatchDog different

WatchDog is more than a camera dashboard. Its standout capabilities help security teams move from simply viewing alerts to understanding, prioritising, and responding to incidents:

- **Autonomous patrol assistance:** follow a detected individual across authorised cameras, review the movement path, and read a plain-English situational brief.
- **Smart alert navigation:** view critical alerts on a map, see routes, distance, and estimated arrival time, and open the route in Google Maps.
- **Neighbourhood risk intelligence:** overlay historical incidents, camera coverage gaps, danger zones, and live alerts on the neighbourhood map.
- **Intelligent officer dispatch:** officers can share their availability and location so the system can select an eligible nearby responder.
- **Cross-property identity correlation:** when a confident match is detected across authorised properties, related alerts can be connected and authorised responders can be notified.

These capabilities are decision-support tools. They do not replace human judgement, emergency services, or the neighbourhood's response procedures.

The normal user journey

Create account → confirm email → create property → create or join a neighbourhood → add cameras → connect the Agent → enable monitoring → review alerts.



Figure 1. Neighbourhood WatchDog identity mark.

2. Who can do what

The options shown in the left navigation depend on the user's role and whether the selected property belongs to a neighbourhood.

User type	Typical actions
Resident	View authorised cameras, view alerts, acknowledge alerts, update personal contact details
Neighbourhood administrator	Manage neighbourhood join requests, set neighbourhood risk thresholds, configure authorised camera settings
System administrator	Access system audit information, in addition to permitted dashboard functions

If a menu item is not visible, the current account may not have permission to use it. Do not share an account to work around permissions.

3. Before you begin

You need:

1. The approved WatchDog website address.
2. A working email address that can receive a confirmation code.
3. A property address to register.
4. If you are joining a neighbourhood, a valid join code from its administrator.
5. If you are adding a camera, the camera name, physical location, and connection information supplied by the deployment operator.
6. If you are pairing an Agent, access to the trusted computer on which the Agent will run.

For the demonstration pairing workflow, use native Windows Python 3.12.

4. Create and confirm an account

Create an account

1. Open the approved WatchDog website.
2. Select **Create account** or **Sign up**.
3. Enter your **First name**, **Last name**, **Address**, **Email**, **Password**, and **Confirm password**.
4. Make sure the passwords match. The password must contain at least eight characters; the service may also require numbers and special characters.
5. Select the submit button.
6. Watch for a confirmation message and check your email.

Create Account

[Already have an account? Login](#)

Enter your details below to get started

First Name

First Name

Last Name

Last Name

Address

44 Home Street, Pretoria

Email Address

email@example.com

Password



Must have: 8+ characters | Special Character | Number

Confirm Password



Create Account

Figure 2. Existing authentication.

Confirm the account

1. Open the confirmation-code screen, if it is not opened automatically.
2. Enter the code sent to your email address.
3. Submit the code.

4. Return to the login screen and sign in.


The image shows a 'Verify Your Email' screen. At the top left, the title 'Verify Your Email' is displayed in a large, bold, dark green font. To the right of the title, there is a link 'Already verified? Login' in a smaller, dark green font. Below the title, a message reads 'Enter the 6-digit confirmation code sent to your email'. There are two input fields: the first is labeled 'Email Address' and contains the text 'm@example.com'; the second is labeled 'Confirmation Code' and contains the placeholder text 'Enter 6-digit code'. Below the input fields, a small text prompt says 'Check your email for the confirmation code'. At the bottom, there is a large, dark green button with the text 'Verify Email' in white. Below the button, there is a link 'Resend confirmation code' in blue text, preceded by the text 'Didn't receive the code?'.

Figure 3. Existing authentication.

If the code expires or is incorrect, use the application's resend or confirmation option if available. Do not repeatedly guess codes.

Sign in

1. Enter your email address and password.
2. Select **Sign in** or **Login**.
3. If multi-factor authentication is requested, enter the code sent to the displayed destination.
4. After successful sign-in, WatchDog opens the dashboard. If you already have a property, it opens the camera page for the selected property.

If the account has not yet been confirmed, the login screen should direct you back to confirmation instead of repeatedly rejecting the password.

5. Create a property

A property is the place where one or more cameras are registered. A property is separate from a neighbourhood: creating one does not automatically create or join a neighbourhood.

1. Open the property selector or property-management option.
2. Select **Create property**.
3. Search for the address.
4. Select the correct address from the search results. Typing an address without selecting a result may not be accepted.
5. Select **Create property**.
6. Confirm that the new property appears in the property selector.

Create Property



Enter the details of your property

Address Line 1 (Street address)

Address Line 2 (Apartment, suite, unit, building etc.)

City

Province

Postal Code

Cancel

Create Property




Figure 4. Existing property and neighbourhood mockups. Replace with the live Create Property dialog in the final manual.

If the property is not shown

- Check that the address was selected from the address search results.
- Refresh the dashboard and reopen the property selector.
- If the problem continues, record the visible error message for the administrator. Do not include private account details in a public report.

6. Create or join a neighbourhood


Choose the option that matches your situation.

Create a neighbourhood

Use this option when you are responsible for starting a new community group.

1. Select the property that should be associated with the neighbourhood.
2. Open **Create a neighbourhood**.
3. Enter a clear **Neighbourhood name**.

4. Enter the neighbourhood **Location**.
5. Select **Create neighbourhood**.
6. Store the generated join code securely and give it only to residents who should join.




The mockup shows a dark-themed form titled 'Neighbourhood setup' with a sub-header 'Create a neighbourhood'. Below the title is a descriptive sentence: 'Start a neighbourhood from this property. You can add neighbouring properties and residents after setup.' The form is divided into sections: 'STARTING PROPERTY' with a green location pin icon and the text 'Festival Street Midrand, Gauteng Gauteng 2066' and a note 'This property will become the first property in the new neighbourhood.'; 'Neighbourhood details' with the instruction 'Choose a name residents will recognise.'; 'Neighbourhood name' with a text input field containing 'e.g. Brook Street Residents' and a note 'This name will appear in resident workspaces and neighbourhood communications.'; and 'Location' with a text input field containing 'e.g. Brooklyn'. At the bottom, a note states 'You will become the first neighbourhood administrator. You can then invite residents and review join requests.' There are two buttons at the bottom right: 'Cancel' and 'Create neighbourhood'.

Figure 5. The existing mockup shows the Create Neighbourhood form.

Join an existing neighbourhood

1. Select the property you want to associate with the neighbourhood.
2. Open **Join a neighbourhood**.
3. Enter the join code supplied by the neighbourhood administrator.(From the "Join requests" page)
4. Submit the request.
5. Wait for the administrator to approve or deny the request.

Your request remains pending until the administrator resolves it. If the request is denied or the code is invalid, contact the administrator rather than creating multiple duplicate requests.



The mockup shows a dark-themed page titled 'Neighbourhood management' with a sub-header 'Join requests'. Below the sub-header is the text 'Review requests from property owners who want to join this neighbourhood.' On the right side, there is a section titled 'JOIN CODE' with a large, rounded rectangular button displaying the code 'RQAYQ4JY' and a circular refresh icon to its right.

Figure 6. Neighbourhood admin's join request code that needs to be shared

Neighbourhood

Join a neighbourhood

Use a neighbourhood join code to request access for your selected property. Once approved, you will be able to view neighbourhood alerts and activity.

Property: Festival Street Midrand, Gauteng Gauteng 2066

Enter join code

Join code

Enter the code provided by a neighbourhood administrator.

e.g. NORTH-5F3A

Your request is sent for the currently selected property.

Request to join >

Figure 7. The existing mockup shows the Join Neighbourhood form.

7. Navigate the dashboard

The left sidebar is the main way to move through WatchDog. The active property and neighbourhood determine which options are shown.

Main navigation options

- **My cameras:** View cameras registered for the selected property.
- **Connect agent:** Generate a one-time token for the local WatchDog Agent.
- **Live alerts:** View recent alerts for the selected neighbourhood.
- **Analytics:** View alert activity, risk-score history, response metrics, and neighbourhood intelligence when data is available.
- **Join requests:** Administrator-only view for approving or denying membership requests.

- **Risk thresholds:** Administrator-only view for setting low and medium risk boundaries.
- **Settings:** Update profile and notification contact details.
- **Audit log:** System-administrator view of recorded system actions.
- **Map:** View neighbourhood properties, incident heatmaps, danger zones, contours, live critical alerts, and security routes when permitted.
- **Security:** Security-officer workspace for setting duty status and sharing location while on duty.

The property selector may display the address together with either **Standalone property** or the user's neighbourhood role. Check this context before changing cameras or reviewing alerts.

Tip: If the expected menu items are missing, first check that the correct property and neighbourhood are selected.

8. Add and manage cameras

Add a camera

1. Open **My cameras**.
2. Select **Add camera**. If there are no cameras yet, select **Add your first camera**.
3. Enter a recognisable **Camera name**, such as `Front gate`.
4. Enter the physical **Camera location**, such as `Main entrance`.
5. Enter the camera's **RTSP URL** supplied by the deployment operator.
6. Select **Acknowledge** to save the camera.

The current camera form requires a location and connection URL. Newly added cameras are registered as private by default in the current interface. Do not paste a real connection URL into this manual or into a screenshot.

×

New Camera

Camera Name

Enter Camera Name

Camera Location

Enter Camera Location

RTSP URL

Enter RTSP URL

Acknowledge

Westhood Heights - 123 Test Street Test City Gauteng 1234

Cameras

+ Add camera

5 enabled • 0 disabled

Cameras

Cameras configured for this property.

Enabled

Select to play live stream

Home

Home

Visibility: PRIVATE

Enabled

Select to play live stream

TEST 2

Office

Visibility: PRIVATE

Enabled

Select to play live stream

TEST 1 Sep

Camera 1

Visibility: PRIVATE

Figure 8. Existing dashboard mockups illustrate the camera and alert areas.

Understand the camera list

The Cameras page shows:

- the selected property address;
- the number of enabled and disabled cameras;
- each camera's name and location; and
- the camera visibility label.

A camera card can display these states:

State	Meaning	What to do
Live	The camera stream is available	Select the camera to view it
Connecting	WatchDog is trying to start the stream	Wait briefly; if it persists, check the Agent and camera connection
Unavailable	The stream cannot currently be played	Check that the camera is enabled and publishing
Disabled	Monitoring is turned off for this camera	An authorised user must enable it before monitoring can resume

Edit or remove a camera

Use the camera's action menu when available. Read the confirmation message carefully before removing a camera. Removing a camera can affect monitoring and future alerts for that camera.




Figure 9. Menu to be used in order to edit or delete cameras.

9. Connect the WatchDog Agent

The Agent is the trusted local service that can reach the registered camera sources and send camera detections to WatchDog. This step is normally performed by a deployment or security operator.

Generate a pairing token

1. Open **Connect agent** for the correct property.
2. Confirm that the displayed property address is correct.
3. Select **Generate pairing token**.
4. Select **Copy token**.
5. Enter the token in the Agent setup application on the trusted machine before it expires.
6. Confirm that the Agent reports a paired or connected state.
7. Return to WatchDog and enable the required camera.

WatchDog Agent Setup

To connect this computer to your WatchDog account, enter the 9-character pairing token generated on the website. Once verified, the application will securely download your camera configuration and continue the setup.

Status: Waiting for pairing token.

Pairing Token: - -

Example: ABC-123-XYZ

Connection Progress

Connection Log

[INFO] Waiting for pairing token...
[INFO] Agent is not yet connected.

Connect Agent **Back**

Figure 10. Connect Agent page.

A token is sensitive even if it is temporary. Treat it like a password: share it only with the person performing the pairing, then remove it from chat messages, notes, screenshots, and screen recordings.

If pairing fails

- Confirm that the token belongs to the selected property.
 - Generate a new token instead of reusing an expired one.
 - Confirm that the Agent is running on the trusted machine.
 - Confirm that the machine can reach the camera sources.
 - Ask the deployment operator to check the Agent status and logs. Logs should not expose passwords or full credentialed camera URLs.
-

10. View a live camera

1. Open **My cameras**.
2. Select an enabled camera card.
3. Watch the status change from **Connecting** to **Live**.
4. Use the live view to inspect the selected camera.
5. Close the camera view when finished.

The browser requests a live stream after a user selects a camera. This avoids opening every camera stream automatically.

If the camera is unavailable, WatchDog should show an **Unavailable** state rather than a blank page. Check the camera status, the Agent connection, and the deployment's camera publishing service before escalating.



Figure 11. Illustrative camera image.

11. Configure detection settings

Detection settings are available only to authorised administrators.

Set the confidence threshold

1. Open a camera's live view.
2. Open **Camera Detection Settings**.
3. Find **Confidence threshold**.
4. Move the slider to the required percentage.
5. Release the slider to save the setting.




Figure 12. Illustrative camera image.

The helper text explains that detections below this confidence do not trigger alerts. A higher threshold can reduce false alerts but may also miss less-clear detections. Use the value agreed by the security team; do not change it casually during an incident.

Add a detection zone

A detection zone limits monitoring to a selected part of the camera view.

1. Make sure the live view is open and showing the area you want to configure.
2. Select **Add zone**.
3. Select at least three points on the camera image to outline the area.
4. Click near the first circle to close the polygon, or select **Save zone**.
5. Confirm that the new zone appears under **Detection zones**.
6. Select **Refresh frame** if the background image is not current.
7. Select **Clear** to remove the points before saving, or **Cancel** to leave without creating a zone.

A camera with no configured zones treats all detections as eligible for alerting. Delete a zone only after confirming that it is no longer needed.




Figure 13. Capture the Camera Detection Settings panel with the confidence slider and a visible polygon.

12. Review and respond to alerts

Open **Live alerts** when you need to review current activity for the selected neighbourhood.

Understand an alert card

An alert card can show:

- a severity label: **Critical**, **High**, **Medium**, or **Low**;
- a status label: **New**, **Acknowledged**, or **Resolved**;
- the detection type, such as **Person detected**, **Loitering detected**, **Perimeter scanning**, **Weapon detected**, or **Fall detected**;
- the camera identifier;
- the confidence percentage; and
- how long ago the alert was created.

The live indicator beside the Alerts heading shows whether real-time updates are connected. A disconnected indicator means the page may not receive new alerts until the connection is restored or the page is refreshed.

Acknowledge an alert

Acknowledging means that a responsible person has seen the alert and is handling it.

1. Read the severity, detection type, camera, confidence, and time.
2. Select **Details** if you need the supporting image and full information.
3. Follow the applicable neighbourhood response procedure.
4. Select **Acknowledge** only when someone is actively handling the alert.
5. Confirm that the status changes from **New** to **Acknowledged**.

Acknowledgement does not mean that the event was harmless or that the incident is resolved.

View full details

Select **Details** to open the detail panel. Depending on the alert, it may contain:

- a detection thumbnail;
- an H.264 MP4 clip for supported critical detections when footage is available;
- alert and camera identifiers;
- detection type;
- confidence score;
- detection time; and
- resolution information when present.




Figure 14. Existing mockups show an Alerts list and an alert pop-up.

Broadcast an alert

The **Broadcast** action notifies the neighbourhood about an active alert. Use it only when the event is suitable for neighbourhood-wide communication and when the response procedure permits it.

1. Review the alert details first.
2. Confirm that it is still active and has not been resolved.
3. Select **Broadcast**.
4. Wait for the sending action to finish.
5. Continue following the response procedure.

Avoid broadcasting unverified or sensitive information. A broadcast is an external communication and should be treated as a deliberate safety action.

Understand incident grouping

WatchDog groups related active detections into an incident so that repeated detections do not unnecessarily create a separate card for every observation.

On the Current alerts view:

- one card represents the incident;
- the representative alert provides the main image and alert actions;
- repeated detections update the existing incident;
- the incident count and latest-seen information reflect additional detections; and
- live updates refresh the incident instead of blindly adding duplicate cards.

Historical records may still contain separate older alerts because historical incidents are not automatically regrouped.

Track an individual across cameras

Tracking features are available only to authorised security officers and neighbourhood administrators.

1. Open a weapon-related alert.
2. Select **Details**.
3. Review the **Tracking timeline**.
4. Inspect the **Movement path** map.
5. Review the cameras visited, sequence numbers, timestamps, local track identifiers, match confidence, and available footage.
6. Use the timeline to understand how the subject moved through the monitored area.

A tracking match is an investigative aid, not proof of identity. Treat uncertain matches cautiously and follow the approved response procedure.

Review a cross-property match

When the system detects a confident appearance match across authorised properties, the Alerts page can display a **Cross-property match detected** notification.

1. Open the notification or refresh the alert list.
2. Open the related weapon alert.
3. Review the tracking timeline and associated sightings.
4. Compare the cameras, locations, timestamps, and confidence information.
5. Escalate according to the security team's procedure.

Low-confidence comparisons are treated as a new identity rather than being presented as a confirmed match.

Read a situational brief

A situational brief summarises the tracked subject for authorised responders.

The brief can include:

- a plain-English summary;
- tracking ID;
- generation time;
- the trigger event;
- last known camera and location;
- cameras visited;
- associated alerts;
- sightings and sequence numbers; and
- confidence information.

To use it:

1. Open the relevant weapon alert.
 2. Select **Details**.
 3. Scroll to **Situational brief**.
 4. Review the summary before acting.
 5. Select **Save as PDF** when a printable briefing is required.
-

13. Use alert history and filters

The Alerts page provides two views:

- **Current:** Recent activity, covering the current monitoring window.
- **History:** Older alerts that can be reviewed using date filters.

1. Select **Current** or **History**.
2. Select **Filter**.
3. Choose one or more severity levels.
4. Optionally choose a status: **New**, **Acknowledged**, or **Resolved**.
5. In History, enter a start date and/or end date when needed.
6. Review the filtered list.
7. Refresh the page if the latest expected event is not visible.

If there are no matching records, WatchDog displays **No alerts**. This can mean that there are no events in the selected period or that the selected filters exclude them.




Figure 15. Capture Current, History, and the Filter menu.

14. Analytics and neighbourhood intelligence

Use the neighbourhood intelligence map

Open **Map** to view security information geographically.

Depending on your role, the map can provide:

- **Properties:** geocoded properties in the selected neighbourhood;

- **Incident heatmap:** aggregated confirmed and resolved incidents;
- **Danger zones:** areas combining incident history with camera sparsity;
- **Contours:** visual contours over the incident surface;
- **Live alerts:** individual active critical-alert markers; and
- **Routes:** the selected officer route when route information is available.

To use the map:

1. Open **Map** from the neighbourhood dashboard.
2. Choose **Neighbourhood** for the general neighbourhood view.
3. Choose **Security** when you need officer-facing alert and route information.
4. Open **Map layers**.
5. Enable or disable the layers relevant to the task.
6. Use **Incident date range** to select the historical period used for incident contours.
7. Select an alert or property marker to inspect its details.
8. For an eligible officer route, review the distance and ETA.
9. Select **Open in Google Maps** when external navigation is required.

The incident date range changes the historical contour range. It does not change live alerts or danger-zone scores. A heatmap and danger zone are decision-support overlays; always confirm important events using the alert details and available camera evidence.

Select **Analytics** to review neighbourhood-level information when the account has access and data has been calculated.

The page can include:

- risk-score history;
- alert-frequency information; and
- alert-response metrics.

Use **Refresh** to request the latest information. If the system has not calculated any risk history yet, the page may display **No calculated risk-score history is available yet**. This is an empty state, not necessarily an application failure.

Analytics should be interpreted as decision support. Confirm important incidents against the alert details and the live camera view where available.




Figure 16. The Analytics page.

15. Security officer availability and dispatch

The dispatch workflow helps the system identify an eligible nearby officer when a critical alert requires a response. It uses officer availability, location freshness, distance, estimated travel time, and alert context.^{[5](#)}

Set your duty status

Security officers can set their status from the **Security** workspace.

1. Open **Security** for the selected neighbourhood.
2. Open the **Status** selector.
3. Choose **On Duty** or **Off Duty**.
4. When choosing **On Duty**, allow location access when prompted.
5. Confirm that the location indicator shows a recent update.

When you are **On Duty**, WatchDog can use your location for eligible dispatch decisions. If location permission is denied, the system will not allow the officer to go on duty. If the location becomes stale, update permission or reconnect the officer device before relying on location-based dispatch.

Use **Off Duty** when you are not available to respond.

Respond to a dispatch request

When a dispatch request is assigned to you, WatchDog displays a **Dispatch request** popup. It can show:

- the alert type, such as Weapon detected or Fall detected;
- distance from you to the property;
- estimated travel time; and
- a response countdown.

You normally have two minutes to respond.

1. Review the alert type, distance, ETA, and remaining time.
2. Select **Accept** if you can respond.
3. Select **Decline** if you cannot respond.
4. Follow the neighbourhood response procedure after accepting.

The system displays **Dispatch accepted**, **Dispatch declined**, or **Request expired** after the response.

If a request is declined or expires, the system may attempt reassignment or escalation according to the deployment's dispatch policy. Do not assume that accepting a request means the incident is resolved; accepted incidents remain active until the response workflow is completed.

16. Neighbourhood administration

Review join requests

Administrators can open **Join requests** to see residents requesting access to the neighbourhood.

1. Open **Join requests**.
2. Review the resident request and the current status.
3. Use the status filter to view **Pending**, **Approved**, **Denied**, or **All** requests.
4. Approve or deny the request according to the neighbourhood's membership policy.
5. Confirm that the request status updates.
6. Use the page's refresh option if another administrator has changed a request.

The page also displays the neighbourhood join code to authorised administrators. Keep the code private and regenerate it if it has been shared too widely.




Figure 17. Pending filter and request actions.

Set risk thresholds

Administrators can open **Risk thresholds** to set boundaries for neighbourhood risk classifications.

1. Open **Risk thresholds**.
2. Review the current **Low risk max** and **Medium risk max** values.
3. Enter the new values when authorised to change them.
4. Keep the values between 0 and 100.
5. Ensure that **Medium risk max** is greater than **Low risk max**.
6. Select **Save thresholds**.
7. Confirm the success message and the updated timestamp.

These thresholds apply to the cameras and residents in the selected neighbourhood. Record policy-approved changes outside the system according to the project's governance process.

NEIGHBOURHOOD

Westhood Heights
Thresholds apply to all cameras and residents in this neighbourhood.

CURRENT CONFIGURATION

Low risk max
30

Medium risk max
70

🕒 Last updated 8/13/2026, 10:31:00 AM

Update thresholds
Medium risk max must be greater than low risk max.

Low risk max

30

Scores at or below this value are classified as low risk.

Medium risk max

70

Scores above the low threshold and at or below this value are classified as medium risk.

Cancel Save thresholds

Figure 18. Capture the current configuration and update form.

17. Account settings and notifications

1. Open **Settings**.
2. Under **Profile**, update your first and last name if needed.
3. Under **Notifications**, review the account email and enter a phone number for WhatsApp alerts when enabled by the deployment.
4. The account email is managed by authentication and is read-only on this page.
5. Under **Account**, review the displayed system role.
6. Select **Save changes**.
7. Confirm the **Settings updated** message.

A phone number must be valid before it can be saved. Use the international format recommended by the deployment, for example +27 ... , and do not place a real number in the manual screenshots.

The availability of WhatsApp and email notifications depends on the deployment configuration. If notifications are not enabled, continue using the dashboard's alert feed and follow the local response process.

Settings

Account settings

Manage your profile and the contact details used for neighbourhood activity.

Profile

First name

Test

Last name

User

Notifications

Email

testuser@example.com

This email is managed through your account authentication.

Phone number

+27 82 000 0000

Used for WhatsApp alerts.

Account

System role

RESIDENT

Save changes

Figure 19. Capture the Settings page.

18. Troubleshooting

Problem	Likely cause	First action
Cannot sign in	Incorrect credentials or unconfirmed account	Confirm the email first; then retry once and use password recovery if available
No property appears	Property was not created or the wrong context is selected	Refresh and check the property selector
Camera shows Disabled	Monitoring was turned off	Ask an authorised user to enable it
Camera stays Connecting	Agent, publisher, or network is not ready	Wait briefly, then check Agent and camera status
Camera shows Unavailable	Camera is not actively publishing	Confirm the camera is enabled and the Agent can reach it
No alerts appear	No qualifying event, an active filter, or disconnected live updates	Clear filters, check Current/History, and refresh

Problem	Likely cause	First action
Alert details have no thumbnail	Supporting image is unavailable	Use the alert metadata and follow the response procedure
Clip is not available	Footage upload is still pending or unavailable	Do not repeatedly submit; report the alert ID through the approved support channel
Cannot join neighbourhood	Invalid code or pending request	Request a fresh code or wait for administrator review
Cannot save thresholds	Values are invalid or incorrectly ordered	Use values from 0–100 and make medium greater than low
Notifications do not arrive	Notification delivery is not enabled or contact details are incomplete	Check Settings and contact the deployment administrator

When reporting a problem, include the screen name, the visible error message, approximate time, and a redacted screenshot. Never include passwords, pairing tokens, API keys, or credentialed camera URLs.

19. Safety, privacy, and responsible use

- Treat alerts as indicators that require human review, not automatic proof of wrongdoing.
 - Follow the neighbourhood’s emergency and escalation procedures.
 - Do not use broadcast messaging to spread unverified accusations or personal information.
 - Share camera access only with authorised users.
 - Keep join codes, pairing tokens, camera connection details, and passwords private.
 - Redact personal details and system identifiers from screenshots used in reports or demonstrations.
 - Do not leave live camera views open where unauthorised people can see them.
 - Use the minimum access required for each role.
 - Report false positives and missed detections to the administrator so thresholds and zones can be reviewed.
-